



Squadron 58

BUILDING ON THE SUCCESS OF PREVIOUS MODELS IN THIS EMINENTLY SUCCESSFUL RANGE, THE SQUADRON 58 TAKES THE EXPERIENCE OF SQUADRON OWNERSHIP TO NEW HEIGHTS.

Sumptuous accommodation is just a starting point, because customised options are at the heart of this remarkable craft. Aft cabin and multiple mid-cabin options enable you to shape her to suit your own personal boating lifestyle and entertainment preferences. Whatever you choose, first-class facilities, contemporary design and exceptional spaciousness make every journey a reward.

Contemporary in her appearance and design thinking, the Squadron 58 was the first Fairline to reap the benefit of the state-of-the-art prototyping line at our Nene Valley manufacturing facility. The results speak for themselves: the award-winning 58 has quite exceptional 'liveability', thanks to obsessive attention to both major and minor details throughout every area of the boat.


















Squadron 58 Technical Specifications



Mid Cabin Options

Length of hull (bow to aft end of bathing platform, inc. gunwale): 57ft 8in (17.58m)	Dry weight (approx.): 23.50 tons (23,877kg)
Length overall (inc. gunwale): 58ft 9in (17.92m)	Fuel capacity: 572 gals/687 US gals (2,600L)
Beam (inc. gunwale): 15ft 11in (4.85m)	Water capacity (inc. calorifier): 222 gals/266 US gals (1,008L)
Number of berths: 6 - 10	Engine recommendations (twin): from 1,430mhp to 1,622mhp
Draught: 4ft 7in (1.39m) unloaded	2 x Volvo Penta D12-715 EVC Shaft Diesel 715mhp each: 31 knots
Height above waterline (inc. arch + nav. light mast): 19ft 10in (6.04m)	2 x Volvo Penta D12-800 EVC Shaft Diesel 775mhp each: 32 knots
Transport height: 15ft 10in (4.83m)	2 x Caterpillar C15-811 Shaft Diesel 811mhp each: 33 knots

Hullform and Construction: All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings • Antifouling protection to hull • Bowthruster 11hp • Deep 'V' forward; 18° deadrise aft • Designed by Bernard Olesinski and the Fairline design team • Full length moulded spray deflectors • Hull/deck join bolted and bonded • Integrally moulded engine bearers • Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat • Owner's manual • The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation • The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings • The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle • Transverse and longitudinal strengthening stringers throughout hull

Deck: Anchor chain locker • Anchor winch controls • Calibrated anchor chain • External covers to windscreen • Fender set • Full set of IMCO navigation lights • Hot and cold water transom shower • Moulded non-slip deck surface • Recessed self-draining area on foredeck with coachroof sun cushions • 'Reticulated' non-absorbent foam cushions for forward sundeck • Riding light • Rigid swim ladder to bathing platform • Rubbing strake • Self-stowing through-hull Delta® anchor • Stainless steel bow fairlead(s) and mooring drums aft • Stainless steel bow, spring and stern cleats • Stainless steel fender basket in pulpit • Stainless steel grab rail(s) on each transom wing • Stainless steel handrails • Stainless steel hull protection plate under bow • Stainless steel pantograph windscreen wipers • Stainless steel pulpit • Transom gate from cockpit to integral bathing platform • Teak-laid bathing platform • Twin horns • Water filler(s) • Windscreen washers

Flybridge and Second Helm Position: 12v heavy duty weatherproof socket • Adjustable bolstered helm seating • Adjustable/tilt steering wheel • Bilge pump warning lights and audible alarms • Bowthruster controls • Companion seating to helm • Dedicated dining seating with large dining table and sunbed conversion • Drinks holders • Echosounder and speedometer/distance log repeater(s) with sea water temperature read out • Electronic single-lever throttle and gear controls for port and starboard engines • Ensign and staff • Furniture covers • Flybridge bar with refrigerator, icemaker, sink, electric griddle and waste bin • Helm position indicator • High speed magnetic compass • Instrument covers • Large sunbathing area forward of helm position with non-absorbent foam-filled cushions • Moulded non-slip deck surface • Powered steering • Remote anchor winch controls • Remote control searchlight with controls at both helm stations • Repeat autopilot controls • Repeat flybridge engine instrumentation, controls and electronics • Searchlight controls • Stainless steel handrails • Teak-laid oversize flybridge steps • Trim tab controls • Twin radar masts with down-lighting • VHF radio telephone incorporating intercom • Wind-deflecting screen with grab rail

Aft Cockpit/Transom: 12v heavy duty weatherproof socket • Access hatch to engine room and lazarette • Access hatch to optional aft crew cabin • Aft cockpit enclosure covers • Bathing platform lights • Blue LED lighting to cockpit • Boat hook • Fender stowage • Life raft stowage • Manual bilge pump(s) • Mooring warps • Stainless steel-framed sliding door to main saloon • Teak-laid floor throughout self-draining cockpit • Telescopic hydraulic passerelle/dinghy lift • Twin transom gates • Warp lockers • White cockpit overhead lights

Interior Furnishings: A wide choice of luxurious co-ordinating carpets, upholstery and curtain fabrics available to meet individual tastes • ELEGANCE, CLASSIC & SPORT COLLECTION upholstery choices

Main Helm Position: 12v socket • Adjustable/tilt steering wheel • Bilge pump switches with integral operating warning lights and audible alarms • Bowthruster controls • Chart table and light • Controls for engine bay fire extinguisher system • Drinks holders • Echosounder and speedometer/distance log repeater(s) with sea water temperature read out • Electronic single-lever throttle and gear controls for port and starboard engines • Foghorn with siren and loudhailer facility • Fuel gauges • Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters • GPS/radar/chartplotter interfaced with autopilot • Helm position indicator • High speed magnetic compass • Madrona finish instrument panel • Powered steering • Raymarine E120 navigation display • Red night-light illumination to helm • Remote anchor winch controls • Searchlight controls • Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans • Teak-laid floor • Trim tab controls • Twin independent Recaro® helm and co-pilot seats with electric adjustment • VHF radio telephone incorporating intercom

Main Saloon: 32" LCD TV and BOSE® 321 DVD/CD audio system • Access to deck via side door • Drinks cabinets complete with 6 'Squadron' engraved lead crystal tumblers • First aid kit • Full-height standing headroom • Halogen ceiling lights • Handrail • Powerdrop window(s) • Sofa

Galley: Avonite® work surface with covers and fiddles • Crockery stowage • Dishwasher to galley • Electric ceramic/halogen hob • Extractor fan • FAIRLINE EDITION china dinner service and cutlery set • Fire extinguisher • Halogen ceiling lights • Integrated waste bin • Lacquered cupboard doors • Microwave oven • Refrigerator • Stowage cupboards and drawers • Teak-laid floor • Twin sinks with hot and cold mixer tap • Worktop options • Work surface lights

Master Stateroom: Access to en suite bathroom • Bedside stowage • CD/radio • Double bed with interior sprung mattress • Drawer(s) under bed • Full-height standing headroom • Halogen ceiling lights • Large hatch with flyscreen and concealed blinds to foredeck • Lockers (mid-level) • Mirror • Quilted bedspreads • Reading lights • Stainless steel opening porthole(s) with flyscreen • Upholstered bedhead • Wardrobe(s)

Master En Suite Bathroom: 220v/240v shaving point • Automatic shower tray pump-out system • Avonite® vanity unit with locker and basin with hot and cold pressurised water • Electric silent-flush freshwater toilet • Extractor fan • Full set of bathroom fittings • Full standing height shower with solid teak gratings and hinged door • Halogen ceiling lights • High level blue frosted glass window • Mirror • Stainless steel opening porthole(s) with flyscreen

Starboard Guest Cabin: Bedside stowage • Full length berths x 2 with high-comfort interior sprung mattresses • Halogen ceiling lights • Lockers (mid-level) • Mirror • Quilted bedspreads • Reading lights • Stainless steel opening porthole(s) with flyscreen • Wardrobe(s)

Port Guest Cabin: Access to en suite bathroom • Bedside stowage • CD/radio • Double bed with interior sprung mattress • Drawer(s) under bed • Full-height standing headroom • Halogen ceiling lights • Large hatch with flyscreen and concealed blinds to foredeck • Lockers (mid-level) • Mirror • Quilted bedspreads • Reading lights • Stainless steel opening porthole(s) with flyscreen • Vanity unit or sofa • Wardrobe(s)

Shower/WC Compartment: 220v/240v shaving point • Automatic shower tray pump-out system • Avonite® vanity unit with locker and basin with hot and cold pressurised water • Electric silent-flush freshwater toilet • Extractor fan • Full set of bathroom fittings • Full standing height shower with solid teak gratings and hinged door • Halogen ceiling lights • High-level blue frosted glass window • Mirror • Stainless steel opening porthole(s) with flyscreen • Work surface options

Mid Cabin: Choice of 4 configurations, all with halogen lighting and power points

Mid Cabin - Mid Cabin Utility Room Option: Blinds • Freezer • Ironing board • Stainless steel opening porthole(s) with flyscreen

Mid Cabin - Mid Cabin Twin Berth Option: Electric flush toilet under bed • Full length berths x 2 • Handbasin with hot and cold water • Stainless steel opening porthole(s) with flyscreen

Mid Cabin - Mid Cabin Single Berth with En Suite Option: Electric flush toilet • Full length single berth • Full standing height shower with integral shower tray, adaptable shower head and curtain • Handbasin with hot and cold water • Shower proof curtains • Sliding door to en suite facilities • Stainless steel opening porthole(s) with flyscreen

Mid Cabin - Mid Cabin Single Berth with Single Domestic Appliance Option: Clothes washer/dryer • Electric flush toilet under bed • Full length single berth • Handbasin with hot and cold water • Stainless steel opening porthole(s) with flyscreen

Aft Utility Room: Halogen ceiling lights • Power point(s) • Stainless steel opening porthole(s) with flyscreen

Aft Crew Cabin (Optional): Full length berths x 2 • Halogen ceiling lights • Power point(s) • Stainless steel opening porthole(s) with flyscreen • Toilet and handbasin

Electrical Systems: All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel • Electrical sockets • Heavy duty circuit breakers • Isolating switches to all batteries • Onan generator 9.5kVA

12 Volt: Voltage dropper from domestic batteries provides 12v power where necessary for electrical helm seat, navigation and radio equipment only

24 Volt: Batteries - 2 x 220Ah exclusively for starboard engine starting • Batteries - 4 x 200Ah wired in parallel supply for domestic services and port engine starting • Emergency battery coupling system permits each engine to start from opposite engine battery bank

240 Volt: Polarity check and earth leakage protection system • Power points throughout the boat (fed from shore power or generator) • Regulated 75amp charger for domestic batteries • Shore power supply • Spare circuit breakers for optional equipment

Engines and Sterngear: Access through cockpit hatch • Aerodynamically designed engine air intakes • Automatic engine bay fire extinguisher system with warnings at both helms • Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override • Balanced rudders • Cathodic protection • Dripless shaft seals • Electro-hydraulic trim tabs with cathodic protection • Electric engine bay fan(s) • Engine bay lights • Engine room soundproofing • Exhaust overheat warning system • High capacity emergency manual bilge pump system with changeover valves • High corrosion-resistant TEMET shafts • Manganese bronze 'P' brackets • Manganese bronze propellers contra-rotating • Sea cocks on all inlets/outlets below waterline • Water cooled engine exhausts with silencers and side outlets

Fuel System: High capacity water separators and fuel filters with audible alarms at lower helm • Individual fillers and vents to port and starboard • Marine grade alloy fuel tanks x 2

Freshwater System: Automatic, pressurised supply • Calorifier hot water system • Manual override switch at lower helm • Water tank(s)

U.S.A. specifications in addition to or in lieu of those listed above: Air conditioning/reverse cycle heating system to main accommodation • Built-in security safe • CD/radio • Dockside television and phone inlets • Dockside water inlet system with washdown • Electrical sockets - USA • Glendinning cable master(s) • Holding tank(s) with electric macerator pump • Onan generator 21.5kVA/60Hz • Passerelle not included • Side boarding ladder • Vacuflush toilet system

This specification may be changed at any time without notice. Please refer to your dealer for the latest prices and specifications.