






SUNSEEKER PREDATOR 84

The world's finest luxury motoryachts

PREDATOR 84

STYLE: PERFORMANCE MOTORYACHT
ACCOMMODATION: UP TO 8 GUESTS AND 3 CREW MEMBERS
PERFORMANCE: UP TO 45 KNOTS

FOLLOWING ON FROM HER BIGGER SIBLING WITH AN OPTIONAL SPORTS FLYBRIDGE AND DUAL HELM POSITION, THE PREDATOR 84 BRINGS ADDITIONAL NEW TECHNOLOGIES AND DETAILING INTO THE LINE, DRAWING ON THE LEARNINGS OF THE EVER-EXTENDING SUNSEEKER YACHT FLEET. CONSIDERABLY LARGER BY WATERLINE LENGTH AND VOLUME THAN THE PREDATOR 82, SHE IS SET TO TURN HEADS WITH AN IMPRESSIVE SPEED OF 45 KNOTS WHEN FITTED WITH TOP ENGINE OPTION AND TWIN ARNESON SURFACE DRIVES.



PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit)	26.48m	86'11"
Length waterline – (@ half load)	20.04m	65'9"
Beam – (maximum)	6.34m	20'10"
Fuel capacity	7500 litres	1981 US gal.
Fresh-water capacity	1200 litres	317 US gal.
Fuel options	Diesel	
Generators	2 x 25kW @ 50Hz (Euro) 2 x 28kW @ 60Hz (US)	

TWIN SHAFT DRIVE VERSION

Displacement – (@ half load)	64700kg	142639lb
Height above waterline – (excl. mast)	5.44m	17'10"
Draft – (incl. props @ full load)	2.12m	6'11"
Propulsion	Twin fixed-pitch submerged propellers in semi-recessed tunnels	
Engine options	up to 5300 PS (total)	
Maximum speed	up to 37 knots*	
Cruising speed	up to 30 knots*	
Range	up to 300 nautical miles*	

ARNESON SURFACE DRIVE VERSION

Displacement – (@ half load)	64200kg	143440lb
Height above waterline – (excl. mast)	5.44m	17'10"
Draft – (incl. props @ full load)	2.01m	6'7"
Propulsion	Direct drive through Arneson surface drives	
Engine options	up to 5300 PS (total)	
Maximum speed	up to 45 knots*	
Cruising speed	up to 35 knots*	
Range	up to 300 nautical miles*	

All principal characteristics and specifications are provisional and subject to final specification.



PREDATOR 84

PRINCIPAL FEATURES – Provisional

Garage for optional tender and jet ski
Fixed bathing platform
Hot and cold swim shower
Wetbar with ice maker, cool chest and sink with hot and cold water
Ceramic griddle in cockpit
Radar/chart plotter with GPS
Autopilot
Power-assisted steering
Electronic speed log, depth sounder and VHF radio
Trim tabs
Hydraulic bow thruster (30hp)
Hydraulic stern thruster (30hp)
LCD flatscreen TVs in all guest cabins (excluding crew)
Surround sound system for deck saloon
Ceramic hob, microwave combination oven, fridge/freezer with integral ice maker and slim line dishwasher
Hot and cold water system
Automatic fire extinguishing system for engine room
Automatic bilge pumps
Slow speed generators with silent exhaust
AC shore power/battery charger
All cabin air conditioning
Remote control spotlight
Electric winch with foredeck and console control
Toilet system with holding tank
Fresh water marina connection
Teak cockpit, bathing platform and steps
Teak side decks
Opening hardtop roof
Crew quarters
Antifouling

All items included in standard specification.

US specification includes:
US Coast Guard build regulations
US specification appliances

STANDARD SPECIFICATIONS – Provisional

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
PVC foam cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings all in 316 stainless steel and chromed bronze
Pair stainless steel bow cleats and fairleads
Stainless steel spring cleats with chafing bars
Pair stainless steel stern cleats and fairleads
Stainless steel pulpit and cockpit rails
Stainless steel bow roller assembly
Stainless steel bow plate
Anchor 80kg claw-type (galvanised)
Chain locker
Anchor chain 100 metres/328 feet (12mm diameter galvanised)
Automatic fresh water chain wash
Single electric windlass (Lewmar V8) 24v, starboard side, foredeck control only
Single electric capstan (Lewmar C4) 24v, port side, foredeck control only
Fresh water deckwash with outlets forward and aft
Storage lockers
Curved direct glazed safety glass windscreen
Pantograph windscreen wipers and washers
Fuel filler on port and starboard sides
Fresh-water filler
IMCO navigation lights
Remote controlled spotlight
Low-level courtesy lights on side decks 24v
Foredeck sunbathing pad
Cup holders beside foredeck sunpad
Built in U shaped seating area at foredeck
Table for U shaped seating area at foredeck
Skylight from VIP stateroom
Teak laid sidedecks
Single air horn

3 Aft cockpit

Teak laid self-draining cockpit floor
Aft sunpad
Built in seating area
Inboard facing seating
Teak table with folding leaves on GRP base
Wetbar on starboard side with sink
Refrigerator in wetbar
Ice maker in wetbar
Electric ceramic griddle AC in wetbar
Stainless steel stern safety gates
Engine room access hatch
2 x stern capstan winches (Lewmar C4) 24v and fairleads
Overhead cockpit lights 24v
Low-level courtesy lights 24v
Pair marine speakers connected to deck saloon AV system with Bose PMCII remote
Ensign staff and socket
Battery switches in locker
Fire extinguisher in locker
Sliding patio doors leading to deck saloon

4 Bathing platform and stern garage

Teak laid fixed platform
Stairs to aft cockpit with teak treads
Fold out stainless steel swimming ladder
Hot and cold hand held swimming shower
Fresh water marina connection
Telephone marina connection
Hydraulically opening garage door with access to stern garage
Crane inside garage to launch and recover tender or jet ski
2 x winches with tender launch and recovery system
Dockside AC connection 1 x 100amp
Glendinning cablemaster
Euro spec only: hydraulic telescopic gangway

5 Flybridge deck

Stairs leading from aft cockpit
Stainless steel aft safety rails
Low-level flybridge lighting 24v
Pair marine speakers connected to dedicated CD radio in deck saloon
Deckwash outlet
Radar arch structure

6 Flybridge helm position (optional)

3 x helm seats
Console
Steering wheel
Hydraulic power steering
Engine throttle controls
Engine stop start keys
Bow and stern thruster control
Waterproof remote for CD/radio
Depth and speed display (Simrad IS20)
Autopilot (AP28)
VHF radio handset (Simrad RS82)
Manual compass
Horn control

7 Boat covers

Windscreen sunscreen

8 Deck saloon

Stainless steel framed sliding patio door to aft cockpit with curtains and tie back
Sofa seating area
Coffee table
Two side tables in seating area
LCD flatscreen TV on rise and fall (42")
DVD/CD/radio surround sound entertainment system (Bose 28)
iPod docking station connected to Bose system
Air conditioning
Side windows with blinds
Drinks cabinet with glassware storage for eight (8 x Champagne, 8 x Whisky, 1 x decanter)
Halogen overhead lighting 24v
Double AC sockets
Telephone point
Table lamps
Dining table
Eight freestanding dining chairs
Sensor connected to fire detection system
Sliding hardtop roof with skylights
Side opening door to port side deck
Side opening door to starboard side deck
Staircase aft leading to crew quarters
Staircase forward leading to accommodation area



1. Lower helm
2. Deck saloon
3. Owner's stateroom
4. Twin guest cabin

9 Helm position

Three helm seats
Chart stowage area
Double AC sockets
Telephone points x 2
Console with dash panels
Hydraulic power steering
Steering wheel
Radar/chartplotter with GPS (2 x Furuno NavNet vx2 displays)
Autopilot (Simrad AP28)
Depth and speed displays (Simrad IS20)
VHF radio handset (Simrad RS82 dual-station)
Manual compass
Horn control
Monitoring panel including generators control
Monitoring panel for fire detection system
Trim tab controls
Rudder/drive indicator (subject to drive option)
Analogue engine instrumentation
Fuel gauges
12v socket
Remote spotlight control
Windscreen wipers with washers
Air conditioning
Screen demister
Fire extinguisher

10 Lower deck lobby

Staircase leading from deck saloon
Halogen overhead lighting 24v
AC socket
Bilge access hatches
Doors to guest cabins
Fitted carpet
Sensor connected to fire detection system
Halogen overhead lighting 24v

11 Forward VIP stateroom

Double berth
Foam mattress for berth
Drawers in berth
Bedside lights
Dressing table
Stool for dressing table
Air conditioning
LCD flatscreen TV (42")
DVD/CD player with two speakers
Halogen overhead lighting 24v
Fixed portlights with blinds
Skylight with mosquito screen and blind
Double AC sockets
Telephone point x 2 (standard bedside and dressing table)
2 x reading lights
Fitted carpet
Sensor connected to fire detection system
Doors to en suite, walk-in wardrobe and lobby

12 Forward VIP en suite

Tecma toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Hot and cold water
Separate shower compartment
Acrylic shower door
Air conditioning outlet
Extractor fan
Mirror
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to stateroom

13 Forward VIP walk in wardrobe

Hanging rails
Drawers
Shelves
Full-length mirror
Halogen overhead lighting 24v
Fitted carpet

14 Port guest cabin

Two single berths
Foam mattresses for berths
Stowage under berths
Overhead reading lights
Bedside unit with storage
Wardrobe
Air conditioning
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC sockets
LCD flatscreen TV (19")
DVD/CD player with two speakers
Telephone point (beside bedside unit)
Fitted carpet
Sensor connected to fire detection system
Doors to en suite and lobby

15 Port guest en suite

Tecma toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic shower door
Extractor fan
Air conditioning outlet
Mirror
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to guest cabin

16 Starboard guest cabin

Two single berths
Foam mattresses for berths
Stowage under berths
Overhead reading lights
Bedside unit with storage
Wardrobe
Air conditioning
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC sockets
LCD flatscreen TV (19")
DVD/CD player with two speakers
Telephone point (beside bedside unit)
Fitted carpet
Sensor connected to fire detection system
Doors to en suite and lobby

17 Starboard guest en suite/day head

Tecma toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic shower door
Extractor fan
Air conditioning outlet
Mirror
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to guest cabin and lobby

18 Master aft stateroom

Double berth
Foam mattress for berth
Drawers in berth
Bedside units with storage
Bedside lights
Dressing table
Chair for dressing table
Sofa
Air conditioning
Halogen overhead lighting 24v
Fixed and opening feature portholes (with mosquito screens) with blinds
Double AC sockets
Telephone points x 2 (dressing table and port bedside)
2 x reading lights
LCD flatscreen TV (42")
DVD/CD/radio entertainment system with two speakers and sub woofer (Bose 321)
Fitted carpet
Sensor connected to fire detection system
Doors to en suite, walk in wardrobe and lobby

19 Master en suite

Tecma toilet 24v
Vanity top and flooring
Washbasin
Hot and cold water
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic shower door
Extractor fan
Air conditioning outlet
Mirrors
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to stateroom

20 Master walk in wardrobe

Hanging rails
Drawers
Shelves
Full-length mirror
Halogen overhead lighting 24v
Fitted carpet
Door to stateroom

21 Galley and crew mess

Stairs leading from deck saloon
Safety flooring
American style fridge, freezer with ice maker AC
Four ring ceramic hob AC
Hob extractor AC
Slimline dishwasher AC
Washer/dryer AC
Stainless steel sink
Tap with hot and cold water
Rubbish bin
Chinaware with stowage (8 settings)
Cutlery (8 settings)
Storage consisting of cupboards, drawers and top-box lockers
Seating area
Fold away table
Halogen overhead lighting 24v
Opening portlight with mosquito screen and venetian blind
Double AC sockets
Lighting under top box lockers
Fire extinguisher
Fire blanket
First aid kit
Doors leading to crew quarters and crew toilet/shower
Sensor connected to fire detection system
Telephone point
Euro spec only: microwave/oven AC
USA spec only: small microwave AC
USA spec only: oven AC

22 Port crew cabin

Single berth
Foam mattress for berth
Air conditioning
Halogen overhead lighting 24v
Double AC socket
Bedside light
Opening porthole with mosquito screen and curtains
Fitted carpet
Sensor connected to fire detection system
Door to galley/crew mess

23 Starboard crew cabin

Twin bunk berths
Foam mattresses for berths
Air conditioning
Halogen overhead lighting 24v
Double AC socket
Bedside lights
Opening porthole with mosquito screen and curtains
Fitted carpet
Sensor connected to fire detection system
CD/radio with two speakers
Door to galley/crew mess
Stainless steel ladder to access upper bunk

24 Crew toilet/shower

Tecma toilet 24v
Washbasin
Shower cubicle
Mirror
Vanity unit
Halogen overhead lighting 24v
Shaver socket 240/110v
Door to galley/crew mess

25 Engine compartment and ancillaries

Soundproofing throughout
Fuel filters/water separators to engines
Fuel filters/water separators to generators
FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Automatic bilge and flood pumps with high level alarms
Air extraction fans, AC
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Sensor connected to fire detection system

26 Electrical system

Euro spec only:
2 x 25kW @ 50Hz slow speed Kohler generators with underwater silent exhaust and sound box
USA spec only:
2 x 28kW @ 60Hz slow speed Kohler generators with underwater silent exhaust and sound box
Dockside AC connection 1 x 100 amp
Glendinning cablemaster
Galvanic isolator
Semi-automatic AC power management system
24v and 12v DC electrical system with full circuit breaker protection
8 x engine batteries 24v circuit
8 x domestic batteries 24v circuit
4 x generator batteries 12v circuit
Alternator split charging system
Remote battery switches controlled from aft cockpit locker
2 x 95 amp battery charger for 24v circuits
40 amp battery charger for 12v circuits
2 x 2kW immersion heaters for calorifier
AC sockets throughout the boat
24v hand light and cable
Fire detection system with sensors in all cabins and monitoring beside main deck helm position

27 Underwater gear

NAB 5 blade propellers
Bronze (MB2) P-brackets
90mm Ternet 25 propeller shafts
Self aligning shaft seal with spare seal
High-performance bronze rudders
Valves to all underwater skin fittings
Full cathodic bonding system to zinc anodes
Stainless steel trim tabs
Hydraulic bow thruster (30hp, sequential operation)
Hydraulic stern thruster (30hp, sequential operation)
Antifouling

28 Systems

Hydraulic power steering (24v)
Electric toilet system (Tecma 24v) with two-switch control
Toilets discharging overboard or to black water tank
Black water tank discharging to dockside or overboard through discharge/macerator pump (24v)
Aluminium fresh water tank with electric sending unit
Integral GRP fuel tank with electric sending unit
Water pressure system (24v)
Hot water tank, 200 litre (calorifier with 2 x 2kW immersion heaters)
Hot water circulating pump, AC
Washbasins, showers and air conditioning fan coils to drain to grey water tank
Grey water tank discharging overboard through discharge/macerator pump (24v)
Chilled water air conditioning system (reverse cycle), AC
Bilge pumping system (24v)
FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Auxiliary hydraulics for trim tabs and platform (24v)

29 Miscellaneous and supply items

Retractable boat hook
6 x docking lines (6 x 15 metre, 20mm diameter, black)
1 x tender line (1 x 10 metre, 10mm diameter, black)
8 x fenders (F7, 15" x 41", white)
8 x fender ties (8 x 3.5 metre, 10mm diameter, black)
Flagstaff with line
Pennant mast with pennant flag
Mosquito screens for openable portlights
Vacuum cleaner
Spare bulbs
Small toolkit
12 x towel sets
First aid kit
Fire blanket
Leather cleaning kit
Lead lamp
Deckwash fitting and hose reel
Portable fire extinguishers

US specification includes:

Upgraded generators
US Coast Guard build regulations
US specification appliances

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory.

Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



www.sunseeker.com

Awards

Sunseeker’s success over the years is clearly underlined by the following list of national and international awards and achievements.

2009	Sydney Boat Show 2009	Display of Excellence	2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	Naval architects
2009	Croatia Boat Show 2009	Predator 92 Sport – best in class	2001	Best Power Design Award	105 Yacht, The Superyacht Society	Don Shead/Sunseeker Design
2009	Croatia Boat Show 2009	30 Metre Yacht – best in class	2001	Best Power Interior Award	105 Yacht, The Superyacht Society	Exterior styling
2009	Croatia Boat Show 2009	Best boat show stand	2001	President’s Award	Southern California Marine Association	Sunseeker Design
2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2000	Queen’s Award for Enterprise	Continuous innovation and development	Interior design
2007	European Powerboat of the Year	Superhawk 43	2000	The Times Exporter of the Year	Times Export Awards	Sunseeker Design/Design Unlimited
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Robb Report Award	Best of the Best, Boating and Sailing	Builder
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	1999	Robb Report Award	Best of the Best, Boating and Sailing	Sunseeker International
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards	
2007	Nominated by The Superyacht Society	37 Metre Yacht ‘The Snapper’	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards	
2007	Queen’s Award for Enterprise	International Trade	1998	Editor in Chief Awards	Yachts Magazine	
2006	Nominated for three Superyacht Awards	Predator 108 ‘SHIVER’	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards	
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1996	Motorcruiser of the Year Award	RYA British Nautical Awards	
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1996	Exporter of the Year Award	DCCI Export Awards	
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards	
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1994	Queen’s Award for Export Achievement	Queen’s Awards for Industry	
2004	Sydney Boat Show 2004	Best Overall Display	1992	Best in the World Award	Renegade 60, Boating Magazine	
2004	Sydney Boat Show 2004	Best Marina Display	1990	Exporter of the Year	SW International Business Awards	
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1989	Queen’s Award for Export Achievement	Queen’s Awards for Industry	
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1987	Queen’s Award for Export Achievement	Queen’s Awards for Industry	

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.