



SUNSEEKER 88 YACHT

The world's finest luxury motoryachts






SUNSEEKER 88 YACHT

STYLE: LUXURY YACHT

ACCOMMODATION: UP TO 10 GUESTS AND 4 CREW MEMBERS

PERFORMANCE: UP TO 30 KNOTS

A DEVELOPMENT OF THE HIGHLY POPULAR 86 YACHT, THE NEW 88 YACHT OFFERS ALL THE BENEFITS OF ITS PREDECESSOR BUT WITH LARGER CREW QUARTERS AND AN EVEN GREATER NUMBER OF OPTIONAL INTERIOR LAYOUTS. WHETHER THE INTENDED USE IS PRIVATE OR CHARTER, WITH FRIENDS OR FAMILY, YOUNG OR GROWN-UP, CLASSIFICATION AND GENERAL ARRANGEMENT CAN BE SPECIFIED ACCORDINGLY. FROM EVERY ANGLE HER EXTERNAL LINES IMPRESS – THE BALANCE BETWEEN HULL AND SUPERSTRUCTURE; THE ELEGANT OPTIONAL HARD-TOP ABOVE THE PARTY-SIZE FLYBRIDGE WITH BAR AND OPTIONAL SPA. THE INTERIOR IMPRESSES EQUALLY WITH NEW INTERIOR STYLING FINISHED ACCORDING TO INDIVIDUAL SPECIFICATION. AND ALL IN A PACKAGE THAT TAKES THE SEAS AT UP TO 30 KNOTS.



PRINCIPAL CHARACTERISTICS

Classification	CE (Cat B)		
Length overall – (incl. pulpit and platform)	26.88m	88'2"	
Length waterline – (@ half load)	21.37m	70'1"	
Beam – (maximum)	6.41m	21'0"	
Height above light load waterline – (incl. mast)	8.63m	28'4"	
Draft @ full load – (incl. props)	1.78m	5'10"	
Displacement – (@ full load)	71300kg	71.30 tonnes	157189lb
Fuel capacity	7500 litres	1649 GB gal.	1982 US gal.
Fresh-water capacity	1500 litres	330 GB gal.	396 US gal.
Black-water capacity	435 litres	96 GB gal.	115 US gal.
Propulsion	Twin fixed-pitch submerged propellers in semi-recessed tunnels		
Engine options	up to 3850 PS (total)		
Fuel options	Diesel		
Generators	Standard 2 x 25kW @ 50Hz 230v single phase (Euro) 2 x 28kW @ 60Hz 120v single phase (US) Optional upgrade 2 x 28kW @ 50Hz 230v single phase (Euro) 2 x 32kW @ 60Hz 120v single phase (US)		
Maximum speed	up to 30 knots*		
Cruising speed	up to 23 knots*		
Range	up to 350 nautical miles*		

All principal characteristics and specifications are provisional and subject to final specification.

Other layout options available



SUNSEEKER 88 YACHT

PRINCIPAL FEATURES

Air conditioning
Hydraulic lifting platform
Electric winch and capstan at bow with foredeck controls
Manual side opening helm and galley access doors
Hot and cold swimming shower at stern
Power-assisted steering
Flybridge wetbar with sink, ice maker, fridge and griddle
Flatscreen televisions and DVD/CD player in all guest cabins and crew mess
Surround-sound system DVD/CD/radio in saloon and master stateroom
iPod docking station in main saloon
Aft cockpit bar unit
Electric refrigerator/freezer with ice maker
Ceramic hob, microwave/oven and dishwasher
Electronic depth and speed displays
Radar/chart plotter with GPS
Autopilot
VHF radio (dual station)
Hot and cold water system
Fresh water pump
Toilet system with holding tank
Automatic fire extinguishing system for engine room
Automatic bilge pumps
Slow speed generators with silent exhausts
Fire detection system
AC shorepower/battery charger
Bow thruster
Stern thruster
Trim tabs
Remote controlled spotlight at bow
Deckwash with outlets forward, aft and flybridge
Fresh water marina connection
Teak bathing platform and steps
Teak side decks
Teak cockpit floor
Screen demisters
Stern winches
Antifouling

All items included in standard specification.

US specification includes:
Upgraded generators
US Coast Guard build regulations
US specification appliances

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
PVC foam cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Flybridge

Self draining cockpit
Acrylic deflecting spray screen
Seating areas
Storage lockers under seating
Teak dining tables (natural finish) with GRP bases
Upholstered sunbathing area forward
Stainless steel aft safety rails
Glass holders
Wetbar unit
Sink in wetbar unit
Ice maker in wetbar unit
Fridge in wetbar unit
Ceramic electric griddle in wetbar unit
Fire extinguisher in wetbar locker
Deckwash outlet
Low-level flybridge lighting 24v
Radar arch structure
Radar chair with navigation light assembly
Overhead lighting on underside of radar arch 24v
Two pairs marine speakers (connected to dedicated CD/radio in saloon & controlled by remote keypad at flybridge helm)

3 Flybridge helm

Two helm seats
Hydraulic steering
Duplicate engine controls
Analogue engine instrumentation
Autopilot repeater (Simrad AP28)
Radar/chart plotter with GPS repeater (1 x display, Furuno NavNet2 GD-1900C)
Depth and speed multi display (Simrad IS20)
VHF second station (Simrad RS82)
Remote spotlight control
Magnetic compass
Steering indicator
Trim tab control
Horn control
Radio/CD remote keypad
Waterproof plug and socket 12v

4 Deck

Fittings all in 316 stainless steel and chromed bronze
Pair stainless steel bow cleats and fairleads
Stainless steel spring cleats with chafing bars
Pair stern cleats and fairleads
Stainless steel pulpit and cockpit rails
Stainless steel fendering with rubber insert
Stainless steel bow roller with anchor stop and devil's claw
Single electric windlass (Lewmar V8) 24v, starboard side, foredeck control only
Single electric capstan (Lewmar C4) 24v, port side, foredeck control only
Anchor 80kg claw-type (galvanised)
Anchor chain 100 metres/328 feet (12mm diameter, galvanised)
Stainless steel bow plate
Deckwash with outlets forward and aft
Chain locker
Curved direct glazed safety glass windscreen
Pantograph windscreen wipers and washers
Fresh-water filler
Fuel fillers port and starboard
IMCO navigation lights
Remote controlled spotlight at bow
Low-level courtesy lights on side decks 24v
Skylight from VIP stateroom
Ensign staff and socket
Bow seat
Bow sunbathing pad
Bow teak table top (natural finish)
Glass holders

5 Aft cockpit

Teak laid cockpit floor
Self-draining
Stairs to flybridge with teak treads
Aft fixed bench seating
Teak table (natural finish) with folding leaves on GRP base
Stern safety gates
Engine room access hatch
2 x stern capstan winches (Lewmar C4) 24v and fairleads
Overhead cockpit lights 24v
Low-level courtesy lights 24v
Pair marine speakers connected to saloon AV system with Bose PMCI remote
Wetbar unit
Fire extinguisher in wetbar locker
Coolbox in wetbar unit
Rubbish bin in wetbar unit

6 Bathing platform

Teak-laid hydraulic lifting bathing platform (maximum lifting capacity 650kgs/1433lbs, maximum tender weight 550kgs/1212lbs)
Stairs to aft cockpit with teak treads
Foldout stainless steel swimming ladder
Hot and cold hand-held swimming shower
Fresh-water marina connection
Television and telephone marina connection
Access to crew quarters
Dockside AC connection 1 x 100 amp
Glendinning Cablemaster
Euro spec only: 5m hydraulic telescopic passerelle

1

2

3

7 Covers
Windscreen sun screen
Flybridge instrument cover
Euro spec only: aft cockpit camper cover with windows

8 Saloon and dining
Stainless steel framed sliding patio door to aft cockpit
Patio door curtains with tie back
Sofa seating
Armchair
Coffee table
Scatter cushions
LCD flatscreen television (42") on rise and fall
DVD/CD/radio surround sound system with five speakers and sub woofer (Bose 28)
iPod docking station connected to surround-sound system
Control head for flybridge CD/radio
Air conditioning
Side windows with blinds
Drinks cabinet with glassware stowage for eight (8 x Champagne, 8 x whisky, 1 x decanter)
Halogen overhead lighting 24v
Double AC sockets
Sensor connected to fire detection system
Telephone point (aft starboard side)
2 x table lamps
Dining table
8 x free standing dining chairs
Storage cupboards
Fitted carpet
Access forward to main helm position
Door leading to galley
Stairs leading to master stateroom and two guest cabins

9 Optional day head
Tecma toilet 24v
Granite floor
Washbasin
Tap & accessories (toilet roll holder, soap dispenser, towel ring)
Mirror
Extractor fan
Halogen overhead lighting 24v
Side window with blind
Door to saloon

10 Galley
American style fridge/freezer with icemaker
4-ring ceramic hob AC
Hob extractor AC
Slimline dishwasher AC
Stainless steel sink
Hot and cold water
Rubbish bin
Crockery set (8 place settings)
Cutlery set (8 place settings)
Side window with blind
Storage consisting of cupboards, drawers and top-box lockers
Halogen overhead lighting 24v
Lighting under top box lockers 24v
Double AC sockets
Sensor connected to fire detection system
Air conditioning
Fire blanket
Fire extinguisher
First aid kit
Door to saloon area
Manual side opening door to port side deck
Euro spec only: microwave/oven AC
USA spec only: oven AC
USA spec only: small microwave

11 Main helm console and observation area
2 x upholstered helm seats with electric operation
Console with walnut effect fascia
Hydraulic power steering
Steering wheel
Radar/chart plotter with GPS (x 2 displays, Furuno NavNet2)
Autopilot (Simrad AP28)
Depth and speed displays (Simrad IS20)
VHF radio dual station (Simrad RS82)
Magnetic compass
Horn control
Switch panels
Remote spotlight control
Trim tab controls
Rudder indicator
Analogue engine instrumentation
Fresh water gauge
Fuel gauge
Cigar lighter
Main control and monitoring panel (AC/DC) with generators control
Monitoring panel for fire detection system
Windscreen wiper and washer controls
Glass holder
Screen demister
Fire extinguisher
Manual side opening door to starboard side deck
Sofa seat on port side
Air conditioning
Halogen overhead lighting 24v
Fitted carpet
Double AC sockets (port side)
2 x telephone points (port side)
Staircase forward leading to VIP stateroom

12 Forward VIP stateroom
Stairs leading from main helm area
Double berth
Foam mattress for berth
Storage beneath berth
Drawers in berth end
Bedside lights 24v
Dressing table
Stool for dressing table
Sofa
Air conditioning
LCD flatscreen television (42") on bulkhead
DVD/CD player with two speakers
Halogen overhead lighting 24v
Two fixed portholes on each side with blind
Skylight with blind
Double AC socket
Fitted carpet
Sensor connected to fire detection system
2 x telephone points (port bedside and dressing table)
Doors to en suite and walk-in wardrobe

13 Forward VIP walk-in wardrobe
Hanging rails
Drawers
Shelves
Full-length mirror
Halogen overhead lighting 24v
AC socket
Fitted carpet
Door to stateroom

14 Forward VIP en suite
Tecma toilet 24v
Vanity top and flooring
Large ceramic washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Air conditioning outlet
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to stateroom

15 Lower deck lobby
Stairs leading down from main deck saloon area
Halogen overhead lighting 24v
AC socket
Fitted carpet
Large bilge access hatch
Sensor connected to fire detection system
Doors leading to lower deck guest accommodation (excluding forward VIP stateroom)

16 Midships master stateroom
Double berth
Foam mattress for berth
Storage beneath berth
Drawers in berth end and sides
Bedside units with storage
Bedside lights 24v
Dressing table
Pouffe for dressing table
Sofa
Air conditioning
Halogen overhead lighting 24v
Table lamp
Organic porthole arrangement with blind on each side (outer two portholes openable with mosquito screens)
Double AC sockets
2 x telephone points (dressing table and starboard bedside table)
LCD flatscreen television (42") on bulkhead
DVD/CD/radio surround system with two speakers and sub woofer (Bose 321)
Fitted carpet
Escape hatch on forward bulkhead
Doors to en suite and walk-in wardrobe

17 Midships master walk-in wardrobe
Hanging rails
Drawers
Shelves
Full length mirror
Halogen overhead lighting 24v
AC socket
Fitted carpet
Door to stateroom

18 Midships master en suite
Tecma toilet 24v
Bidet
Vanity top and flooring
Large ceramic washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Extractor fan
Air conditioning outlet
Mirror
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to stateroom

19 Aft starboard guest cabin
Two single berths
Foam mattresses for berths
Under berth stowage
2 x reading lights 24v
Wardrobe
Air conditioning
Halogen overhead lighting 24v
Organic porthole arrangement with blind (outer two portholes openable with mosquito screens)
Double AC socket
Sensor connected to fire detection system
LCD flatscreen television (19")
DVD/CD player with two speakers
Telephone point
Fitted carpet
Doors to en suite and lobby

20 Aft starboard en suite
Tecma toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Extractor fan
Air conditioning outlet
Vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to guest cabin

21 Aft port guest cabin
Two single berths
Foam mattresses for berths
Under berth stowage
2 x reading lights 24v
Wardrobe
Air conditioning
Halogen overhead lighting 24v
Organic porthole arrangement with blind (outer two portholes openable with mosquito screens)
Double AC socket
Sensor connected to fire detection system
LCD flatscreen television (19")
DVD/CD player with two speakers
Telephone point
Fitted carpet
Doors to en suite and lobby

22 Aft port en suite
Tecma toilet 24v
Vanity top and flooring
Washbasin
Taps and accessories (toothbrush and glass holder, soap dispenser, towel rails and towels)
Separate shower compartment
Acrylic folding shower door
Extractor fan
Air conditioning outlet
Vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Door to guest cabin

23 Aft crew mess
Access door from stern
Sink with tap
Worktop with undercounter storage
Air conditioning
Small microwave
Undercounter fridge
AC sockets
Washer/dryer AC
Telephone point
Sensor connected to fire detection system
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Seating area
Table
LCD flatscreen television (19")
DVD/CD with two speakers
Non slip safety flooring
Doors to crew cabins and crew toilet/shower
Watertight door to engine room

24 Forward crew cabin
Twin bunk berths
Foam mattresses for berths
Reading lights 24v
Air conditioning
Wardrobe
Full length mirror on back of cabin door
Halogen overhead lighting 24v
Double AC socket
Telephone point
Sensor connected to fire detection system
CD/radio with two speakers
Fitted carpet
Opening porthole with mosquito screen and curtains
Door to crew mess

25 Aft crew cabin
Twin bunk berths
Foam mattresses for berths
Reading lights 24v
Air conditioning
Wardrobe
Full length mirror on back of cabin door
Halogen overhead lighting 24v
Double AC socket
Telephone point
Sensor connected to fire detection system
CD/radio with two speakers
Fitted carpet
Opening porthole with mosquito screen and curtains
Door to crew mess



4



5

1. Main deck dining
2. Lower helm
3. Twin guest cabin
4. Owner's stateroom
5. Forward VIP stateroom
6. Crew quarters
7. Galley

26 Crew toilet and shower

Tecma toilet 24v
Washbasin
Shower cubicle
Mirror
Vanity unit
Halogen overhead lighting 24v
Shaver socket 240/110v
Door to crew mess

27 Engine compartment and ancillaries

Soundproofing throughout
Fuel filters/water separators to engines
Fuel filters/water separators to generators
FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Automatic bilge and flood pumps with high level alarms
Air extraction fans AC
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Sensor connected to fire detection system

28 Electrical system

Euro spec only:
2 x 25kW @ 50Hz slow speed Kohler generators with underwater silent exhaust and sound box
USA spec only:
2 x 28kW @ 60Hz slow speed Kohler generators with underwater silent exhaust and sound box
Dockside AC connection 1 x 100 amp
Glendinning cablemaster
Galvanic isolator
Semi-automatic AC power management system
24v and 12v DC electrical system with full circuit breaker protection
8 x engine batteries 24v circuit
8 x domestic batteries 24v circuit
4 x generator batteries 12v circuit
Alternator split charging system
Remote battery switches controlled from aft cockpit locker
2 x 95 amp battery charger for 24v circuits
40 amp battery charger for 12v circuits
2 x 2kW immersion heaters for calorifier
AC sockets throughout the boat
24v hand light and cable
Fire detection system with sensors in all cabins and monitoring beside main helm position

29 Underwater gear

NAB 5 blade propellers
Bronze (AB2) P-brackets
90mm Temet 25 propeller shafts
Self aligning shaft seal with spare seal
High-performance bronze rudders
Valves to all underwater skin fittings
Full cathodic bonding system to zinc anodes
Stainless steel trim tabs
Hydraulic bow thruster (30hp, sequential operation)
Hydraulic stern thruster (30hp, sequential operation)
Antifouling

30 Systems

Hydraulic power steering
Electric toilet system (Tecma 24v) with two-switch control
Toilets discharging overboard or to black water tank
Black water tank discharging to dockside or overboard through discharge/macerator pump (24v)
Aluminium fresh water tank with electric sending unit
Integral GRP fuel tank with electric sending unit
Water pressure system (24v)
Hot water tank, 200 litre (with 2 x 2kW immersion heaters)
Hot water circulating pump AC
Washbasins, showers and air conditioning fan coils to drain to grey water tank
Grey water tank discharging overboard through discharge/macerator pump (24v)
Chilled water air conditioning system (reverse cycle) AC
Bilge pumping system (24v)
FM200 manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Auxiliary hydraulics for trim tabs and platform (24v)

31 Miscellaneous

Retractable boat hook
6 x docking lines (6 x 15 metre, 20mm diameter, black)
1 x tender line (1 x 10 metre, 10mm diameter, black)
8 x fenders (F7, 15" x 41", white)
8 x fender ties (8 x 3.5 metre, 10mm diameter, black)
Flagstaff with line
Pennant mast with pennant flag
Mosquito screens for openable portlights
Vacuum cleaner
Spare bulbs
Small toolkit
12 x towel sets
First aid kit
Fire blanket
Leather cleaning kit
Lead lamp
Deckwash fitting and hose reel
Portable fire extinguishers

US specification includes:

Upgraded generators
US Coast Guard build regulations
US specification appliances



*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory.

Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



www.sunseeker.com

Awards

Sunseeker’s success over the years is clearly underlined by the following list of national and international awards and achievements.

2009	Sydney Boat Show 2009	Display of Excellence	2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	Naval architects
2009	Croatia Boat Show 2009	Predator 92 Sport – best in class	2001	Best Power Design Award	105 Yacht, The Superyacht Society	Don Shead/Sunseeker Design
2009	Croatia Boat Show 2009	30 Metre Yacht – best in class	2001	Best Power Interior Award	105 Yacht, The Superyacht Society	Exterior styling
2009	Croatia Boat Show 2009	Best boat show stand	2001	President’s Award	Southern California Marine Association	Sunseeker Design
2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2000	Queen’s Award for Enterprise	Continuous innovation and development	Interior design
2007	European Powerboat of the Year	Superhawk 43	2000	The Times Exporter of the Year	Times Export Awards	Sunseeker Design/Design Unlimited
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Robb Report Award	Best of the Best, Boating and Sailing	Builder
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	1999	Robb Report Award	Best of the Best, Boating and Sailing	Sunseeker International
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards	
2007	Nominated by The Superyacht Society	37 Metre Yacht ‘The Snapper’	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards	
2007	Queen’s Award for Enterprise	International Trade	1998	Editor in Chief Awards	Yachts Magazine	
2006	Nominated for three Superyacht Awards	Predator 108 ‘SHIVER’	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards	
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1996	Motorcruiser of the Year Award	RYA British Nautical Awards	
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1996	Exporter of the Year Award	DCCI Export Awards	
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards	
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1994	Queen’s Award for Export Achievement	Queen’s Awards for Industry	
2004	Sydney Boat Show 2004	Best Overall Display	1992	Best in the World Award	Renegade 60, Boating Magazine	
2004	Sydney Boat Show 2004	Best Marina Display	1990	Exporter of the Year	SW International Business Awards	
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1989	Queen’s Award for Export Achievement	Queen’s Awards for Industry	
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1987	Queen’s Award for Export Achievement	Queen’s Awards for Industry	

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.