
SPECIFICATION

TYPE	Twin Screw Diesel Motor Yacht	
FLAG	George Town, Cayman Islands	
DIMENSIONS	Length O.A.	133.00ft (40.54m)
	Length W.L.	112.80ft (34.38m)
	Beam	28.20ft (8.60m)
	Draft	9.90ft (3.04m)
TONNAGE	Gross	374 tons
	Net	112 tons
	Displacement	225 tons (fully loaded)
YEAR BUILT	2003	
BUILDER	Mondomarine, Italy	
DESIGNER	Cor D. Rover	
INTERIOR DESIGNER	Isabelle Blanchère	
CONSTRUCTION	Aluminium hull & superstructure	
	Teak laid decks	
CLASSIFICATION	American Bureau of Shipping (ABS) +A1 Yachting Service AMS (Awaiting final confirmation on MCA Compliance)	

MAIN MACHINERY

MAIN ENGINES	2 x 2,250hp (1,680Kw) (@ 2,100rpm) MTU type 12V TE94 diesel engines
GEAR BOXES	2 x ZF type 4650-A reduction gearboxes with 3.250:1 ratio
SHAFTS & PROPELLERS	A.R. Naval Srl shafts with Detra 5-bladed Nibral propellers
SPEEDS & FUEL CONSUMPTIONS	Cruising speed about 14 knots (@ 1,500rpm) for a fuel consumption of about 340 litres (90 US gallons) per hour

Economical speed about 12 knots (@ 1,250rpm) for a fuel consumption of about 210 litres (56 US gallons) per hour

Maximum speed about 19.5 knots (@ 2,100rpm) for a fuel consumption of about 887 litres (235 US gallons) per hour

RANGE 2,800 n.miles approx. @ 12 knots

ENGINES HOURS Port: 861 hours
Stbd: 861 hours (approx.) May 2005

AUXILIARY MACHINERY & ELECTRICAL SYSTEM

GENERATORS 2 x 80Kw (@ 1,500rpm) Northern Lights type MP 668-TH diesel generators

GENERATOR HOURS Port: 2,534 hours
Stbd: 2,528 hours (approx.) May 2005

ELECTRICITY 380v/220v AC, 3-Phase, 50Hz
24v DC

SHORE POWER 380v/220v AC, 3-Phase, 50Hz

CONVERTER Astrid Halley 80Kva shore power converter
Range: 208v-430v AC, 3-Phase (50Hz-60Hz)
Amps: 385-166 amps

BATTERIES 2 x 24v DC Emergency gel battery banks
1 x 24v DC Service gel battery bank
2 x 24v DC Main Engine Start gel battery banks
2 x 24v DC Generator Start gel battery banks

TANK CAPACITIES (approximate)

FUEL 50,000 litres (13,210 US gallons)

WATER 10,000 litres (2,640 US gallons)

WATERMAKERS 2 x Idromar type MC8-5 reverse osmosis producing approx. 5,000 litres (1,320 US gallons) per day each

LUB OIL 300 litres (80 US gallons)

DIRTY LUB OIL	300 litres (80 US gallons)
GREY & BLACK WATER	1,600 litres (423 US gallons)
BALLAST	14,000Kg (30,871lbs.)

ANCILLARY EQUIPMENT

STEERING SYSTEM	Opem (Genoa – Italy) type 785daNm electro-hydraulic system with double emergency hand steering back-up
RUDDER ANGLE INDICATOR	Opem (Genoa – Italy) indicator
BOW THRUSTER	KoopNautic (Holland) type VT75 100Hp (75Kw) hydraulic bow thruster
STABILIZERS	KoopNautic (Holland) type NK 353 hydraulic stabilisers
FUEL SEPARATOR AND FILTERS	Alfa Laval type MAB 103B-24 with 900 litres (238 US gallons) per hour capacity 2 x Separ type 2000/40 UMS main engines filters 2 x Racor type 2010 generator filters
OIL/WATER SEPARATOR	OilMaster type DVZ 250-VC with 250 litres (66 US gallons) per hour capacity Fresh water flushing
FIRE/BILGE PUMP	2 x Gianneschi & Ramacciotti type ACM-501 BT-K electric interchangeable fire/bilge pumps with 23,400 litres (6,181 US gallons) per hour capacity each
BOILERS	2 x Gianneschi & Ramacciotti type 250VE boilers with 10Kw heating elements and 250 litres (66 US gallons) capacity each
SEWAGE TREATMENT SYSTEM	Hamann type HL-Cont combined Aeration and Chlorine injection system
WCS	Jets type 50MBA vacuum flush fresh water system
AIRCONDITIONING	Il Frigorifero type Frigit C24 reverse cycle (345,600 BTU) system with 4 x compressors and fan coil units and Frigit thermostatic controls throughout

SAFETY & SECURITY EQUIPMENT

SAFETY	2 x Eurovinil 12-man life rafts with Hammar type H20 hydrostatic release mechanisms 1 x CSM 10-man life raft with Hammar type H20 hydrostatic release mechanisms 24 x Solas approved life jackets (adult) 2 x Solas approved life jackets (child) Kannad E.P.I.R.B. with Hammar type H20 hydrostatic release mechanisms Serpe SART
FIRE FIGHTING	Fixed Co2 fire fighting system in engine room 24 x Portable (foam & powder) fire extinguishers throughout 2 x Bristol fire fighting suits and breathing apparatus 2 x Gianneschi & Ramacciotti type ACM-501 BT-K electric interchangeable fire/bilge pumps with 23,400 litres (6,181 US gallons) per hour capacity each
ALARMS	Aritech fire detection system throughout Bilge, port hole, external door and navigation light indicator and alarm panel (wheelhouse) Standard main machinery, auxiliary and ancillary equipment alarms
SECURITY	Panasonic CCTV system with 4 x cameras and 2 x Panasonic type WV-CK1420 colour television monitors and 2 x Panasonic type WJ-SQ208 sequential switchers (wheelhouse & crew mess) Panasonic type WV-CU161 CCTV remote control unit for engine room camera (wheelhouse)

COMMUNICATION EQUIPMENT

SATCOM	Skanti type F77 SatCom (voice/fax/data) with ISDN/MPDS internet connection Thrane & Thrane Mini-M SatCom (voice/fax)
CELLULAR SYSTEM	Nokia GSM telephone system
VHF RADIOTELEPHONES	2 x Furuno type FM-8500 VHF radios 2 x Skanti type 9110 GMDSS VHF radios with charger 7 x Motorola type GP-360 handheld VHF radios with multi-charger unit 2 x Icom type ICM-3A VHF radios with charger

SSB RADIOTELEPHONES	2 x Furuno type FS-1562-25 SSB transceivers
TELEPHONE EXCHANGE	Panasonic type KX-TD1232JT digital super hybrid exchange
INTERCOM SYSTEM	Raytheon type Ray 430 loudhailer

NAVIGATION EQUIPMENT

MAGNETIC COMPASS	New 2005
GYRO COMPASS	C. Plath type Navigat X Mk I
AUTOMATIC PILOT	C. Plath type Navisailor V-HSC
LOG	Brookes & Gatehouse type Hydra 2000
ECHO SOUNDER	Furuno type FCV-1000 colour video sounder
RADAR	2 x Furuno type FR-1510-VARK ARPA (72nm)
GPS	2 x Furuno type DGPS-36
CHART PLOTTER	Transas system integrated with Sharp monitor
NAVTEX	Navtex type NX-500
WIND INSTRUMENTS	Brookes & Gatehouse type Hydra 2000

DECK EQUIPMENT

ANCHOR WINDLASS	2 x Sanguinetti Chiavari 5Kw electric windlasses
AFT WARPING CAPSTAN	2 x Sanguinetti Chiavari 3Kw electric capstans
GROUND TACKLE	Anchors: 2 x 551 lbs./250Kg galvanized steel Poole anchors Chains: 2 x 5.5 shackles/492ft/150m x ¾"/19mm chain
BOAT CRANE & DAVITS	Saverio type 07720 electric crane with 4,410 lbs./2,000Kg Safe Working Load (SWL)
PASSERELLE	Saverio type Pivot extendable 16.4ft/5.0m passerelle
SIDE ACCOMMODATION LADDERS	Saverio type SRE-BB with 441 lbs./200Kg SWL (Stbd) Rotates through 90°

SWIMMING PLATFORM	Aluminium hydraulic opening door with teak laid platform, stainless steel hand rails & swimming ladder
SEARCHLIGHT	2 x Sanshin Dengu remote controlled searchlights
AWNING	Fixed on sun deck

AUDIO/VISUAL ENTERTAINMENT SYSTEMS

TELEVISIONS	3 x JVC televisions (Guests' (x2) and Captain) 2 x Panasonic televisions (VIP cabins) 1 x Lorenz flat screen television (Owner's study) 1 x Sharp flat screen television (Owner's bedroom) 1 x Sony wide-screen Plasma television (upper saloon) 1 x Philips television (crew mess)
SATELLITE TELEVISION	Seatel type 3294 Satellite television system with TAC-92 receiver and 9 x Nokia Media Master type 9650 digital decoders (Owner's bedroom & study, Guests' cabins (x4), upper saloon, Captain and crew mess)
VIDEO RECORDERS/ PLAYERS	Samsung type SV-5000W SQPP VCR (upper saloon) 4 x Sony type DVP-NS305 DVD players (Owner, Guests (x2) & crew) 3 x Sony type DVP-NS300 DVD players (Guests' (x2) & Captain) Sony type DVP-NC600 DVD player (upper saloon)
STEREO MUSIC SYSTEM	13 x Sony type CDX-360/400/650/680 car Tuner/CD players (Owner, Guests (x4), crew (x3), Captain, galley, pantry, crew mess & sundeck) Sony type CDX-T67 6-disc CD player (sundeck) Sony type CDP-CX235 200-disc CD player (main saloon) Sony type TA-FE370 stereo amplifier (main saloon) Sony type ST-SE370 AM/FM tuner (main saloon) Sony type STR-DE675 AM/FM tuner (upper saloon)

OFFICE EQUIPMENT

COMPUTERS	3 x Dell desktop computers (Captain, wheelhouse & Engineer) all linked through Ethernet that also includes Owner's study and VIP guest cabins (x2)
-----------	--

PHOTOCOPIER	Hewlett Packard type HP Officejet 135 combined scanner/fax/copier (wheelhouse) linked to Ethernet and Panasonic PABX
FACSIMILE	Philips type Magic 3, with voice detection

DOMESTIC EQUIPMENT

MAIN GALLEY	2 x Gaggenau ovens 2 x Miele 4-plate electric hobs Miele grill Alpes extractor hood Miele type M-625EG microwave oven Miele steam oven 2 x Plate warmer drawers Miele type G-7855 dishwasher In-Sink-Erator food waste disposal unit
REFRIGERATION	8 x Frigit combination refrigeration/freezers (pantry) Miele type KT-3534 fridge/freezer (galley) Wine Storage type 424 wine cooler (galley) 2 x Miele type K-621 refrigerators (galley & crew)
CREW GALLEY	Miele type M-615EG microwave oven
PANTRY	Microlift dumb waiter – serves main deck, upper deck pantries 2 x Saeco Magic DeLuxe espresso machines (main & upper pantries) Classic In-Sink-Erator trash compactor (main pantry) Miele type G-7855 dishwasher (main pantry) Miele type M-615EG microwave oven (upper pantry)
LAUNDRY	2 x Miele type WS-5425 clothes washing machines 2 x Miele type T-5206 clothes drying machines Miele type HM-16-83 roller iron
BARS	3 x Vitrifrigo drinks refrigerators (main saloon, upper saloon & sun deck bars) 2 x Frigomar Icemakers (main & upper saloon bars) Scotsman icemaker (sundeck bar)

OTHER EQUIPMENT

JACUZZI DIP POOL	Forward on sundeck with cushion surround
SHIP'S SAFE	5 x Jewel coded ship's safes
DECK FURNITURE	Various tables & chairs
EXERCISE EQUIPMENT	Running machine (sundeck)
OTHER	Palux electric BBQ (sundeck)

TENDERS & WATERSPORTS EQUIPMENT

TENDERS	1 x 19.03ft (5.80m) Castoldi type JetTender 18 with 125hp Yanmar inboard motor and waterjet drive 1 x 12.47ft (3.80m) Scanner type 380 inflatable tender with 95hp Mercury inboard motor and waterjet drive
---------	--

ACCOMMODATION

OWNER	Owner's double cabin with ensuite his and her bathrooms and study
GUESTS	2 x Double VIP cabins with bathrooms ensuite 2 x Twin cabins with shower rooms ensuite
CREW	Captain's double cabin with shower room ensuite 3 x Twin cabins with upper and lower berths and shower rooms ensuite

WALK-THROUGH

SUN DECK - A very impressive area with plenty of space and facilities. A Jacuzzi dip pool occupies the forward area with sun bathing cushions. Two informal seating arrangements with tables are to port and stbd. Beneath the radar arch is a full wet bar (to stbd) with fixed bar stools and BBQ grill. Completely aft is a dining area with circular seating and a fixed awning. Stairs (to port) lead down to the upper deck dining area.

UPPER DECK - Forward of the wheelhouse is an informal semi-circular forward facing seating area with coffee table. Side companionways lead to the foredeck and tender storage area. Aft is the wheelhouse equipped with two helmsman's chairs and port and stbd bridge wing control stations. To port is the Captain's double cabin and forward (port) is the access to the crew mess and galley. To stbd is a passageway to the guest areas with stairs down to the main deck and an athwartship pantry with sink, dumb waiter and microwave oven. A day head is located in the passageway leading aft to the full width upper deck saloon with wet bar, large entertainment centre and semi-circular seating arrangement. Through the aft sliding doors is the upper deck dining area with stairs (port fwd) up to the sundeck and port/stbd aft leading down to the main deck aft deck. Right aft is the yacht's tender with cane.

MAIN DECK - The Owner's full width double cabin occupies the forward section of the main deck with His & Her ensuite bathrooms and study ensuite. To port is the main galley and pantry with access down to the crew mess and up to the wheelhouse (port forward). An entrance lobby is to stbd with day head and provides access down to the guest accommodation area. The vast main saloon has a circular dining area (forward) with two facing semi-circular seating arrangements and coffee tables further aft (to port and stbd). A wet bar with bar stools and games table are fully aft. Passing through the aft sliding doors is the aft deck reception area with bench seating and two circular coffee tables. Stairs (port and stbd forward) lead to the upper deck and aft give access to the swimming platform.

LOWER DECK – The crew's quarters are forward with three twin cabins each with ensuite shower rooms. A crew mess is to port with sink, refrigerator, dining table and entertainment system. The four guest cabins are amidships with two doubles and two twin cabins surrounding a guest lobby. Completely aft is the main engine room with separate generator room. A hydraulic door in the transom opens to form a teak covered beach area.

REMARKS

BLUE BELLE is an exceptional vessel in many ways. Her experienced Owner supervised her construction and paid particular attention to every detail during her 3-year build period. He frequently visited the Mondomarine shipyard to ensure that all his wishes were carried out to his exacting requirements – such as His & Hers bathtubs in the Owner's cabin and twin washbasins in each guest cabin. Her technical installation and engine room fit-out are of a very high standard and she has a good turn of speed when required.

Her modern and attractive exterior styling, complete with curved stairways, combined with a practical and spacious layout, makes this a "must see" vessel. All her public areas are open, light and offer an abundance of space not typically found in a vessel of this size. BLUE BELLE is big for her size.

Of particular note should be the very impressive size and layout of the sundeck together with its 50% of shaded area and the uncluttered and open main and upper aft decks. As a real bonus, the stern door opens to form a beach/swim platform which is one of her outstanding features.

These particulars have been prepared from information provided by the sellers and are intended as a general guide to the vessel. We cannot however, be liable for any inaccuracy. It is up to the purchaser to confirm details of concern to him by survey inspection and/or enquiry of the seller and to ensure that the purchase contract properly reflects his concern and specific details upon which he may rely. We always advise an independent survey.

06/05/MC/RN/CC