

2570 CENTER CONSOLE SPECIFICATIONS

L.O.A. w/ Pulpit	27' 6"
L.O.A. w/o Pulpit	24' 10"
Beam	8' 6"
Hull Draft (motors up)	1' 6"
Hull Draft (motors down)	2' 10"
Average Dry Weight	
(with twin 150 four strokes)	5,260 lbs
(with single 250 four stroke)	4,710 lbs
Maximum Horsepower	300
Clearance w/ t-top	8' 4"
Clearance w/o t-top	6' 10"
Fuel Capacity	150 U.S. gal
Fresh Water Capacity	20 U.S. gal
Deadrise	21°

STANDARD EQUIPMENT

Hull, Deck and Cockpit:

- Pursuit® Protection Plan: 5-year hull/deck structural warranty, 5- year blister-free warranty, 2-year
- Custom non-skid deck, cockpit surface and gunwale boards
- 3/8" S.S. bow & transom eyes (3)
- Recessed S.S. 3/4" one-piece
- Six 8" S.S. flush pull up cleats
- Forward rode/anchor locker with
- Raw water washdown
- Molded-in integrated transom
- Cockpit coaming bolsters
- Armstrong® boarding ladder

Command Console:

- Forward console seat/built-in cooler with cushion & backrest
- Handlaid fiberglass wrap-around console
- Opening port light with screen
- Drink holders
- Console courtesy lights
- Enclosed compartment w/manual head, holding tank & macerator
- Mold & mildew resistant fabric headliner
- 1/4" tinted acrylic windshield
- Interior lighting
- Illuminated Carling rocker switches
- Integral foot rest
- Two 12V Receptacles in helm

Fishing:

- Rod racks in cockpit
- Four S.S. rod holders
- Large insulated fish/storage boxes forward
- Leaning post w/rod holders, 32 gal Oceana blue circulating livewell w/scratch resistant lid & tackle trays/storage
- Storage for (4) trolling rods
- Stern bait & tackle rigging station w/freshwater supply, 40 gal. fishbox cooler & rigged bait storage
- Tackle locker

Instrumentation, Equipment and Safety:

- Hydraulic steering
- 16" Custom cast aluminum steering wheel
- Master circuit breaker box
- Flush pop up bow/nav lights
- Dual battery switch with battery trays
- 12V electrical panel w/breakers
- 150 gallon aluminum fuel tank
- Racor® fuel filters
- 20 gal. freshwater tank
- Recessed trim tabs
- U.S.C.G. & international lighting
- Bilge pumps (2)
- Basic foam flotation
- Fire extinguisher, horn & compass
- Grab rail
- Pursuit meets or exceeds all USCG & NMMA standards
- Yamaha Fuel Mgmt System (Twin)

OPTIONAL EQUIPMENT

Effective Date: August 01, 2005

Boat w/Engine (Engine Installation Included):

- Yamaha® 250 Four-stroke (single)
- Yamaha® 150 hp Four-stroke (twin)

Comfort and Convenience:

- Forward fishbox cushions
- Fwd poly sunpad filler with cushion
- Aft fold-down seat w/cushion
- Electric head with holding tank & macerator
- Clarion® AM/FM stereo & CD with 4 speakers
- Sirius satellite radio (includes 1 yr service)

Mechanical:

- Bow pulpit w/bow anchor roller
(With pulpit, low-profile bow rail & standard nav lights, port & stb)
- Auto anchor system (only avail. w/bow pulpit)

- Wiring only for windlass (only avail. w/bow pulpit)
- Yamaha Fuel Management System (single)

Weather:

- Bimini top (black)
- Console cover (black)
- T-top with spreader light w/rod holders (black)
- T-top w/r. holders & E-Tec rad. arm outriggers
- T-top w/rod holders & E-Tec radial arm outriggers with telescoping poles
- T-top (black) windscreen
- Sprayhood (black)
- Black engine cover (each)
- Color canvas (navy blue, forest green or khaki)
- Shipping cradle

Color Selections:

- Pursuit Fighting Lady Yellow hull
- Pursuit Oceana Blue hull
- Pursuit Flag Blue hull
- Boot stripe black (standard)
- Boot stripe color (navy, silver or forest green)

Specifications as well as standard and optional equipment are subject to change without notice. All measurements approximate. For more information and pricing, please contact your local Pursuit dealer.

