

82



SUNSEEKER PREDATOR 82

SPECIFICATION



Pace, style and unrivalled opulence – this Predator’s sweeping profile and potent performance will attract those who want the best life has to offer. Twin shaft drives provide maximum efficiency, but if you want to give your Predator 82 ultimate power, twin Arneson surface drives are the only option. Top speed is a breath-taking 48 knots.

- A:** Owner's stateroom
- B:** Galley
- C:** Main saloon
- D:** Upper saloon
- E:** Forward VIP stateroom
- F:** Twin guest cabin
- G:** WC and shower room
- H:** Opening hard top roof



PRINCIPAL CHARACTERISTICS

	TWIN SHAFT DRIVES		
Length overall – (incl. pulpit)	24.97m	81'11"	
Length waterline – (@ half load)	18.40m	60'4"	
Beam – (maximum)	6.00m	19'8"	
Height above waterline – (excl. mast)	5.35m	17'7"	
Draft – (incl. props @ full load)	1.72m	5'8"	
Displacement – (@ half load)	48300kg	106483 lb	
Fuel capacity	5900 litres	1298 GB gal.	1559 US gal.
Fresh water capacity	1000 litres	220 GB gal.	264 US gal.
Propulsion	Twin FP props in semi-tunnels		
Engine options	up to 3650 PS (total)		
Fuel options	Diesel		
Generators	2 x 17kW @ 50Hz (Euro)		
	2 x 20kW @ 60Hz (US)		
Maximum speed	up to 35 knots*		
Cruising speed	up to 27 knots*		
Range	up to 320 nautical miles*		

	ARNESON SURFACE DRIVES		
Length overall – (incl. pulpit)	24.97m	81'11"	
Length waterline – (@ half load)	18.30m	60'0"	
Beam – (maximum)	6.00m	19'8"	
Height above waterline – (excl. mast)	5.30m	17'5"	
Draft – (incl. props)	1.38m	4'6"	
Displacement – (@ half load)	51000kg	112436 lb	
Fuel capacity	5900 litres	1298 GB gal.	1559 US gal.
Fresh water capacity	1000 litres	220 GB gal.	264 US gal.
Propulsion	Direct drive through Arneson surface drives		
Engine options	up to 4860 PS (total)		
Fuel options	Diesel		
Generators	2 x 17kW @ 50Hz (Euro)		
	2 x 20kW @ 60Hz (US)		
Maximum speed	up to 48 knots*		
Cruising speed	up to 30 knots*		
Range	up to 320 nautical miles*		

PRINCIPAL FEATURES

- Garage for optional tender and jet ski
- Fixed bathing platform
- Hot and cold swim shower
- Wet bar with ice maker, cool chest and sink with hot and cold water
- Ceramic griddle in cockpit
- Radar/Chart plotter with GPS
- Autopilot
- Power-assisted steering
- Electronic speed log, depth sounder and VHF radio
- Trim tabs
- Hydraulic bow thruster
- Hydraulic stern thruster
- Flatscreen televisions in all guest cabins (excluding crew)
- Surround sound system for deck saloon and aft master stateroom
- Ceramic hob, microwave combination oven, refrigerator, freezer and slim line dishwasher
- Hot and cold water system
- Automatic fire extinguishing system for engine room
- Automatic bilge pumps
- Slow speed generators with silent exhaust
- AC shore power/battery charger
- All cabin air conditioning
- Remote control spotlight
- Electric winch with foredeck and console control
- Toilet system with holding tank
- Fresh water marina connection
- Teak cockpit, bathing platform and steps
- Teak side decks
- Opening hardtop roof
- Crew quarters
- Antifouling

All items included in standard specification.

- US specification includes:
- US Coast Guard build regulations
- US specification appliances



STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powder bound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
PVC foam cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings in stainless steel
Pair of bow cleats and fairleads
Three pairs of spring cleats and chafing bars
Pair of stern cleats and fairleads
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Curved safety glass windscreen with windscreen wipers and washers
Stainless steel bow roller with anchor stop
Stainless steel bow plate
40kg anchor with 70m of 10mm chain (galvanised)
Electric winch and capstan with foredeck and cockpit controls 24v
2 x stern electric capstan winches
Chain locker and fender stowage
Fender tie bar under anchor locker lid
3 x pantograph windscreen wipers 24v and washers
Fuel fillers port and starboard
Fresh water filler
IMCO navigation lights
Remote controlled spotlight
Teak side decks
Low-level courtesy lighting on side decks 24v
Sunbathing pad
Rope lockers
Deck wash outlets forward and aft
Ensign staff and socket

3 Bathing platform

Cockpit access steps on port and starboard side of garage
Garage for optional tender and jet ski (subject to layout option)
Fixed bathing platform
Teak laid bathing platform and steps
Hot and cold hand held swimming shower
Fresh water marina connection
TV and telephone marina connection
Fold-out stainless steel swimming ladder
European specification only: dockside connection AC 1 x 63 amp socket
USA specification only: dockside connection AC 1 x 100 amp Glendinning Cablemaster
European specification only: hydraulic telescopic gangway (optional on USA specification)

4 Aft cockpit

Self-draining
Stern safety gates
Upholstered seating around cockpit table
Table with folding leaf
Upholstered stern seat and sunbather
Wet bar with ice maker, cool chest and sink with hot and cold water
Ceramic griddle
Teak cockpit floor
Low-level courtesy lighting 24v
Boat hook
Sliding cockpit doors to deck saloon
Engine room access hatch
2 x stern capstan winches and fairleads
Overhead lighting forward
4 x marine speakers connected to CD/radio
Remote keypad for CD/radio
Fire extinguisher

5 Covers

Windscreen cover

6 Deck saloon

Dining area with table
Sofa seating group with coffee table
Scatter cushions
Flatscreen television (42")
DVD/CD/Radio surround-sound system
I-Pod docking station connected to surround sound system
CD/Radio for aft cockpit
Halogen overhead lighting 24v
Low-level lighting
Double AC sockets
Air conditioning
Drinks cupboard with 8 place glassware set (8 x Champagne, 8 x whisky and 1 x decanter)
8 place crockery set
Large rotating sunroof
Access stairs to crew quarters
Teak flooring with black caulking
Telephone point
Stainless steel framed sliding patio doors with curtains and tiebacks

7 Lower deck lobby

Stairs leading from helm area
Halogen overhead lighting
Fitted carpet
Step lights
Doors leading to accommodation cabins and day head

8 Helm console

Electric helm seat
Co-pilots seats
Chart area
Console with burr effect walnut fascia
Power-assisted steering
Wood rimmed steering wheel
Single lever engine controls
Radar/Chart plotter with GPS (2 x displays)
Autopilot
Full analogue engine instrumentation
Depth and speed displays
Rudder angle or Arneson drive indicator (subject to drive option)
Fresh water gauge
Fuel gauge
VHF handset (dual station)
Trim tab controls
Waterproof plug and socket
Compass (manual)
Horn controls
Windscreen wipers and washers control
Hand-held fire extinguisher
Foredeck winch control
Remote spotlight control
Breaker panels located below helm
Main control panel (AC/DC) with generators control
Side opening doors to side decks
Telephone socket (port side)
Double AC socket
Staircase leading to lower deck accommodation

9 Forward VIP stateroom

Double berth with foam mattress
Storage beneath berth
Drawer in berth base end
Hanging wardrobe
Shelved cupboard
Halogen overhead lighting 24v
Bedside reading lighting 24v
Opening portholes with mosquito screen and curtains or blinds
Skylight
Double AC socket
Air conditioning
LCD flatscreen television (26")
DVD/CD player with two speakers
2 x telephone points (1 x aft, 1 x forward)
Fitted carpet
Door to en suite

10 Forward VIP en suite

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Hot and cold water
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Air conditioning outlet
Granite vanity top and flooring
Door to stateroom

11 Starboard guest cabin

2 x single berths with foam mattresses
Bedside unit
Under berth storage
2 x reading lights 24v
Wardrobe with mirrored door
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Air conditioning
LCD flatscreen television (20")
DVD/CD player with two speakers
Telephone point (bedside table)
Fitted carpet
Doors to en suite and lobby

12 Starboard en suite

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Hot and cold water
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead light 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Air conditioning outlet
Granite vanity top and flooring
Door to starboard guest cabin



13 Port guest cabin

2 x single bunk berths
2 x reading lights 24v
Hanging wardrobe with mirrored door
Halogen overhead lighting 24v
Opening porthole with mosquito screen and blind
Double AC socket
Air conditioning
LCD flatscreen television (20")
DVD/CD player with two speakers
Telephone point (bedside unit)
Door to en suite and lobby

14 Port en suite/day head

Tecma toilet 24v
Washbasin
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Hot and cold water
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Air conditioning outlet
Granite vanity top and flooring
Door to port guest cabin and lobby

15 Aft master stateroom

Double berth with foam mattress
Storage beneath berth and drawers in berth sides
Sofa
Flatscreen television (42")
DVD/CD/Radio surround-sound system
Bedside table with drawer
2 x reading lights 24v
3 x large vertical portholes each side with blinds (centre opening with mosquito screen, outer ones fixed)
Dressing table with lift up vanity lid and low-back chair
Halogen overhead lighting 24v
Double AC sockets
Air conditioning
Fitted carpet
2 x telephone points (dressing table and port side table)
Door to en suite and walk-in wardrobe

16 Aft master walk-in wardrobe

Hanging rails
Drawers
Shelves
Full-length mirror
Halogen overhead lighting 24v
Fitted carpet
Door to master stateroom

17 Master en suite

Tecma toilet 24v
2 x washbasins
Taps and accessories (toothbrush and glass holder, soap dish, towel rails and towels)
Hot and cold water
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Halogen overhead lighting 24v
Opening porthole with mosquito screen and venetian blind
Shaver socket 240/110v
Air conditioning outlet
Granite vanity top and flooring
Door to master stateroom

18 Galley/crew mess

4-ring ceramic hob with overhead extractor
Microwave/Oven AC
Refrigerator and freezer (stacked) AC
Washer/Dryer AC
Slimline dishwasher AC
Hot and cold water
Sink and drainer
Rubbish bin
Cupboard and drawer stowage
8 place cutlery set
Double AC sockets
Telephone point
Hand-held fire extinguisher
Opening porthole with mosquito screen
Air conditioning
Fire blanket
First aid kit
Halogen overhead lighting 24v
Spotlights under top box lockers
Safety flooring
VHF second station handset
CD/Radio with two speakers
Crew mess with fold down table and two stools
Watertight access door to engine room (subject to layout option)

19 Port crew cabin

2 x single bunk berths with foam mattresses
Reading lights 24v
Wardrobe
Halogen overhead lighting 24v
Opening porthole with mosquito screen and curtain
Air conditioning
Double AC socket
Safety flooring

20 Starboard crew cabin (subject to layout)

2 x single bunk berths with foam mattresses
Reading lights 24v
Wardrobe
Halogen overhead lighting 24v
Opening porthole with mosquito screen and curtain
Air conditioning
Double AC socket
Safety flooring

21 Crew toilet/shower

Tecma toilet 24v
Washbasin
Taps and accessories
Hot and cold water
Shaver socket 240/110v
Opening porthole with mosquito screen and venetian blind
Shower

22 Engine compartment and ancillaries

Soundproofing throughout engine room
Separate fuel filters with water alarms
Fuel tank with electric sender unit
Automatic FM200 fire extinguisher with engine/generator and fan shutdown
Automatic bilge and flood pump
Manual bilge pump
2 x extractor fans (AC)
24v hydraulic pump for trim tabs, gangway and garage door
Hydraulic power steering from engine driven pump

23 Electrical system

European specification only: 2 x 17kW @ 50Hz slow speed KOHLER generator with underwater silent exhaust and sound box
USA specification only: 2 x 20kW @ 60Hz slow speed KOHLER generator with underwater silent exhaust and sound box
European specification only: dockside connection AC 1 x 63 amp socket
USA specification only: dockside connection AC 1 x 100 amp Glendinning cable master
Galvanic isolator
24v and 12v DC electrical system with full circuit breaker protection
8 x engine batteries 24v circuit
4 x domestic batteries 24v circuit
4 x generator batteries 12v circuit
Alternator split charging system
Remote battery switches controlled from locker in cockpit
2 x 95 amp battery charger for 24v circuits
70 amp battery charger for 12v circuits
200 litre calorifier with 2 x 2kW immersion heaters
AC sockets throughout the boat
24v hand-held light and cable

24 Underwater gear

Seawater strainers – 2 x main engines/1 x generators
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
Hydraulic bow thruster (30 hp)
Hydraulic stern thruster (30 hp)
Hydraulic trim tabs 24v
Antifouling (white)

Twin shaft option:

V-drive through shafts in semi-tunnels
Stainless steel Temet propeller shafts
High performance bronze rudders and struts
Bronze P-brackets
Dripless shaft logs
Bronze propellers

Twin Arneson option:

Direct drive through Arneson surface drives (ASD15)
Bronze propellers

25 Systems

24v hydraulic pump for trim tabs, gangway and garage door
Hydraulic power steering from engine driven pump
Tecma toilets 24v with 1 switch control (incorporating tank level indication)
Toilets discharging overboard or to black water tank
Black wastewater tank discharging to dockside or overboard through 24v macerator pump
Fresh water tank with sending unit
24v fresh water pressure system
200 litre calorifier with 2 x 2kW immersion heaters
Hot water circulating pump
Washbasins, showers, air conditioning fan unit discharging to grey waste sump
Grey wastewater sump with overboard discharge (24V)
Chilled water air conditioning system (reverse cycle)
Automatic bilge and flood pump in each watertight compartment

26 Miscellaneous

Boat hook
6 x mooring ropes
8 x fenders
Spare bulbs and fuses
8 x towel sets
Vacuum cleaner


US specification includes

Upgraded generators
US Coast Guard build regulations
US specification appliances




MAIN DECK


Long garage/free standing dining seating




Optional short garage/fixd
dining seating/cockpit bar



LOWER DECK



Optional master stateroom/galley &
mess/single crew cabin







THE WORLD'S FINEST LUXURY MOTORYACHTS

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2007. ©Sunseeker International.

Naval architects
Don Shead/Sunseeker Design
Exterior styling
Sunseeker Design
Interior design
Sunseeker Design
Builder
Sunseeker International

www.sunseeker.com