


50' TRAWLER



OCEAN ALEXANDER

OCEAN ALEXANDER

50' Trawler

STANDARD EQUIPMENT

I. PARTICULARS

LOA	50' 1"	15.5 M
Waterline length	42' 4"	12.9 M
Beam	14' 8"	4.47 M
Draft	4' 2"	1.27 M
Displacement (approximate)	42,500 lbs.	19,318 KG
Fuel capacity	700 gal.	2,650 L
Water capacity	200 gal.	756 L
Holding tank capacity	60 gal.	227 L
Standard power	Single John Deere® 6068SFM 300HP	
Standard generator	Northern Lights® M843NK 12 KW	

II. HULL, SUPERSTRUCTURE AND DECKS

- Hand-laid, gel-coated fiberglass hull
- Airex® C70.90 foam on hull sides (closed cell, cross-linked polymer foam w/ highest elongation in its class for great impact strength. Sound and temperature insulation w/ self extinguishing properties)
- Cockpit hatch with ladder down to lazarette
- AL 600 Balsa core on superstructure (specially selected end grain balsa, impregnated w/ resin, for high heat stress areas)
- Solid fiberglass hull bottom
- Deck access hatch to chain locker
- White non skid fiberglass (Awlgrip® Griptex®), except teak deck on cockpit
- White vinyl rub rail SS insert
- Diamond Sea-glaze® sliding door from cockpit to salon & PH sliding doors
- Two coats of Seahawk or equal primer, an epoxy barrier coat and covered with two coats of Seahawk or equal anti-fouling bottom paint
- Fiberglass stairs from port side deck to FB
- Fiberglass swim platform w/ swim ladder
- Transom door
- Frameless window frames
- Tempered dark tinted window glass
- Screens on all port lights, screen/ shade for hatches
- Side boarding gates at starboard cockpit
- Deck lights, 24V
- Portuguese bridge with two lockers with settee/lockers under
- Skylight hatch on fwd deck & PH top
- Fiberglass mast with radar platform
- Detailed carbon fiber reinforced structural stringers in engine room & lazarette
- Windshield on FB, Lexan
- Vinylester resin
- Black single boot top stripe
- Sunbrella® fabric (Berenson Tuxedo #8521) on outside cushions
- Black bottom paint, antifouling

III. EXTERIOR HARDWARE AND FITTINGS

- SS hardware
- Fresh and sea water-wash down in cockpit & foredeck
- SS cleats & hawse holes
- SS square port lights
- Horizontal windlass HR2500 dual anchoring system w/ fiberglass bow pulpit
- Removable life line for aft FB railing
- Zincs on rudder and shaft
- Todd® FB helm seat (one double side helm seat)
- SS skeg protected propeller & rudder
- Strut w/cutlass bearings
- Lighted OA Logo
- High-efficiency, computer-designed & machined Bronze propeller with prop guard
- Bronze through hull fittings
- Teak steering wheel inside & SS on FB
- Teak bow and stern staffs
- Windshield wipers & washers
- Remote operated lockable cockpit hatch

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification

- SS handrails on back transom
- Passive stabilizers on hull bottom
- Custom propeller shafts
- Lifeline for boat deck rails
- Fuel fills from both side decks
- Aft deck shower, dock side water (one unit)
- Fwd deck handrails with safety line
- 1-1/2" SS handrails & 1-1/4" stanchions

IV. CONTROL AND NAVIGATION

- Dual control stations-Pilothouse & FB
- Complete engine instrumentation system
- Wet exhaust and including water temperature, oil pressure, hour meter and start/ stop controls in engine room and remote start/ stop controls in the pilot house
- Electric engine control
- Hydraulic steering system
- Engine alarm system, audio oil, temperature and hour meter
- Kahlenberg® trumpet air horn
- Engine gauges to bevel panel in Pilothouse

V. ELECTRICAL SYSTEM

- Heavy-duty batteries (house banks: 400 Amp/H)
- Engine battery disconnect switch
- Battery paralleling system w/ control switch
- Service battery switch
- 2000W inverter/ charger
- Shore power receptacle 1x50AMP, 120/ 240 VAC in two locations
- NMEA2000 BACKBONE w/ AC/ DC power installed (for future electronics / equipment communication network)
- 24V lights in all compartments
- AC/ DC distribution panel with magnetic circuit breakers
- VOLT and AMP meters
- Bonding system throughout
- Shore power cords, wired directly into GFI protected shoreline breakers
- AC outlets throughout
- Polarity reverse indicating light

VI. ENGINE ROOM AND BILGE

- Flojet® pressure fresh-water system
- Johnson® pressure sea-water system
- Fuel manifold distribution system
- One manual bilge pump
- 20 gallon water heater
- Aluminum fuel tanks with sight gauges
- SS water tanks with sight gauges
- Color-coded piping for fuel and water
- Common drainage system for sink, shower, bilge & exterior deck
- Five electric bilge pumps 24V auto & manual bilge switch, sumped when available
- 24V shower sump pump
- High water bilge alarm in engine room
- Spare conduit running from engine room to Pilothouse, engine room to FB, and engine room to FB overhang (under)
- Holding tank plumbed dockside or overboard discharge
- Cruisair® compressors for central air conditioner, 3 units, total 64K BTU
- All engine room and machinery spaces shall be primed and top coated with polyurethane paint system
- Bronze sea cocks and raw water strainers on all intakes
- Quash® sound insulation
- Oil changing system for engine and generator
- Racor® fuel/water separator for engine & generator
- Engine room vent blowers 1x24V
- Engines isolation switch
- Heronrib® rubber floors for engine room walkway
- Two 110V fluorescent lights or wiring only for 220V/ 50HZ system
- 24V ceiling lights in engine room
- One manual bilge pump
- AC outlet
- Lighted bilge
- Fresh water outlet with hose for engine & generator
- Heavy duty military grade fuel polishing system
- 3 valves in steering system for autopilot
- Fiberglass exhaust pipes with mufflers
- Dripless engine shaft seal log
- Dripless seal for rudder post
- TaylorMade® air conditioner pumps, P500C for MSR , P1000C for PH & 1000C for salon
- Generator exhausts to be water-drop type per "Centek", "Marine Exhaust Co." or equal

- The vessel's bonding and grounding systems shall include copper straps secured to the hull and running the full length of the vessel parallel to centerline. Engines, generators, metallic through hulls, strainers, and pump bodies shall be connected to the bonding strap using 8 AWG wire minimum or equivalent
- S/S engine beds
- Refrigerant type is accepted worldwide under the Montreal Protocols
- Generator set resiliently mounted and installed with sound shield
- Holding tank gauge in PH w/ air filter for holding tank

VII. ACCOMMODATIONS AND INTERIOR

- Teak paneling and cabinetry
- SS hardware
- Soft vinyl headliners
- Cruisair® SMXHT Vimar style control panels
- Cruisair® evaporator/ blower for central air conditioner, 3 units, total 64K BTU (Reverse Cycle capable for operating down to 40 degrees F)
- Removable headliner
- Mattresses for berths
- Satin varnish for interior finish
- Hanging lockers w/ dual locking mechanism
- Painted flooring prepared for carpet throughout, except teak and holly flooring in pilothouse, heads, galley & salon (all Ocean Alexander flooring is 5/16" thick w/ over 4x sandings for ease of repair maintenance and longevity)
- Push button handles for drawers & cupboards

A. PILOTHOUSE

- Teak and holly flooring
- Settee with storage under
- Steering control system
- Teak electronics mounting panel overhead
- Cruisair® evaporator/ blower for central air conditioner, 24K BTU for PH & guest head
- Cruisair® SMXHT Vimar style control panel
- Engine gauges on bevel panel
- Lighted stairway to fore cabin
- 24V LED lights
- Water tight sliding doors to side decks
- Teak valance board
- Teak top dinette table
- Long-range pilot berth
- Teak grab rail on ceiling
- Salon settee with storage inside

B. SALON

- 24V LED lights
- Entertainment center and storage cabinet, at port side
- Cruisair® evaporator/ blower for central air conditioner, 24K BTU (Reverse Cycle capable for operating down to 40 degrees F)
- Teak and holly flooring in salon
- Sharp 20" LCD TV w/ pop-up
- Hydraulic hi-low teak top table
- Watertight sliding door to cockpit
- Teak valance board
- Teak grab rail on ceiling
- Cruisair® SMXHT Vimar® style control panel
- Home theater DVD/ CD radio system
- L-shape Salon settee with storage inside

C. MASTER STATEROOM

- Queen size berth, w/ flip up storage underneath
- Cruisair® SMXHT Vimar style control panel
- Cruisair® evaporator/ blower for central air conditioner, 16K BTU for MSR & guest stateroom w/ master head
- Cedar-lined hanging locker w/ auto lighting
- SS square port lights
- 24V LED lights
- SS square port lights
- Sharp LCD 20" TV & DVD/ CD system

D. GUEST STATEROOM

- Hi-low V-berth
- Drawers & storage under bunk
- Cedar lined hanging locker w/ auto lighting
- Dressing mirror behind door

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification

- Teak plank lines on hull sides
- Air conditioner ducted from MSR & guest head ducted from PH
- Soft vinyl on hull side
- SS square port light
- 24V LED lights

E. HEADS



- Fiberglass molded counter top & sink
- Teak walls and cabinets
- Painted headliner
- Stall showers w/ one piece glass door in master & guest heads
- Grohe® faucet for sink and shower
- Medicine/ cabinet storage
- 24V LED light
- SS square port light w/ screen
- Tecma® heads
- GFI (110V only) AC outlet
- Mirror
- Vent blower
- Teak and holly flooring

F. GALLEY

- Silestone® counter tops (anti-bacterial natural quartz stone w/ 15 years warranty)
- Teak panel and cabinetry
- Storage cabinets and drawers
- Franke® Sink w/ tap
- Tube light under
- Teak and holly flooring
- Serving shelf/ dish locker
- Tundra® refrigerator
- GE® garbage disposal
- Propane cook top w/ stove
- Overhead microwave convection oven with exhaust blower
- GFI (110V only) AC outlet
- Overhead dish locker fwd counter of galley



*** Specifications, standard and optional equipment with prices are subjects to change without notice.


*** Speed data is indicative only. Actual performance is dependent on customer gear and option selections.




Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification


OCEAN ALEXANDER 50' TRAWLER — STANDARD LAYOUT






OCEAN ALEXANDER 50' TRAWLER
OPTIONAL DAVIT PACKAGE







OCEAN ALEXANDER 50' TRAWLER
OPTIONAL COCKPIT ADDER TO FB



OCEAN ALEXANDER 50' TRAWLER -- OPTIONAL COCKPIT LADDER TO FB



OCEAN ALEXANDER 50' TRAWLER -- OPTIONAL FULL HEIGHT WASHER / DRYER



Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification

OCEAN ALEXANDER

50' TRAWLER WITH STANDARD EQUIPMENT

BASIC PRICE

US \$ 699,820

INTERIOR CHOICES

Standard selection

- Galley Silestone® selection

- | | | |
|--|---|---|
| ☐ 6005 Rhin Leather | ☐ 6002 Mississippi Leather | ☐ 5008 Ivory Coast |
| ☐ 3009 Negro Anubis | ☐ 5001 Brazilian Brown | ☐ 5002 Mahogany |
| ☐ 5003 Rain Forest | ☐ 2004 Stellar Negro | |

- Head Silestone® selection

- | | | |
|--|---|---|
| ☐ 6005 Rhin Leather | ☐ 6002 Mississippi Leather | ☐ 5008 Ivory Coast |
| ☐ 3009 Negro Anubis | ☐ 5001 Brazilian Brown | ☐ 5002 Mahogany |
| ☐ 5003 Rain Forest | ☐ 2004 Stellar Negro | |

- Ultraleather® on salon settee

- | | | | |
|----------------------------------|--------------------------------|--------------------------------|---------------------------------|
| ☐ Chamois | ☐ Ebony | ☐ Lasso | ☐ Bridle |
|----------------------------------|--------------------------------|--------------------------------|---------------------------------|

Interior Varnish Finish

- | | | |
|--|---------------------------------------|---|
| ☐ High Gloss (Optional) | ☐ Satin Finish | ☐ Satin Finish with High Gloss Burl (Optional) |
|--|---------------------------------------|---|

OPTIONAL EQUIPMENT

☐ \$ 130,000 FURUNO Navigation Package Integrated with NMEA2000

- FURUNO MFD Black Box Processors
- FURUNO 6Kw 4ft Open Array Dual Ranging Radar
- FURUNO Class B AIS Integrated into Radar and Chart Plotter
- FURUNO Digital Sounder with 1Kw B260 Broadband Transducer
- 17" Ambient Nav Marine Monitors PH and FB
- AXIS IP Camera in Engine Room and Aft Deck
- ICOM 604 VHF PH and FB
- Simrad AP28 Autopilot System at PH and FB
- KVH M7 Control Panel Satellite HDTV System
- Maretron DSM250 NMEA 2000 Display PH, PB and MSR
- Redundant Maretron NMEA 2000 GPS, Depth Sounder and Weatherstation
- Nobeltec Navigation Computer

☐ \$18,833 Mechanical Package

- Dual Racor® fuel filters with Y-valves
- Electric bow thruster 13 HP
- Fire extinguisher system with engine shutdown system

☐ \$40,541 Davit Package

- 800 LBS hydraulic davit w/ power luffing
- Boat deck extension to cover entire cockpit

☐ \$33,141 Cummins® 540 Performance Package

- Engine and gears upgrade to Single Cummins® QSC8.3 540 HP in lieu of single John Deere® 300 HP (Top Speed 14.5 knots in lieu 12 knots, speeds will vary according to customer options, gear and sea conditions. Speeds are indicative only.)

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification

- Systems upgrade includes structural reinforcements, gear, shaft, propeller, exhaust pipe, muffler, and entire drive train upgrade to match new requirements.
- ☐ **\$55,408 Twin Engine option**
 - Engine and gears upgrade to Twin John Deere 300HP in lieu of single John Deere® 300 HP (estimated top speed 14 knots in lieu of 11, speeds will vary according to customer options, gear and sea conditions. Speeds are indicative only.)
 - Systems upgrade includes structural reinforcements, gear, shaft, propeller, exhaust pipe, muffler, and entire drive train upgrade to match new requirements.
- ☐ **\$ 26,111 Emergency take home drive w/ connection to genset to drive shaft**
- ☐ **\$ 32,779 Hydraulic stabilizers**
- ☐ **\$ 11,760 Keypower Battery Charging System**
 - From Hydraulic Engine Pump
 - For charging house battery w/o using gen-set

DECK FITTING, HARDWARE AND MISCELLANEOUS

- ☐ **\$ 13,250 Electric stern thruster 13 HP**
- ☐ **\$ 1,993 SS plow type anchor-45 lbs**
- ☐ **\$ 6,245 SS Slide salon aft door**
- ☐ **\$ 4,398 Stidd Chair-500N Slimline-for Pilothouse**
- ☐ **\$ 2,041 Mirror finish SS storm covers for port lights**
- ☐ **\$ 5,500 From cockpit to FB hatch with stainless steel frame with Glass cover insert**
- ☐ **\$ 5,400 Teak swim platform w/ teak steps**
- ☐ **\$ 13,900 Teak cap rail from sidewalk to bow**
- ☐ **\$ 12,500 Teak deck from cockpit to sidewalk**
- ☐ **\$ 10,000 Teak deck for cockpit**

ELECTRICAL AND APPLIANCE

- ☐ **\$ 2,426 Tank Tender for 4 tanks**
- ☐ **\$ 751 Water maker preparation (seacock, strainer and wiring)**
- ☐ **\$ 2,855 Full height washer/ dryer in lieu of guest shower**
- ☐ **\$ 1,525 Guest stateroom Sharp LCD 20" TV w/ DVD**

INTERIOR DECOR AND ACCOMMODATION

- ☐ **\$ 2,838 Full height storage cabinet in lieu of guest shower**
- ☐ **\$ 4,826 Teak and Holly interior floor in lower deck-stateroom & hallway**
- ☐ **\$ 11,921 Flush-designed doors and drawers**
- ☐ **\$ 11,000 High gloss for interior furniture**
- ☐ **\$ 2,650 Satin Finish with High Gloss Burl for interior furniture**

*** Specifications, standard and optional equipment with prices are subjects to change without notice.

*** Speed data is indicative only. Actual performance is dependent on customer gear and option selections.

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification