

[Print Page](#)

2470 WALKAROUND SPECIFICATIONS

[Click to see. . .](#)

SPECIFICATIONS

L.O.A. w/ Pulpit	26'5"	8.05M
L.O.A. w/o Pulpit	24'7"	7.49M
Beam	8'6"	2.59M
Hull Draft (motors up)	1'6"	.46M
Hull Draft (motors down)	2'10"	1.07M
Fuel Capacity	125 U.S. gal.	474L
Sleeping Capacity	2	
Approximate Dry Weight	3,800lbs.	1,725Kg
Maximum Horsepower	300	224Kw
Water Capacity	20 U.S. gal.	76L
Deadrise	21°	
Clearance w/ Hardtop	8'4"	2.54M
Clearance w/ Arch	8'1"	2.46M

[back to top ^](#)

PERFORMANCE REPORTS

[Twin 150 HP Yamaha Four-Stroke](#)[Single 225 HP Yamaha Four-Stroke](#)[Single 300 HP Yamaha HPDI's](#)

[back to top ^](#)

STANDARD EQUIPMENT

Hull, Deck and Cockpit:

- 5-year hull/deck structural & blister-free transferable warranty
- 1/2" S.S. bow & transom eyes (3)
- Self-draining cockpit
- One-piece welded 1" S.S. bow rail
- Four 8" S.S. mooring cleats
- Two 8" S.S. spring cleats
- Two adjustable pedestal seats
- Recessed walkaround forward
- Tilt-away, handlaid fiberglass helm
- Safety glass windshield w/side ventilation and grab rail
- Forward rode/anchor locker w/ overboard drain
- Forward deck hatch with screen
- Fishbox cushions (pair)
- Raw water washdown
- Transom door
- Molded-in integrated transom
- Drink holders
- Companionway hatch with door & S.S. lock
- Cockpit coaming bolsters

Comfort & Interior:

- Comfortable V-berth with accommodation for two
- Two opening aluminum port lights with screens
- Interior lighting package
- Mold & mildew resistant fabric hull & headliner
- Portable marine head
- S.S. sink
- Boarding ladder

Fishing:

- Rod racks in cockpit
- Four S.S. rod holders
- Forward berth rod racks
- Two large insulated boxes under seats (one fish/storage & one circulating livewell)
- "Pursuit Plus" transom with stern bait & tackle rigging station with removable cutting board and sink, with freshwater
- Tackle locker
- Backrest on port side aft facing seat
- Molded-in hinged aft seat with fishbox/cooler underneath

Instrumentation, Equipment and Safety:

- Hydraulic steering
- 16" Custom cast aluminum steering wheel
- Master circuit breaker box
- Dual battery switch w/battery trays
- 12V electrical panel w/breakers
- 125 gallon aluminum fuel tank
- 20 gallon freshwater tank
- Recessed trim tabs

U.S.C.G. & international lighting
Automatic bilge pump
Foam flotation
Fire extinguisher, horn & compass
Grab rail
Molded-in electronics storage
Pursuit meets or exceeds all U.S.C.G. & N.M.M.A. standards
Yamaha Fuel Mgmt System(Twin)
Carbon monoxide detector

[back to top](#) ^

OPTIONAL EQUIPMENT

Effective Date: August 01, 2003

Boat w/Engine (Engine Installation Included):

Yamaha® 225 hp Four-stroke (single)
Yamaha® 300 hp HPDI (single)
Yamaha® 115 hp Four-stroke (twin)
Yamaha® 150 hp Four-stroke (twin)
Yamaha® Pre-rig (Four-stroke single)
Yamaha® Pre-rig (Four-stroke twin)

(For pre-rigging pricing only, please see your dealer)

Comfort and Convenience:

China bowl head with holding tank (manual)
China bowl head with holding tank (electric)
Y-valve with in-line macerator
Clarion® AM/FM stereo & CD with 4 speakers
Ocean Fabric

Weather:

Hardtop w/ spreader light, front & side enclosure
Hardtop with Top Gun radial arm outriggers
Arch with bimini top, front & side enclosure
Bimini top with front & side enclosure (black)
Black Drop curtain (3 piece)
Engine cover (each)
Color canvas (navy blue, forest green or khaki) N/C
Shipping cradle

Mechanical:

Bow pulpit w/bow anchor roller
Auto anchor system
Wiring only (for windlass)
Yamaha® Fuel Management System (single)
Pursuit Fighting Lady Yellow hull
Pursuit Oceana Blue hull

Fishing:

Rod holders for hardtop

Specifications as well as standard and optional equipment are subject to change without notice. All measurements approximate. For more information and pricing, please contact your local Pursuit dealer.

[back to top ^](#)

DETAIL PHOTOS



[back to top ^](#)[Close Window](#)