

GB




BASIC SPECIFICATIONS
GRAND STURDY MARK III SERIES

430 • 470 • 500 VARIOTOP

GRAND STURDY MARK III-SERIE

Grand Sturdy 430 Mark III



AC: B ↔ Saloon: H ↔ FC: P



AC: A Saloon: H FC: O

Engines: Vetust-Deutz Turbo Diesel

Single: 1 x DT66

6 cyl. 125 kW (170 HP)

Twin: 2 x DT44

4 cyl. 84 kW (114 HP)

Grand Sturdy 470 Mark III



AC: A1 ↔ Saloon: H1 ↔ FC: O2





AC: B2 Saloon: H1 FC: P2

Engines: Vetust-Deutz Turbo Diesel

Twin: 2 x DTA44



4 cyl. 104 kW (140 HP)

Grand Sturdy 500 Variotop® Mark III



Engines: Vetust-Deutz Turbo Diesel
Twin: 2 x DET66
6 cyl. 125 kW (170 HP)

Grand Sturdy 500 Wheelhouse Mark III



Engines: Vetust-Deutz Turbo Diesel
Twin: 2 x DET66
6 cyl. 125 kW (170 HP)

BASIC SPECIFICATIONS 430, 470, 500

	430 Mark III	470 Mark III	500 Mark III
BASIC DATA			
Construction:	Multi chine	Multi chine	Multi chine
Hull:	6/5 mm	6/5 mm	6/5 mm
Decks/superstructure:	4 mm	4/5-4 mm	4/5-4 mm
Weight/displacement:	± 19.000 kg / ± 19,0 m³	± 22.000 kg / ± 22,0 m³	± 28.000 kg / ± 28,0 m³ (Variotop®) ± 28.500 kg / ± 28,5 m³ (Wheelhouse)
LOA x beam o.a. x draft:	± 13,50 x 4,30 x 1,35 (single)/ 1,20 (twin) m	± 14,70 x 4,45 x 1,36 m	± 14,98 x 4,88 x 1,35 m LOA ± 15,75 m wit extended bathing platform
Minimum air draft:	± 2,96 m	± 3,15 m	-
Minimum air draft Wheelhouse:	-	-	± 3,89 m
Minimum air draft Variotop®:	-	-	± 3,50 m
Headroom FC/cabin/saloon/AC:	1,98/1,98/1,97/1,98 m	± 2,07/2,02/1,99/1,98 m	± 2,05/2,05/2,00/2,00 m
CE-classification:	A (ocean)	A (ocean)	A (ocean)
Fuel tank capacity:	2x ± 580 ltr	2x ± 830 ltr	± 2.800 ltr
Water tank capacity:	± 440 ltr	± 660 ltr	± 960 ltr
Holding tank capacity:	± 220 ltr	± 220 ltr	± 480 ltr

430 470



05000

		430 Mark III	470 Mark III	500 Mark III
1.	HULL			
1.1	EXTERIOR			
11020.01	Stainless steel foundation for windscreen	•	•	-
11025.02	Outside steering position with leather-faced instrument panels	•	•	-
11030.02	Integrated aft deck dodgers	•	•	•
11040.02	Integrated deck-boxes, U-shaped aft bench with lockable teak top and gas-pressure struts	•	•	•
11050.01	"Linssen Variotop®: hydraulically-operated, double-lined and insulated convertible roof. Watertight wheelhouse enclosure through a unique, patented, closing system	-	-	• (Variotop®-version)
11050.02	Linssen design Wheelhouse with provisions for electric sliding sun roof	-	-	• (Wheelhouse-version)
11055.01	Hydraulically controlled collapsible parking frame for the Variotop®. The hydraulically controlled parking frame can be lowered to reduce the maximum air draft to approx. 350 cm	-	-	• (Variotop®-version)
11080.01	Integrated stern door to bathing platform	•	•	-
11080.02	Integrated stern door (SB and Port) to bathing platform	•	•	•
1.2	STAINLESS STEEL			
12010.01	Polished stainless steel sea rail	•	•	•
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	•	•	•
12030.01	Opening in sea rail at the bow (lockable with stainless steel chain)	•	•	-
12030.02	Opening pulpit lockable by means of integrated stainless steel bar	-	-	•
12040.01	Polished stainless steel bollards: Foredeck and at the stern 2x double, mid ships 2x single and 2 cleats mid front	•	-	-
12040.04	Polished stainless steel bollards: 2 x double at foredeck & stern, 2 x single at forward mid-ships & aft mid-ships	-	•	•
12041.01	2 x stainless steel bollards on bathing platform	-	-	•
12070.01	Stainless steel protection set at front/middle/aft bollards and also at railing entrances in side decks	•	•	•
12080.01	Stainless steel original Linssen-design handrails on saloon deck	•	•	•
12090.01	Stainless steel original Linssen-design handrails on cabin deck	•	•	•
12100.01	Polished stainless steel original Linssen-design handrails Starboard and Port side along the windscreen foundation	•	•	-
12110.01	Polished stainless steel original Linssen-design handrail at the steering position	•	•	-
12112.01	Polished stainless steel original Linssen-design handrails at aft side wheelhouse	-	-	•
12118.01	Stainless steel handrail swimming ladder	-	-	•
12120.03	Integrated winding steps on Port and Stbd side in transom	•	•	•
12125.01	Steps in side decks completely integrated in the hull	•	•	-
12125.02	Opstap in gangboorden volledig geïntegreerd in casco	-	-	•
12130.01	Polished stainless foldable steel bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)	•	•	•
12142.01	Integrated bathing platform (including Heavy Duty Linssen PVC fendering)	•	•	-
12145.01	Integrated bathing platform (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)	-	-	•
12152.01	Extended bathing platform (including teak). L.O.A. will be 15,75 m, instead of standard length of 14,98 m	-	-	•
1.3	TECHNICAL			
13028.50	Forced engine room ventilation by thermostatic controlled fan	•	•	•
13030.01	Linssen DUAL CROSS engine foundation	•	•	•
13040.01	Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment	•	•	•
13050.05	Provisions for bowthruster	•	•	•
13061.05	Provisions for stern thruster; ducting mounted in stern including hydraulic pipes	• (ø185mm)	• (ø250mm)	• (ø250mm)
13070.01	Provisions for simple installation of Naiad stabilisers to prevent rolling of the ship. 2 mounting flanges welded in the hull	-	-	•
13110.01	Outside shower at bathing platform, with warm and cold water tap	•	•	•

	430 Mark III	470 Mark III	500 Mark III
13150.01	Integrated bow fitting with adjustable anchor roller and stainless steel anchor holder	•	•
13265.01	Provisions in hull for hydraulic passerelle	•	•
13290.01	Heating (blower) at steering position (4 kW), connected to the engine	•	-
13300.01	Stair lighting to bathing platform and steps from side decks to aft deck	•	•
2	COATING		
2.1	COATING & DECK FINISH		
21010.01	Linssen 2 component epoxy Exterior Coating system	•	•
21020.01	Saloon and cabin deck (and Wheelhouse deck) in anti-slip coating	•	•
21030.01	Fore-deck and side decks in anti-slip coating	•	-
21040.01	Aft deck in anti-slip coating	•	-
21060.01	Non-toxic antifouling suitable for fresh and salt water (Black colour)	•	•
21070.01	Additional 2-component easy-to-clean protective coating in engine compartment	•	•
21090.12	Original Linssen colour scheme: - Hull: Black - Superstructure: Cream White - Waterline: Cream White - Antifouling: Black - Rope fender: Beige	•	•
2.2	TEAK DECKS		
22010.01	Original LINSSEN teak deck on fore-deck and side decks	-	•
22020.01	Original LINSSEN teak deck only on aft deck	-	•
22035.01	Integrated winding steps on port and starboard side in transom, with teak steps provided	•	•
22040.01	Original LINSSEN teak deck on bathing platform	•	•
3	ENGINE COMPARTMENT		
3.1	TECHNICAL		
31011.03	Linssen Yachts "hydrolubricated" propeller shaft installation	•	•
31021.01	Engine/shaft connection through homokinetic coupling and thrust bearing	•	•
31025.02	Special low noise propellers	•	•
31040.04	Hydraulic bowthruster, 160 kgf (7 kW / 9,5 HP)	•	•
31070.01	Mechanical Morse engine control	•	-
31096.04	Stainless steel steering wheel with teak rim at steering position	•	•
31110.03	Hydraulic power steering	-	•
31120.01	Emergency steering installation	•	-
31150.04	Fuel tanks with inspection/cleaning hatch, incl. level indicator	• 2x ± 580 liters	• 2x ± 830 liters
31160.01	Glass sight gauge fitted to the fuel tank	•	•
31180.03	Separate second (1 x on engine) fuel filter with water separator, per engine	•	•
31210.02	Remote fuel supply cut-off to engines from saloon settee	•	•
31221.01	Copper fuel pipe	•	•
31300.01	Linssen Yachts thermostatically controlled hydronic warm water heating. Convector heaters in the forward cabin, dinette/pantry, saloon, aft cabin and radiator in aft cabin toilet compartment.	•	-
31310.01	Engine room lighting with switch and indicator in switch panel	•	•
31310.03	Linssen Yachts thermostatically controlled hydronic warm water heating. Convector heaters in the forward cabin, guest cabin, pantry, saloon, aft cabin, wheelhouse and radiator in aft and forward cabin wet rooms. Additional two forced heater units, one in saloon and one in wheelhouse	-	•
31331.01	Entrance engine compartment with a ladder next to / between the engine(s)	•	•
31700.02	Automatic fire sprinkler system in engine room (Equipped with FM-200 extinguishant gas (clean, no residue)	•	•
31750.01	Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package. The engine room is constructed of an integrated anti rumble and absorption package	•	•

	430 Mark III	470 Mark III	500 Mark III
3.2 ON-BOARD WATER SYSTEMS			
32010.03 Automatic pressurized water system (incl. solid PVC water tank with inspection/cleaning hatch, incl. level indicator)	• ± 440 litres	• ± 660 litres	• ± 960 litres
32020.01 Automatic pump for water system	•	•	•
32050.03 Hot water system (50 litre calorifier)	•	•	•
32060.01 240 V./800W immersion heater in calorifier	•	•	•
32080.02 Holding tank (toilet(s)) including Dockside-Discharge connection	• ± 220 litres	• ± 220 litres	• ± 480 litres
32095.01 All grey water outlets (sinks and shower-drainage) discharge directly overboard	•	•	•
32110.02 Holding tank waste pump-out unit for Direct Discharge	•	•	•
32150.04 Deck-wash pump, including hose and trigger nozzle with connection at bathing platform	0	•	•
32180.02 Electric bilge installation in engine room with automatic float switch and changeover switch for manual or automatic operation for pumping and alarm	•	•	-
32190.01 Electric bilge pump installations placed in bilges of aft cabin, forward cabin and engine room. Equipped with float switch & changeover switch for manual or automatic operation for pumping and alarm (3 x type L1600 pumps)	-	-	•
32200.01 Additional loose electric bilge pump provided, with discharge tube and 12V supply cable	•	•	•
3.3 ELECTRICAL & ELECTRONICS			
33020.01 Main fuse incorporating automatic cut-out	•	•	•
33030.01 240V./16Amp shore power connection with fuses and shore power cable (25 metres)	•	•	•
33080.03 Domestic: 12V. with 3 maintenance free 120 Ah gel-batteries	•	•	-
33085.06 Domestic: 24V. with 6 maintenance free 120 Ah gel-batteries	-	-	•
33148.01 Domestic circuit 12V. Voltmeter	•	•	-
33148.02 Domestic circuit 24V. Voltmeter	-	-	•
33160.01 Starting: 12V. with 1 x maintenance free 52 Ah battery	•	-	-
33160.02 Starting: 12V. with 2 x maintenance free 52 Ah batteries	-	•	-
33165.02 Starting: 24V. with 2 x maintenance free 52 Ah batteries	-	-	•
33240.01 Fully automatic Mastervolt battery charge, with control panel to monitor the charge process & potentiometer to adjust the charge current	• MASS 12/60 (1x 60 A.)	• MASS 12/60 (1x 60 A.)	• MASS 24/75 (1x 75 A.)
33260.01 Mastervolt 24V./1500 W. Inverter	-	-	•
33290.03 ONAN generator. Intercooling, continuous rating, integrated in shore power connection. Remote control, Volt-, Herz-, Amp. and Rev. counter meter. Incl. water-/gas separator for generator exhaust	0	• 240V/4 kW type MDKAU	• 240V/7,0 kW type MDKAV 1x additional maintenance free 52 Ah starting battery
3.4 INSTRUMENTS & NAVIGATION			
34010.02 Engine instrument panels with rev.counter, voltmeter with alarm, temperature gauge with alarm, oil pressure gauge with alarm, ignition key and engine hour meter	•	• 2X	• 2X
34030.02 Compressor horn with control at steering position	•	•	•
34050.02 Government approved navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light (LED)	•	•	•
34070.01 Spare wiring for GPS/windset	•	•	•
34080.01 Raymarine ST-60+ Tridata (echosounder, log and outside water temperature) at steering position	•	•	•
34090.01 Raymarine ST-60+ rudder indicator at steering position	•	•	•
34100.01 Raymarine ST-60+ compass at steering position	•	•	•
34110.01 Raymarine autopilot with ST6002+ display at steering position (incl. course computer/rudder indicator/compass transducer)	0	0	•
34130.11 Raymarine C90W 9" colour widescreen LCD chartplotter display including pre-loaded with ready-to-navigate Navionics charts from Europe at steering position	0	0	•
34150.01 Raystar 125 GPS/SD sensor in mast	0	0	•
34160.00 Radar cable to mast	0	0	•
34190.04 Raymarine Ray240E (DSC) single station VHF installation at steering position including antenna in Mast	0	0	•
34190.06 Handheld VHF type Raymarine Ray101E (ATIS)	•	•	-

	430 Mark III	470 Mark III	500 Mark III
3.5	EXTERIOR EQUIPMENT HULL		
35010.00	Magnesium or zinc anodes (depending on cruising area)	•	•
35030.01	Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)	•	•
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline. Bow letter type; Commercial Script. Stern letter type; VAG	•	•
35100.01	ALEXANDER III hydraulic anchor winch on deck with integrated stainless steel anchor rollers and anchor rail	•	-
35100.03	Lewmar V-series type V4/V5 Heavy Duty hydraulic anchor winch, with integrated stainless steel anchor rolls, anchor rail and mooring facility	-	•
35120.13	High gloss polished stainless steel Bruce-anchor AISI-316	• 20 kg	• 30 kg
35140.13	50 m. 10 mm. stainless steel anchor chain	•	•
3.7	EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37020.03	Heavy duty stainless steel windscreen wiper installation in wheelhouse / at windscreen SB, middle and port, with touch control suitable for 2 speeds, self-parking, 3- positions interval on 25, 50 and 75% and wish-wash. Incl. integrated choice for synchronise the windscreen wipers at low speed	•	•
37050.03	Window spray-installation wheelhouse for 3 windscreen wipers	-	•
37070.02	Original Linssen Design mast, with double yard, powder coated in superstructure colour	•	•
37075.02	Stainless steel mast stays with quick release system	•	•
37110.04	Magnus 'S' helm-seat in imitation white leather, on stainless steel adjustable support.	•	-
37130.01	Deck lighting with 2 lights at mast	-	•
37180.01	Stainless steel Linssen Grand Sturdy logo	•	•
37230.01	Luxury teak table (outside)	•	•
37235.01	Teak joint for outside table (with hinges)	•	•
37245.01	Teak deck box joint	•	•
37261.02	Teak sliding hatch	•	-
37271.01	Solid teak entrance door, varnished	•	-
37271.01	Solid teak entrance doors, varnished	-	•
3.8	WINDOWS		
38011.11	All windows to saloon in anodised aluminium profiles in superstructure colour, incl. toughened "Smoke grey" tinted glass	•	-
38031.11	Double-glazed "Smoke Grey" tinted windows (Thermic Line) to all windows of the saloon, profile in superstructure colour. Windows are provided with 100% thermal insulation to avoid cold transfer through the aluminium window profiles. Result: no condensation, permanent clear view and excellent heat insulation Attention: The dropping windows will be finished in single glass	-	•
38051.12	Hinged Starboard window in forward saloon, with "Smoke Grey" tinted glass, profile in superstructure colour	•	-
38071.12	Dropping window in saloon at Port side, with "Smoke Grey" tinted glass, profile in superstructure colour	•	•
38081.12	Dropping window in saloon at Starboard side, with "Smoke Grey" tinted glass, profile in superstructure colour	-	•
38111.11	All windows from the cabin in anodised aluminium profiles in superstructure colour, incl. toughened "Smoke grey" tinted glass	•	-
38151.11	Aluminium hinged middle front window in cabin, with "Smoke Grey" tinted glass, profile in superstructure colour	•	-
38171.12	Dropping window in cabin at Port side, with "Smoke Grey" tinted glass, profile in superstructure colour	•	-
38232.11	Double-glazed windows (Thermic Line) to all windows of the wheelhouse, profile in superstructure colour. Front windows in plain glass. Windows are provided with 100% thermal insulation to avoid cold transfer through the aluminium window profiles. Result: no condensation, permanent clear view and excellent heat insulation	-	•
38300.52	Opening port-holes in the forward cabin, with plain glass, profile in hull colour	• 6x	• 4x

	430 Mark III	470 Mark III	500 Mark III
38330.05	Opening port-holes in the aft cabin, with plain glass, profile in hull colour	• 6x	• 6x
38401.11	Aluminium ventilation/escape hatch, profile in superstructure colour with “Smoke Grey” tinted glass in the forward cabin, incl. curtain	•	•
38411.11	2x Aluminium ventilation/escape hatch, profile in superstructure colour with “Smoke Grey” tinted glass in the cabin, incl. curtain	-	•
38421.54	Aluminium ventilation/escape hatch, profile in hull colour with “Smoke Grey” tinted glass in the aft cabin, incl. curtain	•	•
38431.11	5-part aluminium windscreen with anodised profiles in superstructure colour, with “Smoke Grey” tinted/toughened glass fitted on coated stainless steel foundation	•	-
4	INTERIOR		
	GENERAL		
40010.02	Exclusive Linssen Yachts “Mark III” interior, choice of “Classic Luxury” or “New Comfort”	•	•
40020.02	Interior in all compartments finished of cherry wood with inlaid Wengé-frames in all cupboards and drawers	•	•
40030.01	Deck-head lining in high-quality decor finish	•	-
40030.02	Deck-head lining in elegant vinyl finish panels (Shower- and toilet compartments in high quality decor finish)	-	•
40040.03	Original Teak Schiffsboden mit eingelegte Eschen Leisten in allen Kompartimenten	•	•
40050.02	High gloss stainless steel fittings in all compartments	•	•
40060.02	High gloss stainless steel door and locker furniture, with push-button catches	•	•
4.1	AFT CABIN		
41013.90	Solid high polished stainless steel handrail at stairs to aft cabin	-	•
41021.01	Double berth, with slatted and sprung mattress bases	•	•
41022.90	Bedtop in aft cabin hinged with gas struts, for easy access storage space / technical equipment under berth. ATTENTION: Only in combination with layout “A”	-	•
41031.01	Bedside table at Port side	•	•
41041.01	Bedside table at Starboard side	•	•
41121.01	Spacious hanging wardrobe in the aft cabin	•	•
41051.90	Mirror in aft cabin on aft bulkhead	-	•
4.1.2	SHOWER AND HEADS COMPARTMENTS		
41061.01	Toilet compartment with walls in Vinyl finish	•	•
41072.01	Washbasin in aft toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian®	•	•
41091.01	Shower compartment with walls finished in vinyl and Corian shower tray	•	•
4.2	SALOON & GALLEY		
42011.90	Floor hatch in saloon hinged with gas struts for easy inspection from filters etc.	•	•
42031.01	Luxury saloon-/ and dinette table with stainless steel fixed Design support	•	•
42041.01	Grab rail at saloon stairs, in high gloss stainless steel	•	•
42071.01	Dinette in saloon with integrated drawer	•	•
42081.03	U-Shaped galley with cupboards and drawers	•	•
42092.03	U-shaped galley worktop finished with original Corian®	•	•
42201.90	Solid wooden handrail on saloon deck	-	•
4.3.1	FRONT CABIN		
43021.01	Double berth with slatted base	• (V-berth; layout P)	• (layout O2)
43031.01	Spacious hanging-locker on Port side	•	• (linen-cupboard)
43041.01	Spacious hanging-locker on Starboard side	-	• (linen-cupboard)
4.3.2	SHOWER AND HEADS COMPARTMENTS		
43061.01	Toilet compartment with walls finished in vinyl	•	•

	430 Mark III	470 Mark III	500 Mark III
43081.01	Shower compartment with walls finished in vinyl and Corian shower tray provided with solid teak hinged bench	-	•
43071.02	Washbasin in front toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian®	•	•
4.4	WHEELHOUSE/ SALOON		
44021.01	Comfortable L-shaped saloon settee in wheelhouse at Port side.	-	•
44041.01	Wheelhouse finished with cherry wood walls	-	•
44081.01	Luxury walnut wood dashboard finished in real leather, at SB side	-	•
44091.02	Comfortable electric adjustable Linssen Design helm seat, in height adjustable, with matching leather upholstery. Horizontally manual adjustable	-	•
44081.90	Storage in the dashboard for binoculars, digital maps, sunglasses, keys, cell phone etc.	-	•
5	FINISH		
5.1	LIGHTING & SOCKETS		
51010.06	LED interior light fittings in all compartments	•	•
51041.03	Adjustable lighting in saloon (Port & SB separated)	•	-
51070.01	Reading lights (2x) in the aft cabin	•	•
51075.04	Chromium wall lights in the saloon	• 1X	• 4x
51080.01	Luxurious reading lights (2x) in the front cabin	•	•
51110.01	Stair-lighting in steps throughout the interior	•	•
51120.01	Interior wardrobe in front and aft-cabin with lights	-	•
51500.05	12 V. Sockets	• 5x	• 6x
51609.01	240 V. Sockets	• 7x	• 9x
5.2	GALLEY		
52015.01	Bar cupboard/drawer in saloon, incl. set of Linssen Yachts glasses	•	•
52020.01	Integrated waste bucket in cupboard	•	•
52030.01	Cutlery tray	•	•
52031.01	Grab rail along front of galley (chromium-coloured)	-	•
52040.02	110 l. refrigerator with freezer compartment in the galley	•	•
52110.02	3-burner stainless steel gas hob	•	-
52130.03	240V. ceramic hob	-	• 4-burner (3-burner with "New Comfort")
52180.02	Stainless steel sink ("1 1/2" model) in galley	•	•
52182.02	Sink with integrated synthetic board	•	•
52010.01	Linssen Yachts crockery set for 6	•	•
52035.01	Cupboard in the edge with rotating tray	•	-
52220.01	240V. stainless steel 32 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 100-1000W microwave power	0	•
52170.02	Extractor with revolution regulator (240V). Incl. 2x light points above hob	0	•
5.3	SANITARY FITTINGS		
53010.01	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin	•	•
53015.01	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the aft cabin	•	•
53020.01	Chromium galley mixer tap	•	•
53030.01	Chromium wash-basin mixer tap in toilet compartment FC	•	•
53040.01	Chromium wash-basin mixer tap in the toilet compartment aft cabin	•	•

	430 Mark III	470 Mark III	500 Mark III
53050.01	Chromium shower mixer tap in shower FC	•	•
53060.01	Chromium series shower mixer tap in aft shower	•	•
53070.01	Shower curtain in aft cabin shower	•	-
53080.01	Shower curtain in forward cabin shower	•	-
53090.01	Shower door in aft cabin shower	-	•
53100.01	Shower door in forward cabin shower	-	•
53130.02	Electrical toilet, with fresh water rinsing in the front cabin	•	•
53140.02	Electrical toilet, with fresh water rinsing in the aft cabin	•	•
4.4	AUDIO / VIDEO		
54010.01	Stereo radio/CD, including 2 speakers in the saloon and amplified radio-antenna	•	•
54035.04	Set speakers in wheelhouse	-	•
5.5	VENTILATION		
55160.01	Permanent ventilation in the toilet/shower compartments	•	•
5.6	INTERIOR UPHOLSTERY		
56021.02	Anatomically moulded dinette settees, finished in real leather	•	•
56041.02	Anatomically moulded U-shaped saloon settee, finished in genuine leather	•	•
56050.02	Dashboard finished in genuine leather	-	•
56091.02	Anatomically moulded L-shaped wheelhouse settee, finished in genuine leather	-	•
56095.02	Steering settee in wheelhouse finished in genuine leather	-	•
56070.22	Comfortable seat, finished in genuine leather (2x) ATTENTION: Only in combination with layout "K2"	-	•
56077.03	2 Stools cherry wood - leather, integrated under berth in owners cabin	-	•
56101.02	Mattress 1x 2 pers.in front cabin type Combispring 14 cm.	-	•
56121.01	Mattress 2x single person V-berths in front cabin type coldfoam 12 cm. ATTENTION: Only in combination with layout "P"	-	-
56131.02	Mattress 1x 2 pers. in aft cabin type Combispring 14 cm.	•	•
56161.02	Mattress 2x single person in guest cabin type Combispring 14 cm. ATTENTION: Only in combination with layout "O"	-	•
56300.01	Luxurious curtains for windows and hatches	•	•
5.7	EXTERIOR UPHOLSTERY		
57015.02	Cushions for aft deck U-settee in imitation white leather	•	•
57020.02	White colour cushion for teak deck-box joint	•	•
5.8	EQUIPMENT		
58010.01	Spares kit including tool-kit, V-belts, impeller, fuses, bulbs, paint-tips and various maintenance parts	•	•
58020.01	Complete inventory including 6 fenders, 4 mooring ropes, boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball	•	•
58030.01	First-aid box in saloon cupboard: according to DIN13157	•	•
58040.01	Fire extinguishers (2 kg)	• 2x	• 4x
5.9	CANVAS & COVERS		
59010.04	Cabrio including zip-fastened back, colour grey	•	-
59090.04	Cover for aft deck helm-seat (grey colour)	•	-
59130.04	Cover for steering console (Grey colour)	•	-

59155.01	Variotop® canvas Titan grey Variotop® inside canvas in beige	430 Mark III	470 Mark III	500 Mark III
		-	-	• (Variotop® version)

- standard
- o optional
- not possible/not applicable

We accept no liability for any errors and reserve the right to make changes



It's me! Your new Linssen!

LINSSEN YACHTS B.V.

Brouwersstraat 17, Postbus 7172, NL-6050 AD Maasbracht

Tel. +31(0)475-43 99 99, Fax +31(0)475-43 99 90, info@linssenyachts.com

Maasbracht, 01.01.2012
SE&O

WWW.LINSSENYACHTS.COM