




2014 SPECIFICATIONS

- > LOA: 35' 11" (10.95 m) (with pulpit)
- > Centerline: 34' (10.36 m) (hull only)
- > Beam: 11' 8" (3.56 m)
- > Draft: 22" (0.56 m)
- > Weight (dry, no engine): 14,200 lbs (6,441 kg)
- > Swamped Capacity: 4,900 lbs (2,222 kg)
- > Cockpit Depth: 28" (0.71 m)
- > Transom Angle: 15°
- > Transom Height: 30" (0.76 m)
- > Deadrise at Transom: 19°
- > Persons Capacity: 14
- > Maximum Weight Capacity: 5,580 lbs (2,531 kg)
- > Maximum Horsepower: 1,050 HP (782.98 kW)
- > Minimum Horsepower: 750 HP (559.27 kW)
- > Maximum Engine Weight: 2,100 lbs (953 kg)
- > Fuel Capacity: 400 gal (1,514.16 L)
- > Waste Capacity: 20 gal (75.71 L)
- > Water Capacity: 45 gal (170.3 L)
- > Bridge Clearance with Hardtop: 9' 7.5" (2.93 m)
- > Bridge Clearance with Hardtop and Radar: 10' 10" (3.30 m)
- > Bridge Clearance with Upper Station: 17' 2.5" (5.25 m)
- > Bridge Clearance with Upper Station and Outriggers: 23' 2.5" (7.07 m)

Specified measurements are approximations and subject to variance.



STANDARD EQUIPMENT

All rails welded 316-L stainless steel
All hardware 316-L stainless steel
Vinylester barrier coat over entire hull and hull sides

DECK / COCKPIT

10" stainless steel cleats – bow (2), stern with hawse pipes (2 per side), spring line (2), bow pulpit (1)
10" stainless steel pull-up cleats – cross tie cleats at transom (2)
28" interior freeboard
Blue LED courtesy lighting in cockpit
Bow and stern eyes
Bow pulpit with stainless steel roller assembly
Cockpit coaming bolsters
Covered telescoping swim ladder with stainless steel grab rail
Downrigger weight holders (2 per side)
Forward deck mounted stainless steel rod holders (2)
Freshwater transom shower with hot and cold water
Gunnel mounted stainless steel rod holders (4)
Hawse pipe with integrated drink holders (2)
Heavy-duty rub rail
Motor well drains
Self-bailing cockpit
Stainless steel grab rails
Toe rails – cockpit stainless steel port and starboard (2)
Transom door – 1.5" acrylic with stainless steel latch
Transom mounted stainless steel rod holders (3)
Welded stainless steel bow rail

STARBOARD COCKPIT WET BAR

Hinged solid surface lid with recessed insulated cooler below
Integrated cup holders and storage compartment
Pull-out drawer storage compartment on starboard cockpit wall with 5 gal pail (replaced by 1.75 cubic ft refrigerator when freezer option is selected)
Receptacle (120-V)
Refrigerator / freezer – stainless steel 12-V / 120-V, 2.3 cubic ft (replaced with 1.75 cubic ft and relocated to cockpit when freezer option is selected)
Sink with pull-out faucet (hot and cold)
Stainless steel handrail

Stereo remote control – Fusion®
Wet bar with solid surface counter

PORT COCKPIT PREP & ENTERTAINMENT CENTER

Dedicated cooler storage with cooler slide (35 qt Yeti® cooler included)
Drawers (2)
Pull-out footrest for aft facing seat
Pull-out prep area with solid surface, hinged cutting board, storage compartment and electric grill

CONSOLE

12-V receptacles (1)
Accent gelcoat color to reduce glare
Air conditioning vents for defrost (2)
Air conditioning vents towards passengers and driver (4)
Bow thruster control (deleted with Joystick Piloting option)
Compass
Cup holders – stainless steel (2)
Dash visor with stitched fabric cover
Electrical switch panel with illuminated text
Electronics mounting surface (space for two 15.5" screens)
Footrest integrated into helm
Locking glove box with courtesy LED light, USB and MP3 inputs to the stereo, dual USB, and 12-V receptacle power for charging accessories
Mercury® DTS dual binnacle controls
Mercury SmartCraft Vessel View 7" color LCD Display
Remote ignition key switches located in the cabin MDP with pushbutton triple start/stop at helm
Starboard helm layout
Steering wheel – tilt
Steering wheel with knob – cast stainless steel
Stereo remote control – Fusion
Trim tab control

SEATING

Cockpit foldout stern bench seat
Helm footrest integrated into dash
Port aft facing seat with filler cushion to convert to a lounge

Port forward facing 2 person seat with conversion seat-back for aft facing seat
Starboard helm seat / flip-up bolster with armrests with premium pedestal, with fore, aft and rotational adjustability

STORAGE

Bilge storage tray
Bow anchor locker with drains with LED light
Cabin:
Cabinets at galley
Cedar lined hanging locker with light
Mid-berth starboard side storage compartment
Rod racks (4) (deleted with cabinets above settee option)
Under starboard settee seating
Under v-berth seating
Cockpit:
Behind counter at wet bar
Downrigger weight holders (4)
Drawer storage below pull-out grill
Insulated cooler with solid surface lid
Port side helm deck storage with stainless steel cup holders (2), air conditioner vents and courtesy light
Pull-out drawer storage with 5 gal pail
Rod holders under gunnel (4) (deleted with fold-out bench seat options)
Insulated in-deck fishboxes with pump-out (2)

OPEN WINDSHIELD / HARDTOP SYSTEM

Canvas – side and aft rigid acrylic weather enclosure with door to cockpit (white)
Courtesy / chart lights (red and white)
Custom powder-coated hardtop windshield frame
Full front tempered glass, full height windshield with electric actuated center vent
Handhold along hardtop for egress to foredeck
Handhold integrated into hardtop in the helm deck area
Ladder access to hardtop
LED blue companionway light (1)
LED blue/white overhead light (2)
LED flood lights – cockpit (2)
LED navigation lights
LED red/white chart overhead light (1)
Open side tempered glass integrated with hardtop frame
Opening deck hatches integrated into hardtop (2)

Outtrigger ready
Pantograph windshield wipers with wash system (3)
Premium integrated stereo speakers 7.7" (2)
Rod holders (6)

CABIN INTERIOR

26" flat screen HDTV
Cabin lights with dimmer switches
DVD player (12-V)
Easy to clean interior materials
Hardwood cabin sole
LED blue diffused courtesy lighting with dimmer switch
LED overhead lights with dimmer switches (9)
Lockable acrylic cabin door
Opening portholes with screens (5)
Skylights
Stereo includes the following:
Fusion AM/FM/USB/VHF/AUX/iPod/iPhone/Android/
Bluetooth/SiriusXM® ready marine stereo
Stereo remote controls – helm, cockpit and interior
MP3 and USB input at helm in the glovebox
JL Audio waterproof speakers – exterior, 7.7" (hardtop (2), aft cockpit (2)) in cockpit and amplifier
JL Audio speakers – interior, 6.5" v-berth (2)

FORWARD BERTH

120-V receptacle
12-V receptacle
Carbon monoxide detector
Opening hatch with solar shade and sky screen
Reading lights (2)
Storage under dinette seats
USB power receptacle
V-berth dinette with high gloss wood table; table drops with electrically actuated pedestal and converts automatically into queen size island bed; island bed comes with fitted sheet, comforter, two regular size pillowcases and throw pillows

MID-BERTH

12-V receptacle
120-V receptacle
Carbon monoxide detector
Hardwood cabin sole
Privacy curtain
Reading lights (2)

U-shape seating that converts to berth

STARBOARD SETTEE

Converts to double berth
Rod storage with blue LED accent lighting (deleted with above settee cabinet option)

GALLEY

120-V receptacle
12-V receptacle
Cedar lined hanging locker
Coffee maker
Microwave
Sink with hot and cold water faucet
Solid surface countertop
Stainless steel 12-V / 120-V refrigerator / freezer (2.3 cubic ft)
Stainless steel accent rails
Trash receptacle
Wood grain finish cabinets with storage

HEAD

120-V receptacle
800 GPH shower sump
Full length mirror
LED overhead lighting
Opening porthole with screen (1)
Porcelain vessel style sink with hot and cold faucet
Powered ventilation
Pull-out showerhead with mixer valve
Shower curtain
Sky light
Soap and toothbrush holder
Solid surface vanity countertop
Toilet paper holder
Towel bar and ring
VacuFlush® toilet, holding tank, dockside pump-out, overboard discharge and tank level indicator
Vanity grab rail
Vanity storage

MECHANICAL

250 CXL L6 DTS triple Mercury® Verado FourStroke engines with SmartCraft VesselView display and power steering
400 gal aluminum fuel tank

Advanced battery management system – electric switches with pushbutton paralleling
 Air conditioner (cabin) (12,000 BTU) – reverse cycle
 Air conditioning (cockpit) (18,000 BTU) – reverse cycle
 Automatic bilge pumps (1,100 GPH forward, 2,000 GPH aft)
 Battery charger – 50 amps at 12-V multi-stage charger
 Battery trays with remote switches and automatic charging / paralleling relays
 Bonding system for underwater through hull fittings
 Bow thruster (4 kW) (deleted with Joystick Piloting option)
 Cast bronze through hulls (below waterline)
 Cast stainless steel through hulls (above waterline)
 Dockside cable TV inlet
 Electric dual trumpet horns
 Freshwater dockside hook up and tank level indicator integrated into VesselView for hot and cold pressurized water system
 Freshwater tank (45 gal)
 Freshwater transom shower with hot and cold mixer
 Freshwater washdown stainless steel faucet located in anchor locker
 High water bilge pump with alarm (2,000 GPH)
 Low CO gas (7.5 kW) 120-V 60 hz generator with fire suppression system, automatic with manual override
 Machinery space lighting
 Manifold plumbing system with individual valves per circuit
 Pressurized livewell (40 gal) in aft port corner with clear top window and blue interior (red and white LED lights)
 Raw water washdown stainless steel faucet located in cockpit
 Shore power inlets (dual 30 amp), isolation transformers and 50 ft shore power cords (included)
 Stainless steel propellers
 Stainless steel trim tabs with electric actuation, including helm control with position indicators
 Tilt steering
 Transducer mount area
 Windlass with handheld remote control, 400 ft rode with anchor swivel and 35 lb anchor integrated with a polished stainless steel bow roller

NOTABLE OPTIONS / ACCESSORIES

12-V DC receptacles (electric reels / downriggers) (2)
 250 L6 DTS triple Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, skyhook / autopilot keypad and functionality (deletes bow thruster) (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
 300 L6 DTS triple Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, skyhook / autopilot keypad and functionality (deletes bow thruster) (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
 300 L6 DTS triple Mercury Verado FourStroke engines with power steering and Shadow Mode Technology (91 octane fuel recommended)
 Anchor windlass chain (300')
 Boston Whaler dishware set with under counter galley stemware holders with LED accent lighting
 Cockpit fold-out port side bench seat (deletes rod racks)
 Cockpit fold-out port side trolling seat (not compatible with bench seat)
 Cockpit fold-out starboard side bench seat (deletes rod racks)
 Cockpit fold-out starboard side trolling seat (not compatible with bench seat)
 Cockpit grill (electric) delete
 Cockpit sunshade retracts and deploys electrically
 Cockpit table with dedicated storage on underside of mechanical hatch
 Diesel heater system (deletes air conditioning systems)
 Electric single burner stove (galley)
 Engine fuel / water separators
 Forward deck sun lounge with canvas cover
 Full side glass integrated with aft legs and hardtop
 Helm deck table with filler cushion with dedicated storage on underside of mechanical hatch
 Polished stainless steel anchor
 Premium audio package (cabin and helm deck) – additional amplifiers, 10" subwoofer for the helm deck and 8" subwoofer for the cabin; includes a source selector switch integrating TV/DVD sound or Fusion stereo to the cabin system
 Radial outriggers (hardtop mounted) (not compatible

with upper station)
 Red, blue or black graphics, striping and logos
 Satellite radio – SiriusXM® satellite receiver with antenna
 Self-leveling tab system
 Settee table
 Split bow rail
 Spotlight
 Tackle storage with drawers (deletes slide-out fiberglass carry-on cooler)
 Transom mounted underwater LED lighting (blue) (4)

AFT BULKHEAD (PILOTHOUSE)

Must select full height tempered side glass
 Aft fiberglass bulkhead with tempered glass windows
 Locking door with opening window
 Port forward-facing 2-person seat (deletes conversion seatback for aft-facing seat)

UPPER STATION

Control box and upholstery canvas cover (black)
 JL Audio speakers – 6.5" (2)
 Ladder access to the hardtop
 LED blue lighting (6)
 Painted upper station frame with fold-down canopy
 Tilt helm with stainless steel steering wheel
 Upper station control box includes:
 Compass
 Drink holders (4)
 DTS throttle and shift
 VesselView 7" display
 Upper station upholstery with backrest
 VHF antenna extension (navigation package required)

UPPER STATION ELECTRONICS

Must select upper station and a navigation package
 Raymarine E95, 9" screen (GPS / chart plotter / fishfinder) integrated with VesselView
 Gateway integrated to provide SmartCraft engine data to Raymarine display
 Raymarine Ray 260 modular VHF system

UPPER STATION ELECTRONICS WITH JOYSTICK PILOTING

Must select upper station and a navigation package
 Raymarine E95, 9" screen (GPS / chart plotter / fish-

finder) integrated with VesselView
Raymarine Ray 260 modular VHF system

UPPER STATION gS95 ELECTRONICS

Must select upper station and a navigation package
Gateway integrated to provide SmartCraft engine data to Raymarine display
Raymarine gS95, 9" screen (chart plotter / fishfinder) integrated with VesselView
Raymarine Ray 260 modular VHF system

UPPER STATION AUTOPILOT

Must select upper station and Autopilot
Not available with Joystick Piloting
3.5" color TFT display

UPPER STATION OUTRIGGERS

Must select upper station
23' lift-out outriggers (2)

CABIN COMFORT PACKAGE

Mid-Berth
Fitted sheet set with pillowcases (2), comforter and throw pillows (6)

COCKPIT FREEZER

Freezer – stainless steel drawer, 12-V / 120-V (1.9 cubic ft) (replaces standard cockpit wet bar refrigerator)
Standard storage compartment replaced with a 12-V / 120-V refrigerator (1.75 cubic ft)

CABIN CRUISE PACKAGE

Cabin storage above settee (replaces rod holders)

15" RAYMARINE® E165 ELECTRONICS / NAVIGATION PACKAGE

Raymarine E165, 15.5" screen (GPS / chart plotter / fishfinder)
1000 watt thru hull transducer
Raymarine Ray 260 modular VHF system
Available chart cards (silver version):
US-Coastal
US-Inland
Europe
Canada
Rest of world

15" RAYMARINE® E165 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

Raymarine E165, 15.4" screen (GPS / chart plotter / fishfinder)

15" RAYMARINE® gS165 ELECTRONICS / NAVIGATION PACKAGE

Raymarine gS165, 15.4" screen (GPS / chart plotter / fishfinder)
1000 watt thru hull transducer
Raymarine Ray 260 modular VHF system
Available chart cards (silver version):
US-Coastal
US-Inland
Europe
Canada
Rest of world

15" RAYMARINE® gS165 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

Must select a navigation package
Raymarine gS165, 15.4" screen (GPS / chart plotter / fishfinder)

RADAR

Must select a navigation package
Raymarine 4 kW high definition digital radar with 48" open array antenna

RADAR WITH SATELLITE WEATHER

Must select a navigation package
Raymarine 4 kW high definition digital radar with 48" open array antenna
Raymarine SiriusXM® marine weather receiver

AUTOPILOT EV-400

Must select a navigation package
Not available with Joystick Piloting
Raymarine SmartPilot™ autopilot with 3.5" color TFT display

SATELLITE WEATHER

Must select a navigation package
Requires monthly subscription
Raymarine Sirius® marine weather receiver

AUTOMATIC IDENTIFICATION SYSTEM (AIS)

Must select a navigation package
Raymarine AIS system

THEFT DETERRENCE SYSTEM

Anti-theft security key
Mercury TDS – premium with connected vessel
Telamatics tracking system with GeoFence Immobilization

CANVAS COVER PACKAGE

Cockpit seatback cover (black)
Helm seat cover (black)
Port forward facing seat cover (black)