



SUNSEEKER PREDATOR 64



The world's finest luxury motoryachts



SUNSEEKER PREDATOR 64

STYLE: PERFORMANCE MOTORYACHT

ACCOMMODATION: UP TO 6 GUESTS AND 1 CREW (OPTIONAL)

PERFORMANCE: UP TO 35 KNOTS

THE NEW PREDATOR 64 IS A CLASSIC EXAMPLE OF SUNSEEKER DESIGN INGENUITY, OFFERING ACCOMMODATION OPTIONS TO SUIT YOUR STYLE. ENTERTAIN YOUR GUESTS IN SECLUDED LUXURY OR THRILL TO THE HIGH-SPEED OPEN AIR EXHILARATION PROVIDED BY THE SLIDING SALOON ROOF.


PREDATOR 64



In typical Sunseeker style of semi-custom boatbuilding, the new Predator 64 incorporates a number of accommodation and layout features and options for maximum enjoyment and flexibility. A feeling of spaciousness and light derives from the use of characteristic “sea-light” portholes in the full-beam aft master stateroom, and the starboard Pullman cabin standard specification can be modified to create a lower deck saloon. A single crew cabin may be





specified for the aft garage area, without sacrificing the garage space. All guest accommodation benefits from an en suite shower room. For further personalisation you can choose from a wide and select choice of furnishings, fittings and equipment, all to the highest standards of luxury as befits the craft's heritage. The Predator 64 is versatile enough to truly reflect your style, your taste and even your mood.

PREDATOR 64




The Predator 64 represents a powerful holiday platform with a cruising capacity that gives scope to explore. And at full speed, the 35 knots from a twin installation of up to 2200 PS gets you wherever you want to go – fast. While the ride thrills, the Sunseeker design hull and deck provide an impressive soft ride sensation. This ensures guests are able to enjoy sunpad relaxation and moving around at ease on the wide side decks. The sumptuous deck saloon features a large dining

area with fold-down table and state-of-the-art hi-fi surround-sound system plus a flatscreen television on a rise and fall system. Access to and from the teak-laid bathing platform is via twin flights of steps, for when you want to cool off in the water, and if you prefer cool all of the time, air-conditioning is a further option. The Predator 64 really is whatever you want it to be, and most importantly, it comes with legendary Sunseeker performance and luxury as standard.



Optional lower saloon in lieu of third en suite



Optional crew cabin

PRINCIPAL CHARACTERISTICS – PROVISIONAL

Length – overall	20.10m	65'11"
Length – hull	17.42m	57'2"
Length waterline – (@ half load)	14.67m	48'2"
Beam – (max.)	4.95m	16'3"
Draft – (max inc. stern gear)	1.48m	4'10"
Height – overall	5.07m	16'8"
Displacement – (@ half load)	29,000kg	63,800lb
Fuel capacity	3,000 litres	660 GB gal. 793 US gal.
Fresh-water capacity	700 litres	154 GB gal. 185 US gal.
Propulsion	Twin submerged props in semi-tunnels	
Engine options	Up to 2200PS (total)	
Fuel options	Diesel	
Generators		
Standard	9kW @ 50Hz (Euro) 15.5kW @ 60Hz (USA)	
Optional upgrade	13kW @ 50Hz (Euro)	
Maximum speed	up to 35 knots*	
Cruising speed	28 knots*	

PRINCIPAL FEATURES – PROVISIONAL

Electric winch with deck and cockpit controls
Hot and cold swimming shower
Swimming ladder
Full wetbar with ice maker, griddle, cool box and sink with hot and cold water
Foot level courtesy lighting
Radar, autopilot, electronic speed log depth sounder, and VHF radio
Hydraulic power steering
Trim tabs
Stainless steel sliding doors to cockpit
Flatscreen televisions in all cabins
Hi-fi DVD/CD surround system
CD player for cockpit
Ceramic hob
Electric refrigerator and freezer
Microwave/grill
Electric toilets and holding tank
Hot and cold water system
Automatic fire extinguishers
Automatic bilge pumps
AC shorepower/battery charger
Slow speed generator with silent exhaust
Fresh-water marina connection
Teak bathing platform and steps
Hydraulic lifting platform
Antifouling

All items included in standard specification.

US specification includes:
Air-conditioning
Upgraded generator
US Coast Guard build regulations
US specification appliances

For full specification visit www.sunseeker.com

SPECIFICATION – PROVISIONAL

1 Construction
Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
PVC foam cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck
Fittings all in stainless steel
8 x stainless steel deck cleats
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Curved safety glass windscreen
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Delta anchor and 60m chain (galvanised)
Electric winch and capstan with deck and cockpit controls
Chain locker/fender stowage
Fender tie bar under anchor locker lid
Fuel fillers port and starboard
Fresh-water filler
IMCO navigation lights
2 x Pantograph windscreen wipers and washers
Garage for tender
Ensign staff and socket

3 Bathing platform
Teak-laid bathing platform and steps
Hot and cold swimming shower
Fresh-water marina connection
Dockside AC shore power connection
Stainless steel swimming ladder
Hydraulic lifting platform

4 Aft Cockpit
Self draining
Stern safety door
Cockpit speakers
Wetbar sink with hot and cold water, cool box, ice maker, locker and griddle
Upholstered seating around cockpit table
Large stern sunbather
Lockers beneath seating
Cockpit carpet
Overhead cockpit lights 24v
Low-level courtesy lights 24v
Engine room access hatch
Boat hook



5 Helm Console

Double stand/sit co-pilot
and single helm seat
Storage beneath co-pilot seats
Chart area
Console with burr type
walnut fascia
Hydraulic power steering
Leather rimmed steering wheel
Full analogue engine instrumentation
Radar open scanner
Autopilot
Electronic speed log
Depth sounder
Rudder indicator
Water tank gauge
Fuel tank gauge
VHF radio
Trim tab controls
Single lever engine controls
Compass
Waterproof plug and socket
Horn
Windscreen wipers and washers
Glass holders
Hand-held fire extinguisher

6 Deck Saloon

Large dining area with folding table
Stowage beneath seats
Flatscreen television
DVD/CD hi-fi surround system
Cupboards
Drinks cupboard
Carpet
Overhead halogen lighting 24v
Stainless steel sliding door to cockpit
Main control panel (AC/DC)
Generator controls
Double AC socket
Scatter cushions
Choice of lacquered interior finishes
and veneers

7 Galley

Sink and drainer
3 ring ceramic hob
Electric refrigerator
Electric freezer
Microwave oven
Hot and cold water
Rubbish bin
Cupboard and drawer storage
6 place crockery set
6 place cutlery set
Double AC socket
Hand-held fire extinguisher
First aid kit

8 Forward Stateroom

Double berth
Storage beneath
Drawer in base-end
2 x reading lights 24v
Outboard shelving
Overhead bedside cupboards
Hanging wardrobe with
mirrored panel
Shelved cupboard
Halogen overhead lights 24v
2 x opening portholes with
mosquito screens and curtains
Deck hatch with mosquito screen
Double AC socket
Door to shower room
Fitted carpet
Flatscreen television

9 Forward En suite Shower Room

Washbasin
Taps and accessories
Hot and cold water
Separate shower compartment
Electric toilet
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Towel ring and towels
Overhead light
Opening porthole with
mosquito screen and blind
Razor socket 240/110v
Soap dispenser

10 Starboard Guest Cabin

2 x single Pullman berths
Under berth storage
2 x reading lights 24v
Hanging wardrobe
Halogen overhead lighting 24v
Opening porthole with
mosquito screen and curtain
AC socket
Fitted carpet
Flatscreen television

11 Master Aft Stateroom

Double berth
Cupboard and drawer stowage
2 x reading lights 24v
Outboard shelving
Bedside drawers
Wardrobe
Halogen overhead lights 24v
2 x large opening and 4 x fixed portholes
with mosquito screens and curtains
Double AC socket
Door to shower room
Fitted carpet
Flatscreen television
DVD/CD player

12 Aft En Suite Shower Room Washbasin Taps and accessories Hot and cold water Separate shower compartment Electric toilet Extractor fan Mirrored vanity unit Shelved cupboard Toothbrush and glass holder Towel ring and towels Overhead light Opening porthole with mosquito screen and blind Razor socket 240/110v Soap dispenser 13 Lower Saloon – Option Dining area with table Stowage beneath seats Overhead cupboards Opening portholes with mosquito screen and curtains Halogen overhead lighting 24v Double AC socket Fitted carpet Scatter cushions Flatscreen television	14 Engine Compartment and Ancillaries Twin engines Soundproofing throughout engine room 1 x fuel tank with electric sending unit Separate fuel filters/water separators Automatic fire extinguishers Engine room and forward bilge flood alarms 2 x automatic bilge pumps 2 x automatic flood pumps 4 x extractor fans 24v Manual bilge pump 15 Electrical System Slow speed generator with underwater silent exhaust and sound shield AC dockside connection Galvanic isolator 24v and 12v DC electrical system with full circuit breaker protection 6 x engine batteries 24v circuit 4 x domestic batteries 24v circuit 2 x generator batteries 12v circuit Alternator split charging system Remote battery switches controlled from locker in cockpit Battery charger for 24v circuits Battery charger for 12v circuits Water heater AC sockets through out the boat 24v hand light and cable	16 Underwater Gear Direct shaft drive through half tunnels 4-blade NAB bronze propellers Bronze P-brackets Stainless steel Temet 25 shafts Dripless shaft logs with spare seal High-performance bronze rudders and struts Seawater strainers x 2 main engines/1 x generator Seacocks on all underwater fittings Full cathodic bonding system to zinc anodes Stainless steel hydraulic trim tabs 24v 17 Systems Hydraulic power steering engine driven pump 24v hydraulic power pack for trim tabs and platform 24v hydraulic power pack for gangway Aluminium freshwater tank with electric sending unit 24v freshwater pressure system Hot water tank 18 Miscellaneous Toolkit Boat hook 4 x mooring ropes 6 x fenders Spare bulbs and fuses 2 sets towels	19 Optional Extras Air-conditioning Upgraded generator Teak cockpit Teak deck saloon Bow thruster Single berth crew cabin with toilet Option of lower saloon or additional toilet/shower US Specification includes:- Air-conditioning Upgraded generator US Coast Guard build Regulations US Specification appliances
--	---	--	---



*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect the boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only, should not be relied upon, and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. December 2008. ©Sunseeker International.

Naval architects

Don Shead/Sunseeker Design

Exterior styling

Sunseeker Design

Interior design

Sunseeker Design

Builder

Sunseeker International



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.