



GRAND BANKS 54 Eastbay SX

DEALER SALES KIT



★ SPECIFICATIONS

★ STANDARD EQUIPMENT LIST

★ COLOR DRAWINGS

★ LINE DRAWINGS

★ PERFORMANCE DATA

SPECIFICATIONS

GRAND BANKS 54 Eastbay SX

Length Overall	53' 9"	16.38 m
Length Waterline	49' 6"	15.09 m
Beam	16' 0"	4.88 m
Draft	4' 4"	1.32 m
Displacement	56,500 lbs	25,628 kg
Water Capacity	200 USG	757 ltrs
Fuel Capacity	935 USG	3,539 ltrs
Height From DWL to Top of Housetop	11' 0"	3.353 m
Height From DWL to Top of Mast	16' 0"	4.877 m
Height From Bottom of Cradle to DWL	5' 3"	1.600 m




GrandBanks Yachts

EASTBAY 54


PROFILE

GRAND BANKS 54 EASTBAY SX STANDARD DECKPLAN





0 1 2 3 4
FEET



GRAND BANKS 54 EASTBAY SX ARRANGEMENT PLAN **(OFFICE LAYOUT)**




GRAND BANKS 54 EASTBAY SX ARRANGEMENT PLAN **(OPTIONAL UP GALLEY LAYOUT)**



GRAND BANKS 54 EASTBAY SX ARRANGEMENT PLAN (OFFICE LAYOUT)




GRAND BANKS 54 EASTBAY SX ENGINE ROOM LAYOUT




S	ICEBOX									
R	WATER MAKER									
Q	DECK DRAIN									
P	SW. DECK WASH									
N	GAS COMPARTMENT	1			1					
M	WASHER/DRYER	1			1					
L	FW. DECK WASH	1			1					
K	AIR CONDITIONING	4	1	2	2				4	
J	GRUNERT									
H	HOLDING TANK	2	2		2			2		
G	HEAD	2			2					
F	MANUAL BILGE PUMP	1	1	1	1					
E	ELECT. BILGE PUMP	4	4	4	4					
D	SHOWER	2	2		2					
C	SINK	3			3					
B	GENERATOR	1		1	1	1	1	1		
A	ENGINE	2		2	2	2	2	4		
ITEM	QUANTITY	PUMP	INLET	OUTLET	MUFFLER	EXHAUST	FILTER	VENT	COMPRESSOR UNIT	TREATMENT UNIT
		1	2	3	4	5	6	7	8	9

LIGHTINGS & RECEPTACLES LAYOUT
GRAND BANKS 54 EASTBAY SX



LEGEND:

 SINGLE WAY SWITCH  TWO WAY SWITCH  DIMMER SWITCH (DANIEL)  VACU./ELECT HEAD  CANTALUPI LIGHT DAVID SERIES 2001  DECK OVERHEAD LIGHT  INDIRECT LIGHT  15W 12V/24V BERTH READING LIGHT W/SWITCH	 15A 120/240V 60/50HZ AC RECEPTACLE OUTLET  12V DC OUTLET  5W 12/24V HANGING LOCKER AUTO ON/OFF PERKO LIGHT  COURTESY LIGHT (RONDENTTO, WHITE)  CANTALUPI LIGHT WALTER SERIES 2001  BRASS BIMBAL LAMP  CARBON MONOXIDE DETECTOR	 STEREO  SPEAKER (OVERHEAD)  CTV OUTLET  TEL OUTLET  SILENCE HEAD TANKWATCH  RESIDUAL CURRENT OPERATED C.B.  AIRCON CONTROL REMOTE SWITCH	 ELEGANCE FLUORESCENT LIGHT (CHROME)  SHOWER PUMP SWITCH  AT ENGINE ROOM  GALLEY VENT  UNDER/INSIDE LOCKER  ON DOOR POST  AT F/B  WATER PROOF
---	--	--	---




GRAND BANKS 54 EASTBAY SX

Standard Layout




GRAND BANKS 54 EASTBAY SX
Optional Layout

GRAND BANKS 54 EASTBAY SX STEREO WIRING SCHEMATIC



GB 54 SX WITH CAT 3406E 800hp
ESTIMATED FUEL CONSUMPTION CURVE



**Note: Consumption data
are best estimate only and
not guaranteed**

Test condition: 8 persons with
standard equipment; optional
equipment may affect performance.

Sea condition: Calm

Gear box: ZF Marine ZF 350 A


Gear Ratio: 2.077:1

Props: 32"D X 38"P X 5B
TEIGNBRIDGE AQUASKEW
PROPELLERS

Fuel Capacity :1135 L (300 US Gal)
x 2 Tanks

Fresh Water :757 L (200 US Gal)

GB 54 SX WITH CAT 3406E 800hp
ESTIMATED SPEED CURVE



Note: Consumption data are best estimate only and not guaranteed

Test condition: 8 persons with standard equipment; optional equipment may affect performance.

Sea condition: Calm

Gear box: ZF Marine ZF 350 A

Gear Ratio: 2.077:1

Props: 32"D X 38"P X 5B
TEIGNBRIDGE AQUASKEW
PROPELLERS

Fuel Capacity :1135 L (300 US Gal)
x 2 Tanks

Fresh Water :757 L (200 US Gal)