



GRAND BANKS 42 Motoryacht

DEALER SALES KIT



- ✦ SPECIFICATIONS
- ✦ STANDARD EQUIPMENT LIST
- ✦ COLOR DRAWINGS

- ✦ LINE DRAWINGS
- ✦ PERFORMANCE DATA

GENERAL SPECIFICATIONS

GB42MY

L.O.A.	43' 3"	(13.17m)
L.O.A(Including Pulpit & Swim Platform)	47' 5"	(14.45m)
L.W.L.	41' 1"	(12.53m)
BEAM	14' 1"	(4.29m)
DRAFT	4' 2"	(1.27m)
DISPLACEMENT (half load)	34 000 lbs	(15 422kg)
FUEL CAPACITY	600 US gals	(2 270 litres)
WATER CAPACITY	240 US gals	(910litres)
HEIGHT FROM D.W.L. TO TOP OF BRIDGE		
WINDSHIELD	13' 8"	(4.17m)
HEIGHT FROM D.W.L. TO TOP OF FLYBRIDGE		
WITHOUT WINDSHIELD	12 5 ½"	(3.8m)
HEIGHT FROM D.W.L. TO TOP OF MAST	25' 6"	(7.77m)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

GRAND BANKS® 42 MOTORYACHT

Standard Equipment List

Construction

Bootstripe, painted Awl-Grip™
Cabin soles, marine plywood
Epoxy barrier undercoat
Five year hull warranty
Gel-coated fiberglass exterior
Hand laid fiberglass
Hull structural grid, FRP molded and foam
Hydrex resin skin coat in hull lamination
Molded quarter guard with stainless steel rubrail
Solid fiberglass hull

Mechanical Equipment

Twin 210 HP diesel engines w/reduction gears
Ball valve on thru hull above water line, bronze
Bilge pump, manual
Drip pans under engines
Engine Controls, dual lever throttle and gear shift controls, dual station mechanical
Engine raw water intake strainers
Engine room faucet, fresh water
Engine room ladder
Engine room platform FRP or plywood
Engine room sound insulation
Exhaust system, sea water cooled, with muffler
Flexible couplings w/matching engine mounts
Fuel filters, Racor™ water separators on engines
Fuel tank, mild steel, baffled with upper & lower automatic self closing valves for sight gauges
Gas/water separator on generator exhaust system
Propellers, nickel-aluminum-bronze, dynamically balanced
Rudders, molded FRP w/SS Aqualoy stock
Seacocks on thru-hulls below waterline
Shafts, Aqualoy
Shaft logs with dripless shaft seals
Steering, hydraulic
Struts, bronze with rubber bearings
Sole, engine room, teak slats
Water tanks, stainless steel, painted

GRAND BANKS® 42 MOTORYACHT

Standard Equipment List

Electrical Equipment

AC/DC distribution panels, 12 volt, 110/220 volt
Air horn, Kahlenberg™
Alternator, each engine, 12 volt
Alternator, generator, 12 volt
Indicator and alarms, dual station, w/engine low oil pressure and temperature, bilge pumps on, generator on, loss of cooling water and engine room lights on
Batteries, AGM glass matte, with FRP boxes lids and straps, 1 x 8D engine starting, 2 x 4D House, 1 x 2D generator starting
Battery charger, automatic, 12 volt 50 amp
Battery condition indicator
Battery switch, disconnect
Battery switch, emergency paralleling with momentary switch
Bilge pumps (3), automatic, 12 volt
Bonding system
Carbon Monoxide detector in sleeping area
Engine room blowers, 12 volt
Engine room lights, 12 volt
Engine gauges and instrumentation VDO analogue
Engine start/stop twin station
Fresh water system, pressurized, 12 volt
Galvanic Isolator
Generator with sound shield, diesel, 9.0KW for 60Hz, 7.0KW for 50Hz
Helm outlet, 12 volt at each station
Holding tank discharge pump 12 volt
Indicator light, reverse polarity
Indicator light, holding tank
Navigation lights, 12 volt
Rudder angle indicator
Outlets, galley engine room & heads, GFCI protection, 120 volt 60Hz boats
Outlets, galley, engine room & heads, ELCB protection, 220 volt, 50Hz boats
Shore power inlet, fwd & aft, AC, 50 amp 120 volt/60Hz, 220 volt/50Hz
Stereo/CD player with speakers & 10 disc changer
TV/Phone inlet, aft
Telephone outlets
Water heater 20 gal, 120 or 220 volts
Windshield wipers (3), 12 volts with speed control, auto park and washer
Wiring, marine-grade tin-plated copper

Exterior Equipment

Anchor chain locker, divided for rope and chain
Anchor platform, fibreglass with pulpit, double stainless steel roller
Anodes, zinc, shaft and hull

Specifications subject to change without prior notice

Page 2 of 6
December 2003
Model Year 2004

GRAND BANKS® 42 MOTORYACHT

Standard Equipment List

Exterior Equipment (Con't)

Bulkwark caps, teak
Chocks and mooring cleats, stainless steel
Deck fills: diesel fuel/water and waste pump-out
Deck box on forward deck, molded fiberglass
Deck box on aft deck, FRP
Engine room vents, Delta T air demisters
Flagstaff holders, bow and stern
Flagstaffs, teak, bow and stern
Fresh water faucet at fwd deck
Grab rails, stainless steel
Mast and boom aluminum, hinged
Rail gate at port and stbd
Rubrail, stainless steel striker plate on FRP
Safety rails, teak or stainless steel
Skylight hatches with screens and blinds in cabins
Step plates at rail gate openings
Trim tabs dual stations (engine power to be more than twin 210hp)
Vents for fuel and water tanks
Windlass, chain and rode, 12 volt
Window frames, painted teak

Cockpit/aft deck

Courtesy lights, 12 volt
Decking, teak, epoxy bonded
Fresh water wash-down, fitting
Scuppers, stainless steel
Swim ladder, fold-up, stainless steel w/teak
Swim platform, teak 12 slats
Transom, teak
Transom shower with retractable hose, hot/cold

Flybridge

Compass
Electronic console, instrumentation raised dashboard, FRP molded
Fabrics for seat cushions, vinyl
Locker for propane/storage
Railing around flybridge windshields, stainless steel
Safety rails, intermediate
Settee - L, molded FRP
Steering wheel, teak with stainless steel rimmed
Table, teak with stainless steel pedestal
Windshields, Venturi™

Specifications subject to change without prior notice

GRAND BANKS® 42 MOTORYACHT

Standard Equipment List

Salon

Chairs, arm chair, teak
Bar cabinet, teak
Chart locker, teak
Compass
Doors, FRP starboard & port
Electronics console, teak
Electronics locker, overhead
Engine room hatch
Ladder to engine room
Steering wheel, teak rimmed
Windshield, center opening
Windows, side opening, sliding
Settee, L-settee, w/storage
Steps, teak w/ non-skid
Table, teak, fixed

Galley

Condiment locker,
Countertop, Corian™ with back splash guard
Curtains treated with fire retardant spray
Exhaust blower, 12 volt
Faucet, single lever
Hanging locker
Locker, overhead
Microwave oven - convection
Range/oven, electric
Refrigerator/freezer, 12V DC or 12V DC/120V AC
Sink, Corian™
Waste basket

Owners Stateroom

Berth - Island
Bureau with drawers
Hanging locker with lined cedar wood
Mattress, 6" foam
Mirror, with teak frame

GRAND BANKS® 42 MOTORYACHT

Standard Equipment List

Owner's Head /Shower

Faucet, single lever
Mirror w/teak frame
Shower with drain pump, 12 volt
Shower pan, teak grating
Sink, cultural marble built in to counter top
Toilet, marine
Toilet paper holder
Toothbrush holder
Towel rack, stainless steel

Guest Stateroom

Berth – V forward cabin
Hanging locker with lined cedar wood
Mattress, 5" foam

Guest Head/Shower

Bi-fold acrylic shower door
Faucet, single lever
Mirror w/teak frame
Shower with drain pump, 12 volt
Shower teak grating
Sink, cultural marble built in to counter top
Toilet, marine
Toilet paper holder
Toothbrush holder
Towel rack, stainless steel

Throughout the Interior

Bulkheads, Formica™
Cabin doors w/lock sets
Cabinet furniture, teak faced
Curtains, lined w/stainless steel curtain rods
Curtains, main saloon, lined w curtain tracks
Drawers, teak faced with solid wood sides, drawer slides
Fabrics, softgoods, customer selected from Schemes
Grab rails, teak
Hardware, stainless steel and chrome
Headlining, vinyl

Specifications subject to change without prior notice

Page 5 of 6
December 2003
Model Year 2004


GRAND BANKS® 42 MOTORYACHT

Standard Equipment List


Lighting, Halogen, 12 volt

Throughout the Interior (Con't)

Lights, reading at berths
Lockers
Outlets, AC
Portholes, stainless steel with FG trim rings and screens
Sole, access hatches
Sole, teak parquet
Steps with clear non-skid
Valances, teak
Varnish, satin marine varnish
Windows, laminated safety glass, clear




REV. JULY 2000



F02




REV. JULY 2000




F03



REV. JULY 2000




REV. JULY 2000



S01



REV. JULY 2000




S02



REV. JULY 2000


GB42 MOTORYACHT STANDARD ENGINE ROOM & MECHANICAL LAYOUT



N	SUMP PUMP	1	1		1						
M	DRAINAGE	2			2						
L	FRESH WATER OUTLET	1			1						
H	HOLDING TANK (H\T)	1	1		1				1		
G	HEAD	2		1	2						
F	MANUAL BILGE PUMP	1	1	1	1						
E	ELECT. BILGE PUMP	3	3	3	3						
D	SHOWER	2	1		1						
C	SINK	3		1	3						
B	GENERATOR	1		1	1	1	1	1			1
A	ENGINE	2		2		2	2	4			
ITEM		QUANTITY	PUMP	INLET	OUTLET	MUFFLER	EXHAUST	FILTER	VENT	COMPRESSOR UNIT	WATER SEPARATOR
			1	2	3	4	5	6	7	8	9

REV. JULY 2000

GB 42 MOTORYACHT STANDARD LIGHTING & RECEPTACLES LAYOUT



0 1 2 3 4
FEET


A01

S01

F03

LEGEND			
	SINGLE WAY SWITCH		AT ENGINE ROOM
	TWO WAY SWITCH		GALLEY VENT
	15W 12V BERTH/READING LIGHT		UNDER/INSIDE LOCKER
	CANTALUPI LIGHT		ON DOOR POST
	INDIRECT LIGHT		AT F/B
			GFCI OUTLET
			PERKO DOME LIGHT (1253-002-WHT)
			15A 120/240V 60/50HZ AC RECEPTACLE OUTLET
			5W 12V HANGING LOCKER AUTO ON/OFF PERKO LIGHT
			PERKO COURTESY LIGHT (CAT. NO. 946-001)
			CANTALUPI LIGHT WALTER SERIES 2001
			SHOWER DRAIN SWITCH
			SPEAKER (OVERHEAD)
			CTV OUTLET
			TEL OUTLET
			TANKWATCH 4 PANEL
			VACUUM/ELECT. HEAD SWITCH


GB42 MOTORYACHT STANDARD ARRANGMENT PLAN



0 1 2 3 4
FEET


REV. JULY 2000

GB42 STDDPLAN.plt
REV. JULY 2001
©GRAND BANKS YACHTS,LTD




REV. JULY 2001

GB42 MOTORYACHT DECKPLAN




GB42 MY OUTBOARD PROFILE




GB42 MY OUTBOARD PROFILE

GB42 MY A01.plt
REV. JULY 2001
© GRAND BANKS YACHTS,LTD




A01
REV. JULY 2001

0 1 2 3 4
FEET



GB42 MY F02.plt
REV. JULY 2001
© GRAND BANKS YACHTS,LTD




F02


REV. JULY 2001



GB42 MY F03.plt
REV. JULY 2001
© GRAND BANKS YACHTS,LTD



GB42 MY F04.plt
REV. JULY 2001
© GRAND BANKS YACHTS,LTD




F04

REV. JULY 2001




GB 42 MOTORYACHT STANDARD LIGHTING & RECEPTACLES LAYOUT




REV: JULY '2000



LEGEND ○ SINGLE WAY SWITCH ⊕ TWO WAY SWITCH □ 15W 12V BERTH/READING LIGHT ● CANTALUPI LIGHT --- INDIRECT LIGHT	⚙ AT ENGINE ROOM ⚙ GALLEY VENT ⚙ UNDER/INSIDE LOCKER ⚙ ON DOOR POST ⚙ AT F/B ⚙ GFCI OUTLET Ⓟ PERKO DOME LIGHT (1253-002-WHT)	⚙ 15A 120/240V 60/50HZ AC RECEPTACLE OUTLET ⊗ 5W 12V HANGING LOCKER AUTO ON/OFF PERKO LIGHT Ⓢ PERKO COURTESY LIGHT (CAT. NO. 946-001) Ⓢ CANTALUPI LIGHT WALTER SERIES 2001	Ⓢ SHOWER DRAIN SWITCH ⊕ SPEAKER TV CTV OUTLET T TEL OUTLET T4 TANKWATCH 4 PANEL H VACUUM/ELECT. HEAD SWITCH
---	---	--	---



S01
REV. JULY 2001
0 1 2 3 4
FEET




S02


REV. JULY 2001





GB42 STDDPLAN.plt
REV. JULY 2000
© GRAND BANKS YACHTS, LTD



GB42 MOTORYACHT DECKPLAN



REV. JULY 2001



REV. JULY 2000