

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

Standard Inclusions

BOW RAIL

- Bow rail welded stainless steel (highly polished) with safety wire & stainless steel rail first 2 legs including flag staff and burgee (bow flag)

CABINS AND SALOON

- Carpet (Interior), with underlay, all cabins and saloon
- Hull and head lining, vinyl covered with padding
- Lighting, overhead (DC)
- Receptacles, AC duplex each room

COCKPIT

- Access ladder to flybridge
- Cockpit and floor hatches have moulded gutters that drain overboard at the stern
- Cockpit floor reinforced with alloy plate for future game chair or table
- Cockpit hatches with heavy-duty stainless steel lock downs with gas struts for lazarette storage and bilge access
- Door to Saloon - tinted tempered glass
- Double action manual bilge pump for engine room in cockpit locker
- Dual purpose box locker located starboard forward corner. Includes 8lt rubbish bin and 4 x PVC containers (bin and containers can not be used simultaneously)
- Engine room access (lockable) with grab rail to assist entry
- Fair leads (x 2) rear corners
- Fresh water shower hot & cold hand held
- Grab rails to assist access to side decks
- GRP locker doors to storage, inc stainless steel catches
- Hot & cold tap with sink, moulded GRP including lid
- Large removable fishbox, pumpout facility and 2 hatches
- Lighting spotlights, overhead and courtesy
- Refrigerated cabinet portside, top loading with lid and gas strut
- Shore water connection with pressure regulator
- Steps to side deck port & starboard
- Storage bin in cockpit floor with pump-out
- Transom door GRP opening outwards with lift up bridge
- Wash down tap, sea-water
- Wash-down tap, freshwater

CONSTRUCTION

- Hand laid-up, moulded fibreglass hull, deck, flybridge, with core in decks & cabin top
- Independent compartments throughout hull
- Isophthalic gelcoat exterior
- Solid keel, chines & bottom
- Vinylester resin in first layer of hull
- Watertight collision bulkhead forward

DECK

- Anchor 27kg (60lb), 70m (230ft) of 10mm (3/8") galvanised chain, 3 dock lines, 4 fenders, boat hook
- Anchor locker with watertight bulkhead to cabin, access on deck.
- Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
- Bow roller stainless steel self-loading
- Cleats - stainless steel, 12" (x 4), 11" (x 2), Bollards 12" (x 2), pop up cleats (x 2)
- Rails port & starboard of flybridge above window for safe passage to forward deck
- Rub rail - PVC (white) with stainless steel insert strip
- Sea water wash down tap at anchor locker

ELECTRICAL

- Alternators - independent start bank and independent house bank
- AM/FM Aerial
- Batteries - start, house (x 2) and genset start
- Battery banks individually isolated
- Battery chargers, automatic-70 AMP/12VDC and 20 AMP/24VDC
- Battery paralleling system
- Bonding system, to all metallic hull fittings with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Navigation lights (international standard)
- Wires coded, numbered & loomed

ENTERTAINMENT / AUDIO

- Audio System - BOSE Lifestyle head unit located on saloon stb grog locker, speakers to saloon and cockpit
- Audio system - Flybridge - AM/FM Stereo CD player, 4speakers to flybridge.

Televisions size & brand may vary due to model availability and technology changes at the time of installation

FISHING UPGRADES

- Tackle locker cockpit forward bulkhead, hinge down door

Disclaimer:

The specifications in this document are not complete or definitive and are subject to change without notice and therefore may not be current. Riviera Marine (INT) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

FLYBRIDGE

- 12VDC feed for electronics, main circuit breaker protected
- AC receptacle weather proof under console
- Aft helm position
- Flag Holder, 25cm on rear flybridge rail, stainless steel
- Forward windshield
- GRP storage lockers
- Hot & cold tap at sink
- Lockable hatch to flybridge
- Overhead and courtesy lights
- Rail portside of console at helm
- Rails on rear of flybridge including midrail
- Refrigerator (12V), flybridge port aft
- Table (solid surface accented, Bright White) adjustable converts to bed

GALLEY

- Access hatch to storage under galley floor
- Exhaust fan
- Faucet to galley sink
- Garbage bin
- Grab handle at the end of the galley divide
- High quality vinyl flooring
- Light (DC) under galley floor on micro switch
- Lighting, overhead (DC)
- Microwave convection oven
- Overhead lockers
- Receptacle, AC duplex
- Recessed electric cooktop, dual element with cover and auto shutoff
- Refrigerator under bench (x 1), freezer (x 1). AC only
- Solid surface accented benchtop & sink
- Storage cabinets & drawers
- Trash Compactor

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 grade
- All stainless steel mirror finish with ground welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fire extinguishers, portable x 4
- Gelcoat - 2 litres, shipped on board
- Holding tank capacity 151 litres (40 US gallons)
- Owners manual

GENSET

- Generator - Onan EQD 11 kw with muffler, fresh water-cooled including sound shield, remote stop/start electronic, hour meter

* Generators are not intended to supply power to all standard and optional accessories simultaneously. Load must be limited to output rating. Power management may be required.

GUEST STATEROOM - PORT

- Air conditioning: 16,000 BTU (split to stbd aft cabin, port aft cabin and port head) with reverse cycle heat
- Hanging locker, cedar lined with lighting
- Hatch - Square, tinted with oceanair blind
- Private entrance door
- Reading Lights
- Storage cabinets overhead with positive locking hardware
- Storage cupboard with shelf
- Upper & lower berths (foam mattresses) with storage under
- Washing Machine/Dryer

GUEST STATEROOM - STARBOARD

- Air conditioning: 16,000 BTU (split to stbd aft cabin, port aft cabin and port head) with reverse cycle heat
- Bedside Table and drawers
- Double berth and innerspring mattress
- Hanging locker, cedar lined with lighting
- Hatch - Square, tinted with oceanair blind
- Private entrance door
- Reading Lights
- Storage cabinets overhead with positive locking hardware
- Storage under berth including drawers & gas struts for easy access

HEADS - MASTER AND STARBOARD

- Entrance door & ensuite door to starboard cabin
- Entrance to starboard head from stbd cabin and companion way
- Exhaust Fan
- Hatch - Square, tinted with oceanair blind
- High quality vinyl flooring (excluding shower)
- Shelf at half height under bathroom sinks
- Shower stall with glass partition, light (DC), automatic sump pump, shower head
- Toilet roll holder & accessories
- Vacuflush toilet (fresh water) with holding tank, Switch at helm for overboard pumpout and Deck fitting for dockside pump out.
- Vanity cabinet above sink with hinged, mirrored doors.
- Vanity with fauct, semi recessed poreclain sink into solid surface benchtop.

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

HELM, FLYBRIDGE

- Autopilot with gyrocompass
- Compass, 4.75" with light
- Dash cover (Brella White)
- Engine control unit, single lever gear & throttle, twin lever unit
- Helm & companion chair (Navigator, Upholstery white)
- Helm chair covers (x2) (Brella White)
- Horn control
- Sounder depth system
- Steering wheel - Destroyer
- VHF radio (icom) including aerial
- Visual & audible signal for bilge high water

MASTER STATEROOM - FORWARD

- Air conditioning: 10,000 BTU (split to stbd head) with reverse cycle heat
- Bedside Tables
- Hanging locker, cedar lined with lighting (x 2)
- Hatch - Square tinted with oceanair blind
- Headboard - upholstered
- Mirror over headboard, full width
- Private entrance door
- Queen walk around berth with innerspring mattress
- Reading Lights
- Storage cabinets overhead with positive locking hardware
- Storage under berth including drawers & gas struts for easy access

MECHANICAL

- Acoustic & thermal insulation
- Airconditioning: 24,000 BTU, 16,000 BTU and 10,000 BTU condenser unit
- Ball valves with stainless steel handles and 2 hose clamps on all through hull fittings on or below the water line
- Bilge pumps, auto & manual over-ride x 3
- Emergency rudder locking pins
- Engine anti-vibration mounts
- Engine fresh water cooling system
- Engine mounted oil filters
- Engine room flowcoated white
- Engine room lighting AC and DC
- External & internal seawater strainers for main engines, generator (as installed) & air conditioning (as installed) water intakes
- Fibreglass aqualift exhaust system for engines / underwater outlet and bypass
- Fibreglass aqualift for generator
- Fire suppression system for engine room, manual controls
- Fresh water heater - AC & heat exchange

- Fresh water system (pressurised) with dual water tanks, total capacity 620 Litres (164 US gallons)* (approx) with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel lines all swaged
- Fuel shut-off valves with emergency remote to cockpit
- Fuel tank gauge at helm
- Fuel tank, GRP coated in fire retardant white, 2700 litres (712 US gallons)* (approx)
- Hydraulic steering
- Inline water filter to galley located in Engine room
- Propellers, five blade (2)
- Receptacle, AC duplex, engine room
- Rudders, stainless steel stocks, aluminium bronze blades with zinc anodes
- Shafts duplex stainless (2) dripless PSS seals
- Struts aluminium bronze
- Trim tabs, Electro-hydraulic
- Walk-in engine room with ladder
- Water separating venting system for engine air intakes

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

MECHANICAL - SIDE THRUSTER

- Bow Thruster with bilge pump, controls to helm

REGIONAL ELECTRICAL SPECIFICATION

- Receptacles, AC duplex each room with Residual Current Device (RCD) protection
- Shoreline electrical inlet (AC) (x 2) 30AMP

SALOON

- Engine hatches insulated & removable
- Fridge/Icemaker Combo and inline water filter
- L shape lounge (port side) with slide out bed

SALOON/GALLEY

- Air conditioning with reverse cycle heat, 24,000 BTU split to galley (12,000) and saloon (12,000)
- Air conditioning: 16,000 BTU reverse cycle
- Built in storage lockers to starboard
- Cocktail cabinet - holders for glasses
- Lighting, overhead (DC)
- Overhead electronics console in saloon
- Rod storage in Headliner electric open & close
- Safety monitor panel for bilge pumps, sump pump, navigational lights, engine room lights, at overhead console

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Extra costs apply for ships departing from any other port

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions