

WINDY 52 XANTHOS



SPECIFICATIONS

BUILDER:	Windy Boats	LOA:	15.80 m
YEAR:	2006	BEAM:	4.40 m
FLAG:	Danish	SPEED:	30/37 kn
ACCOM:	3 cabins + crew	MATERIAL:	Fiberglass
LYING:	South of France	ENGINES:	2 x 800 HP Volvo Penta

ASKING PRICE: € 450.000,00 (VAT paid)

The particulars are believed to be correct but their accuracy is not guaranteed and cannot be used for contract.

This boat is offered subject to still being available.

1) SPECIFICATIONS

Basic data

Model	:	Windy 52 Xanthos
Year built	:	2006
Length overall	:	15.80 m / 52'
Length waterline	:	14.95 m / 49'
Beam	:	4.40 m / 14'5"
Height (for transport)	:	4.15 m / 13'7"
Height (overall)	:	4.40 m / 14'5"
Draft	:	1 m
Weight	:	17.200 kg
Engines	:	2 x Volvo Penta D12-800
Engine hours	:	480
Fuel	:	Diesel
Speed Cruising	:	30 knots
Top speed	:	37 knots
Hull colour	:	White w/grey upper part
Waterline stripe	:	Grey and silver
Antifouling	:	Black

Deck Fittings & Equipment

Anchor winch	:	2 kW Lewmar, operated from deck or helm
Anchor	:	25 kg Delta Stainless Steel
Anchor Chain	:	45 m length
Bow thruster	:	Side-Power 8 kW
Stern thruster	:	Side-Power 8 kW
Windscreen	:	Double curved stainless steel framed safety glass
Pulpit and rails	:	Stainless Steel with wire rope
Rail on forward sundeck	:	Stainless Steel
Side walks	:	Teak
Deck cleats	:	8 ea. Stainless Steel
Fairleads	:	2 ea. Stainless Steel
Bow roller and anchor stop	:	Stainless Steel
Stowage	:	Chain lockers - fender stowage
Wash-down outlets	:	Anchor area and cockpit
Safety equipment	:	Signal horn
		Navigation lights
		Search light
Lighting	:	Down lights on aft deck & sidewalks
		Low-level lights on aft deck

Helms position

Controls for	:	Engine throttles and gear operation Bow thruster Stern thruster Navigation lights Windows washers Engine blowers Signal horns Search light Electrically adjustable horns Demisting system Switch panel
Equipment	:	Compass 12 V outlet Fire extinguishers Electrically adjustable starboard window

Electronics and navigation

Volvo engine instrumentation:	:	Oil pressure, engine Oil pressure, gear Water tank Fuel tank Voltmeter Alarm display Tachometer Engine water temperature
Chart plotter	:	Raymarine 2 x E 120
Radar	:	Raymarine 4 kW open
GPS antenna	:	Raymarine Raystar 125
Autopilot	:	Raymarine ST 6002
Speed & depth	:	Raymarine ST 60
Fish finder	:	Raymarine DSM 300
Radio	:	VHF ICOM IC M 421
Video	:	Cameras for stern view and engine room surveillance

Cockpit saloon

Sofa	:	Anthracite Spinneybeck Leather
Deck	:	Teak
Window covers	:	White Helly Hansen lightweight fabric
Grill	:	Open electric
TV	:	20" LCD (pop-up type)
Power outlets	:	230 V
Grill	:	Open electric
Central cockpit area sofa	:	Anthracite Spinneybeck Leather
Wood work	:	High-gloss interior
Central cockpit area deck	:	Teak
Upholstery	:	Light grey/grey

Aft lounge area

Aft cockpit door	:	Stainless Steel
Aft cockpit sofa	:	Silver grey Sunbrella
Aft cockpit power outlet	:	12 V for dinghy pump
Aft cockpit deck	:	Teak
Rejectable bimini top	:	Yes

Swimming platform

Shower w/ hot & cold water	:	Yes
Deck wash down	:	Yes, saltwater
City water inlet	:	Yes
Bathing ladder	:	Yes
Shore connection	:	230 V

Main saloon

Sofa	:	Brown leather
Poufs	:	2 x Brown leather
Decking	:	Fitted carpets
Window blinds	:	16 mm cherry wood + mosquito net
TV	:	26" LCD
Stereo/Radio	:	Bose 321
Power outlets	:	230 V
Window blinds	:	16 mm cherry wood + mosquito net
Upholstery	:	Light beige
Wood work	:	High-gloss interior

Master cabin

Flooring in cabin	:	Fitted carpets
Window blinds in cabin	:	16 mm cherry wood + mosquito net
Flooring in heads	:	Teak
Toilet	:	WC, electric type
Window blinds in heads	:	16 mm Satin Onyx + mosquito net
Shower	:	Tunnel type with fixed overhead shower
Power outlet	:	230 V
Upholstery	:	Brown/beige

Guest cabins

Flooring in cabin	:	Fitted carpets
Window blinds in cabin	:	16 mm cherry wood + mosquito net
Flooring in heads	:	Teak
Equipment	:	Fire extinguishers
Power outlet	:	230 V
Upholstery	:	Light beige

Centre toilet

Flooring in heads	:	Teak
Window blinds in heads	:	16 mm Satin Onyx + mosquito net
Shower	:	Tunnel type with fixed overhead shower
Power outlet	:	230 V

Engine room

Generator	:	7 kW Onan
Inverter	:	1,5 kW
Battery charger	:	100 A for service batteries 6 A for start battery
Batteries	:	400 A for service batteries/180 A for start batteries
Fuel tank	:	2 000 l
Water tank	:	400 l
Hot water tank	:	70 l
Black tank	:	250 l incl. 3-way valve
Camera	:	For engine room surveillance
Bilge pumps	:	Yes
Heater	:	Twin Eberspächer D5
Fender storage	:	Net design, below engine room hatch
Power outlet	:	230 V
Breaker panels	:	230 V / 24 V

General comments


All switches and handles in stainless steel or chrome.

All plugs in UK240 type.

Dimmer switches fitted throughout inside and centre cockpit.

Fitted carpets throughout.

2) LAYOUT



3) PICTURES













