



1 forward cabin - 1 Toilet, 1 AFT cabin - 1 Toilet



1 forward cabin - 1 Toilet, 2 AFT cabin - 1 Toilet

GENERAL SPECIFICATIONS

• L.O.A	13.10 m
• Length of hull	12.75 m
• L.W.L.	11.60 m
• Width of hull	4.12 m
• Long draught (min)	2.00 m
• Short draught (min)	1.65 m
• Air draught (max)	18.30 m
• Light displacement	8 875 kg
• Fuel tank capacity	200 l
• Freshwater capacity	360 l
• Engine power	54 HP

ARCHITECTS / DESIGNERS

- Architect Naval: Berret Racoupeau
- Architecture interior: Nauta Design

EC CERTIFICATE

- Category A - 10 persons
- Category B - 11 persons
- Category C - 12 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail	41.50 m ²
• Genoa	140 % - 49.50 m ²
• Asymmetric spi	113 m ²
• I	15.77 m
• J	4.67 m
• P	14.46 m
• E	4.80 m

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and stuck to hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark, screwed
- Cast iron keel fixed with bolts and stainless steel veneer and stuck
- Rudder hung with glass compound stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 level(s) of advanced cross trees
- Boom in electro-polished aluminium
- Standing rigging in single-strand stainless steel
- 2 Backstays with turnbuckles
- Rigid boom down-haul with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa sheet tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsail foot and sheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 8 sheet clutches
- 6 Bollards

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 2 Self tailing rigging winches (H40.2 STC)
- 2 winch handle(s) aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in pearl grey colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- Vertical electrical windlass 12 V - 1000 W - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

PERSONNEL GUARDS

- 1 Half-open stainless steel forward pulpit - Step
- 2 stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Gangway opening to port and to starboard

COCKPIT

- Cockpit bottom self bailing
- 2 Cockpit locker
- 1 Lockers under tiller seating To starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with 2 bottles under port tiller seat
- Cockpit benches decked in natural solid wood
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel guard rail - navigation instrument stand (optional instruments)
- 1 Deck hole for access to tiller system
- 1 Emergency tiller
- 2 Steering compass on binacle
- Engine control and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel guard rail - 12 V socket - lamp with shade
- 2 Companionway door on solid wood hinges - Sliding hatch made of

PMMA

SUN DECK AND UPPER STERN

- Vertical opening access door assisted by gas piston
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Shower cold water
- 1 Shore power

LAYOUTS

Alpi woodworking in fruit tree colour

Parquet type laminated floors

Cloth hull spar ceilings in saloon and cabins

COMPANIONWAY

- Height to deck beam: 2.03 m
- Wooden saloon companionway with moulded wood hanging steps with non-slip surface
- 2 Stainless steel guardrails

FORWARD CABIN

- Height to deck beam: 1.95 m
- Central double bed (2.10 m x 0.60 m x 1.93 m) - Marine mattress
- 1 Portside seating
- Hanging locker - Cupboard - glove boxes - Cubby hole lockers - Storage drawer
- 2 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORE WASHROOM

- Height to deck beam: 1.95 m
- Access through foward cabin
- Washroom moulded in one piece to be watertight
- Separate shower - hot water shower mixer tap / cold water
- Manual marine toilet
- Washbasin - Mixing tap hot water / cold water
- 1 Mirror
- Toilet accessories: Glass holder - soap tray - towel rail - Rubbish bin - Paper dispenser
- Cupboards and cubbyholes
- 1 Opening deck hatch(es) with blind / Mosquito net

Version 1 Forward cabin - 1 Toilet, 1 Aft cabin- 1 Toilet

SALOON

- Height to deck beam: 2.00 m
- U shaped saloon bench - double density foam
- Saloon table in only 1 piece - Varnished wood top with inlay - Aluminium legs
- 2 seater bench to port
- 4 Matching decorative cushions
- 1 Stainless steel handrail on aft washroom partition
- Cupboards - Cubby hole lockers and storage along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 2 Opening portholes on coaming in side windows
- 1 Opening deck hatch(es) with blind / Mosquito net

CHART TABLE TO PORT

- In the opposite direction to sailing
- Table with flap - Glove box - Shelf- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red

GALLEY TO PORT

- Height to deck beam: 2.00 m
- U-shaped kitchen
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins - 1 Mixer tap cold water / hot water under pressure
- 1 Gas cooker 2 hobs - Stainless steel oven on mountings - safety bar
- 1 Ice box 70 litre, top opening Refrigeration unit 12 V
- 1 Refrigerator 130 litre front opening
- Fitted cupboards and closed cubbyholes (Shelf Rubbish bin - tea towel holder)
- 1 cutlery drawer

- 1 Porthole opening onto coaming in side window
- 1 Porthole(s) opening onto coaming with curtain
- 1 Opening deck hatch(es) with blind / Mosquito net

STARBOARD AFT WASHROOM

- Height to deck beam: 1.95 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower - 1 hot water shower mixer tap / cold water
- 1 Manual marine toilet
- 1 Rigid sewage water tank 80L
- Wooden handrail(s) - 1 hot water shower mixer tap / cold water
- 2 Mirrors
- Toilet accessories: Glass holder - towel rail - Rubbish bin - Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABIN

- Height to deck beam: 1.95 m
- 1 Double bed (2.00 m x 1.50 m) - Marine mattress
- Access door to starboard aft washroom
- Cupboards - Hanging locker - Closed lockers
- 1 Bench seat - Bed access sideboard
- 1 Hull portholes with curtain
- 1 Porthole(s) opening onto coaming with curtain
- 1 Cockpit porthole(s) with curtain
- 1 Opening deck hatch(es) with blind / Mosquito net

Version 1 Forward cabin - 1 Toilet, 2 Aft cabins- 1 Toilet

GALLEY TO PORT

- Height to deck beam: 2.00 m
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel - 1 Mixer tap cold water / hot water under pressure
- 1 Gas cooker 2 hobs - stainless steel oven, on mountings - 1 safety bar
- 1 Ice box 170 litre, top opening Refrigeration unit 12 V
- Fitted cupboards and closed cubbyholes (Shelf Rubbish bin - tea towel holder)
- 1 cutlery drawer
- Cubbyhole with stainless steel beading
- 1 Hull portholes with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window

CHART TABLE TO PORT

- Table with flap - Glove box - Storage - Shelf- Moulded wood beading
- Helmsman seat with cushion - Storage behind seat back
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red
- 1 Porthole opening onto coaming in side window

SALOON TO STARBOARD

- Height to deck beam: 2.00 m
- L-shaped saloon bench seat - double density foam
- 1 Seat(s) / Removable locker
- Central bench seat with storage locker - on pantograph
- 4 Matching decorative cushions
- Saloon table in only 1 piece - Varnished wooden top - veneering - Aluminium legs
- Cupboards - Cubby hole lockers - Storage space along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 1 Hull portholes with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window
- 1 Opening deck hatch(es) with blind / Mosquito net

STARBOARD AFT WASHROOM

- Height to deck beam: 1.95 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower - 1 hot water shower mixer tap / cold water
- 1 Manual marine toilet
- 1 Rigid sewage water tank 80L
- Wooden handrail(s) - 1 hot water shower mixer tap / cold water
- 2 Mirrors

- Toilet accessories: Glass holder - towel rail - Rubbish bin - Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABINS PORT AND STARBOARD

2 Symmetrical cabins each one consisting of:

- Height to deck beam: 1.95 m
- Double bed (2.03 m x 1.38 m x 1.56 m) - Marine mattress
- Cupboard - Hanging locker - Closed lockers
- 1 Hull portholes with curtain
- 1 Porthole(s) opening onto coaming with curtain
- 1 Cockpit porthole(s) with curtain
- 1 Opening deck hatch(es) with blind / Mosquito net

ENGINE

- Engine Yanmar Diesel 54 hp
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 1 service batteries (140 Ah) - 1 Battery for engine (110 Ah)
- 1 Battery charger 25 Ah - 1 Shore power 220V - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 Socket(s) 12 V - 5 Socket(s) 220 V
- Lighting: Halogen ceiling lights - Reading lights - White/red light fitting - Fluorescent lamp White
- Navigation lights: 1 navigation light(s) fore and aft - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 rotation moulded freshwater tanks (200 l Starboard aft cabin - 160 l Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion chamber - System protection filter
- Electric water heater 25 L (Operation off engine or on 220 V electrical system)
- 1 Rigid sewage water tank 80L
- Electrical shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle box(es) in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Notches colors TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Weather vane - Anemometer)	■	■
Cockpit shower spray hot water / cold water	■	■
PMMA shower partition in forward washroom (2 or 3 cabin versions - 2 Toilets)	■	■
PMMA shower partition in aft washroom (2 or 3 cabin versions - 2 Toilets)	■	■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■
Indirect lighting in saloon	■	■
1 Additional service batteries 140 amperes	■	■
Releasable fore-stay chain-plate		■
1 Port electric rigging winch H40.2STCEH		■
Cockpit bottom decked in natural solid wood		■
Polyester/wood cockpit table - White PVC protective cover		■
Leather covering on companionway and aft toilet closet partition handrails		■
Mirror on forward partition of fore cabin		■
12 V refrigeration unit in 170 L icebox (2 cabin version)		■
Sea water foot pump		■
Stainless steel 2 hob oven/grill cooker on deluxe mounting		■
40 Amp battery charger instead of 25 Amp charger		■

OPTIONS

PACKS

ELECTRONIC PACK RAYMARINE

- PC interface
- Swivel base on reverse side of table cockpit
- Multifunction screen E80 colour 8,4" (GPS - tracker - Cartography chart mapper Navionics Gold, supplied without chart)
- Pilot ST 6002 - Piston LS RV2 - Control console

PACK EASY DOCKING

- Bow thruster
- Bow roller additional
- White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor FOB 20 kg, 32 M of 10 mm chain, 48 M 18 mm rope) - 4 Mooring ropes - 6 Fenders

OTHER OPTIONS

- Remote pilot control - Repeater Smartcontroller RAYMARINE
- Radar - radome only RAYMARINE
- Gyro compass sensor RAYMARINE
- VHF RAYMARINE 49E

- Steel blue colour hull - Hull decorated in pearl grey
- Electro-polished mast furling system with sail
- Wind indicator Windex
- 2 flag halyards
- Asymmetric spinnaker rigging
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustment(s) - Winch handle Harken Speedgrip - Winch handle box additional - Emergency rope cutter)
- 3 retractable blades propeller
- Solid wood decked catwalks natural
- Pearl grey deckhouse hood
- Pearl grey cockpit Bimini top
- Pearl grey cockpit cushions

- Additional seating in saloon
- Double berth in saloon
- Swivel foldaway saloon table
- Crockery kit marked Bénéteau 10 person
- Porthole mosquito nets
- Heating
- Microwave oven
- Television LCD 20" + Player DVD CD - MP3
- TV aerial
- Additional rigid sewage tank
- Electric toilet

Océanis 43 Family

General Equipment

GENERAL SPECIFICATIONS

• L.O.A	13.10 m
• Length of hull	12.75 m
• L.W.L.	11.60 m
• Width of hull	4.12 m
• Long draught (min)	2.00 m
• Short draught (min)	1.65 m
• Air draught (max)	18.30 m
• Light displacement	8 875 kg
• Fuel tank capacity	200 l
• Freshwater capacity	360 l
• Engine power	54 HP

ARCHITECTS / DESIGNERS

- Architect Naval: Berret Racoupeau
- Architecture interior: Nauta Design

EC CERTIFICATE

- Category A - 10 persons
- Category B - 11 persons
- Category C - 12 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail	41.50 m ²
• Genoa	140 % - 49.50 m ²
• Asymmetric spi	113 m ²
• I	15.77 m
• J	4.67 m
• P	14.46 m
• E	4.80 m



1 forward cabin - 1 Toilet, 2 AFT cabin - 2 Toilets



2 forward cabins - 2 AFT cabin - 2 Toilets

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and stuck to hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark, screwed
- Cast iron keel fixed with bolts and stainless steel veneer and stuck
- Rudder hung with glass compound stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 level(s) of advanced cross trees
- Boom in electro-polished aluminium
- Standing rigging in single-strand stainless steel
- 2 Backstays with turnbuckles
- Rigid boom down-haul with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa sheet tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsail foot and sheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 8 sheet clutches
- 6 Bollards

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 2 Self tailing rigging winches (H40.2 STC)
- 2 winch handle(s) aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in pearl grey colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- Vertical electrical windlass 12 V - 1000 W - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

PERSONNEL GUARDS

- 1 Half-open stainless steel forward pulpit - Step
- 2 stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Gangway opening to port and to starboard

COCKPIT

- Cockpit bottom self bailing
- 2 Cockpit locker
- 1 Lockers under tiller seating To starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with 2 bottles under port tiller seat
- Cockpit benches decked in natural solid wood
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel guard rail - navigation instrument stand (optional instruments)

- 1 Deck hole for access to tiller system
- 1 Emergency tiller
- 2 Steering compass on binacelle
- Engine control and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel guard rail - 12 V socket - lamp with shade
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

SUN DECK AND UPPER STERN

- Vertical opening access door assisted by gas piston
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Shower cold water
- 1 Shore power

LAYOUTS

Alpi woodworking in fruit tree colour

Parquet type laminated floors

Cloth hull spar ceilings in saloon and cabins

COMPANIONWAY

- Height to deck beam: 2.03 m
- Wooden saloon companionway with moulded wood hanging steps with non-slip surface
- 2 Stainless steel guardrails

Version 1 Forward cabin - 1 Toilet, 2 Aft cabins- 2 Toilets

FORWARD CABIN

- Height to deck beam: 1.95 m
- 1 Central double bed (2.10 m x 0.60 m x 1.93 m) - Marine mattress
- 1 Portside seating
- Hanging locker - Cupboard - glove boxes - Cubby hole lockers - Storage drawer
- 2 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORE WASHROOM

- Height to deck beam: 1.95 m
- Access through forward cabin
- Washroom moulded in one piece to be watertight
- Separate shower - hot water shower mixer tap / cold water
- Shower curtain
- Manual marine toilet
- Washbasin - Mixing tap hot water / cold water
- 1 Mirror
- Toilet accessories: Glass holder - soap tray - towel rail - Rubbish bin - Paper dispenser
- Cupboards and cubbyholes
- 1 Opening deck hatch(es) with blind / Mosquito net

Version 2 forward cabins, 2 Aft cabins- 2 Toilets

FORWARD GALLERY

- 1 Double cupboard
- 1 Opening deck hatch(es) with blind / Mosquito net

FORWARD CABIN

- Height to deck beam: 1.95 m
- 1 Central double bed (2.00 m x 0.48 m x 1.70 m) - Marine mattress
- 1 Portside seating
- Hanging locker - Glove box - Cubby hole lockers - Drawer - Storage
- 1 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORWARD CABIN TO STARBOARD

- 2 Single bunk-bed(s) - Marine mattress (Bottom bunk 2.00 m x 0.70 m - Top bunk 2.00 m x 0.60 m)
- Glove box - Cubbyhole and storage space
- 1 Opening deck hatch(es) with blind / Mosquito net

3 or 4 cabin versions

GALLEY TO PORT

- Height to deck beam: 2.00 m
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel - 1 Mixer tap cold water / hot water under pressure
- 1 Gas cooker 2 hobs - stainless steel oven, on mountings - 1 safety bar
- 1 Ice box 170 litre, top opening - Refrigeration unit 12 V
- Fitted cupboards and closed cubbyholes: Shelf Rubbish bin - tea towel holder
- 1 cutlery drawer
- Cubbyhole with stainless steel beading
- 1 Hull portholes with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window
- 1 Stainless steel handrail on partition Port washroom

SALOON TO STARBOARD

- Height to deck beam: 2.00 m
- L-shaped saloon bench seat - double density foam
- 1 Seat(s) / Removable locker
- Central bench seat with storage locker - on pantograph
- 4 Matching decorative cushions
- Saloon table in only 1 piece - Varnished wooden top - veneering - Aluminium legs
- Cupboards - Cubby hole lockers - Storage space along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 1 Hull portholes with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window
- 1 Opening deck hatch(es) with blind / Mosquito net

CHART TABLE TO STARBOARD

- Table with flap - Glove box - Storage - Shelf- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red

AFT WASHROOMS PORT AND STARBOARD

- Port washroom: Access through saloon
- Starboard washroom: Access through saloon and the starboard aft cabin
- 2 Each washroom containing:
 - Washroom moulded in one piece to be watertight
 - 1 Manual marine toilet
 - 1 Rigid sewage water tank 80L in starboard toilet closet
 - Worktop with washbasin - Wooden handrail(s) - Valve / hot water shower mixer tap / cold water
 - Shower curtain
 - 1 Mirror
 - Toilet accessories: Glass holder - towel rail - Rubbish bin - Paper dispenser

- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABINS PORT AND STARBOARD

- 2 Symmetrical cabins each one consisting of:
 - Height to deck beam: 1.95 m
 - Double bed (2.03 m x 1.38 m x 1.56 m) - Marine mattress
 - Cupboards / Hanging locker - Closed lockers
 - 1 Hull portholes with curtain
 - 1 Porthole(s) opening onto coaming with curtain
 - 1 Cockpit porthole(s) with curtain
 - 1 Opening deck hatch(es) with blind / Mosquito net

ENGINE

- Engine Yanmar Diesel 54 hp
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 1 service batteries (140 Ah) - 1 Battery for engine (110 Ah)
- 1 Battery charger 25 Ah - 1 Shore power 220V - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 Socket(s) 12 V - 5 Socket(s) 220 V
- Lighting: Halogen ceiling lights - Reading lights - White/red light fitting - Fluorescent lamp White
- Navigation lights: 1 navigation light(s) fore and aft - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 rotation moulded freshwater tanks (200 l Starboard aft cabin - 160 l Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion chamber - System protection filter
- Electric water heater 25 L (Operation off engine or on 220 V electrical system)
- 1 Rigid sewage water tank 80L
- Electrical shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle box(es) in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Notches colors TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Weather vane - Anmomtre)	■	■
Cockpit shower spray hot water / cold water	■	■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■
Indirect lighting in saloon	■	■
1 Additional service batteries 140 amperes	■	■
Releasable fore-stay chain-plate		■
1 Port electric rigging winch H40.2STCEH		■
Cockpit bottom decked in natural solid wood		■
Polyester/wood cockpit table - White PVC protective cover		■
Leather covering on companionway and aft toilet closet partition handrails		■
Mirror on forward partition of fore cabin		■
Sea water foot pump		■
Stainless steel 2 hob oven/grill cooker on deluxe mounting		■
40 Amp battery charger instead of 25 Amp charger		■

OPTIONS

PACKS

ELECTRONIC PACK RAYMARINE

- PC interface
- Swivel base on reverse side of table cockpit
- Multifunction screen E80 colour 8,4" (GPS - tracker - Cartography chart mapper Navionics Gold, supplied without chart)
- Pilot ST 6002 - Piston LS RV2 - Control console

PACK EASY DOCKING

- Bow thruster
- Bow roller additional
- White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor FOB 20 kg, 32 M of 10 mm chain, 48 M 18 mm rope) - 4 Mooring ropes - 6 Fenders

OTHER OPTIONS

- Remote pilot control - Repeater Smartcontroller RAYMARINE
- Radar - radome only RAYMARINE
- Gyro compass sensor RAYMARINE
- VHF RAYMARINE 49E

- Steel blue colour hull - Hull decorated in pearl grey
- Electro-polished mast furling system with sail
- Wind indicator Windex
- 2 flag halyards
- Asymmetric spinnaker rigging
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustment(s) - Winch handle Harken Speedgrip - Winch handle box additional - Emergency rope cutter)
- 3 retractable blades propeller
- Solid wood decked catwalks natural
- Pearl grey deckhouse hood
- Pearl grey cockpit Bimini top
- Pearl grey cockpit cushions

- Additional seating in saloon
- Double berth in saloon
- Swivel foldaway saloon table
- Crockery kit marked Bénéteau 10 person
- Porthole mosquito nets
- Heating
- Microwave oven
- Television LCD 20" + Player DVD CD - MP3
- TV aerial
- Additional rigid sewage tank
- Electric toilet