

Swift Trawler 42

General Equipment



SPECIFICATIONS

L.O.A*:	13.60 m
Length of hull:	12.17 m
Width of hull:	4.17 m
Light displacement EC:	10 575 kg
Air draught**:	3.10 m
Air draught***:	7.00 m
Draft:	1.15 m
Fuel tank(s):	1 500 l
Water tank:	640 l
Maximum engine power:	2x300 HP
Max engine certification:	914 HP
EC certification:	B12 / C14

* (with aft swimming platform)

** (with mast folded)

*** (with mast in position)

ARCHITECTS

BENETEAU POWER

M. JOUBERT & B. NIVELT

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition: Sandwich (Polyester resin - Glass fibre / Balsa core) - White gel-coat - Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fibre) - Profile: Semi-floating hull -

DECK

Composition: Sandwich (Polyester resin - Glass fibre / Balsa core) - Structural counter moulding in monolithic laminate (Polyester resin - Glass fibre) - White gel-coat - Diamond tip type non-slip covering - Stainless steel guard sheer rail on hull -

DECK EQUIPMENT

Plain solid wood bulwark - Gangway door to starboard -

MOORING -ANCHORING

Stainless steel bow fitting - Stainless steel anchor platform - Stainless steel bow guard - Vertical electric windlass 1000 W, upwards/downwards movement and remote control from windlass, wheelhouse and flybridge - 6 Aluminium mooring cleats (L 400mm) - Stainless steel gunwale guards - 2 Stainless steel fairleads to aft of cockpit - 2 Compartments fitted with self-bailers and hatch covers decked with plain solid wood -

PERSONNEL GUARDS

Stainless steel pulpit, open and surrounding cockpit up to steps - 2 stainless steel handrails on deck house -

COCKPIT

Self-bailing cockpit - Gunwales in plain solid wood - 3 Lockers in cockpit bottom gas piston assisted and lockable - Gas cylinder locker - Hot/cold water cockpit shower hose - Cockpit gate in transom - Plain solid wood swim platform with stainless steel sheer rail - Stainless steel swimming ladder in platform - 2 Access doors to catwalks from cockpit with grey-tinted portholes -

FLY BRIDGE

Flybridge self-bailing - Stainless steel access ladder to flybridge with plain solid wood steps and handrails stainless steel - Grey tinted windscreen in PMMA - Stainless steel pulpit surrounding aft of flybridge - White lacquered swing mast, Navigation light mounting, Radar, Aerials and deck spotlight - Central steering console - Control panel including: Electrical engine controls, Electric windlass control, Thruster* and Trim tabs - Fuel gauge indicator - Tiller angle indicator - Space for navigation electronics - Steering wheel Stainless steel - Steering compass - Hydraulic steering - Fog horn - Socket 12 V - 1 Adjustable pilot seat - 1 Copilot seat to starboard - flybridge saloon to port consisting of L-shaped bench seat with fitted storage space and removable plain solid wood table - (Cushions "Columbia") - Polyester unit with sink and handrail - Cool box - Space for life raft with stainless steel fixing bolt plates -

** according to options*

INTERIOR LAYOUT

Alpi woodworking in fruit tree colour - Laminated floorboards with black wood streaking - Cushions "Paradise sand" -

SALOON

Height to deck beam: 1.96 m.
Starboard U-shaped bench seat convertible to double berth - Removable seating fitted under bench seat - height adjustable varnished wood saloon table - Storage cupboard - Cubby hole lockers - 2-leaved aft window door with black lacquered aluminium frame - Ceiling handrail -

GALLEY

Height to deck beam: 1.96 m.
Lengthways kitchen - Includes: Work top - 2 Stainless steel sinks with cold/hot water mixer taps under pressure - 3 hob oven cooker - Electric refrigerator 80 L front opening (Supply 220 V/12 V) - Cutlery drawer - Storage - Rubbish bin - Sliding side door with direct access to catwalk -

STEERING STATION

Clear glass windscreen with aluminium frames lacquered white - 3 Electric windscreen wipers - Windscreen washer - Demister - Grey-tinted side windows with white lacquered aluminium frames and fitted with wood slat shutters - Instrument panel with wide space for fitting navigation electronics - Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators - Electric windlass control, Bow thruster*, Navigation lights, Electric windscreen wipers and foghorn, Electric dual engine controls - Steering wheel - Steering compass - Socket 12 V - CD/MP3 player with 2 speakers in wheelhouse and 2 speakers in cockpit - Two-seater pilot and copilot bench - Removable floor step - Storage under pilot bench - Sliding side door with direct access to catwalk -

** according to options*

WASHROOM (TO PORT)

Height to deck beam: 1.85 m.

Washroom completely counter moulded - Mirror - Cupboard - Storage - Electric pump for shower draining - 1 Opening deck hatch with fitted mosquito net in forward compartment - Sky-dome in aft compartment - 1 Opening porthole(s) with blackout curtain in each compartment -

VERSION OWNER'S

Forward compartment: Electric toilet Quiet flush, Basin, Mixer tap - Rigid sewage water tank 83L -
Aft compartment: Shower, Marine toilet - Basin, Mixer tap - Connecting door between the two compartments -

OTHER VERSIONS

2 Separate bathrooms -

Forward compartment: Electric toilet Quiet flush, Basin, Mixer tap, Shower hose - Rigid sewage water tank 83L -
Aft compartment: Shower, Marine toilet - Basin, Mixer tap - Connecting door between the two compartments -

OWNER CABIN (FORWARD)

Height to deck beam: 1.95 m.

Double berth (2.00 m x 1.60 m) - Marine mattress - Lathed bed base - Mirror - Hanging locker - 2 Storage drawers under berth - 1 Opening deck hatch with fitted mosquito net - 2 Opening hull portholes with blackout curtains -

GUEST CABINS (STARBOARD AFT)

Height to deck beam: 1.85 m.

Double berth (2.00 m x 1.30 m) - Marine mattress - Hanging locker - Drawers - Cupboards - Storage under berth - 1 Deck house sunroof with fitted mosquito net - 2 Opening porthole(s) with blackout curtain -

ENGINE

Shaft line propulsion - Four blade propeller - Dual engine **Volvo D4 300 HP (2 x 221 Kw)** - Fuel filter with decanter - Sea water filter - Engine room soundproofed with high density foam 40mm thick - Air intakes for engine hold cooling on hull planking - 2 Extinguishers - Fuel tank deck filler Stainless steel - 2 Aluminium fuel tank(s) (Capacity 2x750 l) -
Steering system: 2 Bronze underhung rudders - Hydraulic steering - Electric trim tabs -

ELECTRICAL SYSTEM

Electrical panel 12 V / 220 V - Shore power 220 V - 2 Batteries 12V140 Ah for engine starting - 4 Service 12V 50 Ah batteries - Battery charger 40 Ah/h - 2 Sockets 12 V - Interior lighting (Overhead lights, reading lights, fluorescent tubes) - Outside lighting (Navigation lights, Mooring light with stainless steel mountings)-

WATER SYSTEM

1 Manual bilge pump (Cockpit) - 2 Electric bilge pumps 1 of which automatic - Water pump for pressurising hot/cold water system - 42L Water heater with 220V exchanger - Water tank filler Stainless steel - 2 Rotational moulded water tank(s) (2 x 320 l) -

TRIM LEVEL

	AVANTAGE	ELEGANCE
Refrigerated icebox on Flying Bridge 42 I	■	■
Cockpit decked in natural solid wood	■	■
Deck searchlight	■	■
3 function electrical panel Domestic appliance 220 V	■	■
White lacquered aluminium loading boom	■	■
Waterproof loudspeakers on flying bridge	■	■
1x Multifunction screen GPS, Graphic sounder tracker RAYMARINE E80 on flying bridge	■	■
1x Multifunction screen GPS, Graphic sounder tracker RAYMARINE E120 in wheelhouse	■	■
Auto pilot RAYMARINE ST 6002 + RV2 with control on flying bridge and wheelhouse	■	■
Thru-hull transducer	■	■
Loch, speedo and water temperature	■	■
Catwalks decked in natural solid wood		■
Pump for deck washing		■
Shore freshwater supply		■
Sun mattress forward Cushions "Columbia"		■
Microwave oven 220 V		■
Flat screen TV LCD + DVD/MP3 player in the saloon		■

OPTIONS

PACKS

PACK ELECTRONIC

- Radar 2 Kw 24 MN
- Receiver AIS RAYMARINE

OTHER OPTIONS

- Complete mooring kit (Anchor Delta 20 kg - 4 Mooring ropes - 6 Fenders)
- Steering station on flying bridge decked in plain solid wood
- Aft part of flybridge decked in plain solid wood
- Hydraulic bridge
- Rear closure Cushions "Dune"
- flybridge Bimini top upholstery "Dune"
- White outside wheelhouse curtains
- 9,5KVA Electric generator
- Water maker
- Glass ceramic cooker hobs
- Air conditioning 28 000 BTU
- Heating
- Oven Grill Micro-wave oven
- Dishwasher 220 V
- Bunk berths in starboard cabin

- Rigid sewage water tank 50L
- Two colour hull white / Steel blue
- "Tweed" pattern carpet in wheelhouse
- Black wood streak varnish floors
- Flat screen TV + DVD player in master cabin
- Mosquito nets for all openings
- Sea water foot pump