

Riviera reserves the right to alter this price list and standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-08 to 30-Jun-09

Standard Inclusions

AUDIO / VISUAL

- Flybridge - AM/FM Stereo CD player with 4 speakers to flybridge
- Saloon - AM/FM Stereo, CD/DVD player with ipod interface, amplifier, 4 speakers plus subwoofer to saloon, 2 speakers and remote to cockpit

*Television size and brand may vary due to model availability and technology changes at time of installation

COCKPIT

- Access stairs to flybridge, moulded in, with teak treads, stainless steel handrail & lockable GRP hatch
- Cockpit floor, integral to deck (fully moulded) with alloy plate for future game chair or table fitment
- Cockpit hatches with heavy-duty stainless steel lock downs and gas struts for lazarette storage and bilge access
- Cool box portside, refrigerated, top loading with lid & gas strut
- Double action manual bilge pump for engine room
- Double action manual emergency bilge pump with manifold system to access all major compartments of the vessel
- Engine room access via lockable cockpit floor hatch (with gas strut)
- Fish bin (x1) fitted into cockpit floor (removable) with pump out facilities
- Grab rails to assist access to side decks
- GRP moulded locker doors to storage with integral toe kicks
- Hand held shower hot & cold (Fresh water)
- Lighting - flood lights, overhead and courtesy (DC)
- Self draining cockpit to the stern
- Shore water connection with pressure regulator
- Sink (moulded GRP) with mixer tap forward including lid with gas strut
- Stainless steel framed saloon door (hinged outwards) and opening up rear window with gas struts and lock
- Steps to side decks port & starboard
- Transom door GRP opening outwards with lift up bridge
- Wash down tap (fresh water)
- Wash down tap (sea water)

CONSTRUCTION

- Engine room hull liner, moulded GRP, gloss gelcoat finish for ease of maintenance
- Hand laid, moulded fibreglass hull, cored deck and flybridge
- Independent compartments throughout hull
- Isophthalic gelcoat exterior (white)
- Solid reinforced GRP keel, chines and hull bottom

- Watertight collision bulkhead forward

DECK

- Anchor 27kg (60lb), 70m (230ft) of 10mm (3/8") short link galvanised chain
 - Anchor chain chafe plate fitted to bow sprit
 - Anchor locker with rope/chain divider (offset to stbd).
- Access from hatches on deck
- Anchor safety strap
 - Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
 - Bow rail welded stainless steel (316 marine grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)
 - Bow roller stainless steel self-loading - through bowsprit, heavy duty
 - Cleats - stainless steel, 11" (x8), fairleads aft (x2), pop-up cleats for fenders (x2)
 - Deck hatches x3 (lockable)
 - Rails port & starboard of flybridge above window for safe passage to forward deck
 - Rub rail - PVC (white) with stainless steel insert strip
 - Wash down tap (sea water) at anchor locker

ELECTRICAL

- Alternators - Port alternator charges port start bank. Starboard alternator charges starboard start bank and house bank via a Voltage Sensitive Relay (VSR)
- Batteries (maintenance free) - Independent port & stbd start (total x 4), House (x2) and Genset start (x1)
- Battery banks individually isolated
- Battery charger - automatic (20 amp/12VDC) to generator battery
- Battery charger - automatic (60 amp/24VDC) to start bank
- Battery paralleling system for emergency engine starting
- Bonding system, to all metallic hull fittings under the water line with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Generator - Onan EQD 11 kw/50Hz (13.5kw/60Hz) with muffler, fresh water-cooled including sound shield, remote stop/start electronic, hour meter
- Inverter to power televisions (as fitted)
- Navigation lights (international standard)
- Wiring coded, numbered & loomed

Disclaimer:

The specifications in this document are not complete or definitive and are subject to change without notice and therefore may not be current. Riviera Marine (INT) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

Riviera reserves the right to alter this price list and standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-08 to 30-Jun-09

FLYBRIDGE

- Access via cockpit staircase with lockable GRP hatch
- Cushion for convertible daybed
- Flag Holder, 25cm stainless steel
- Flooring – moulded non-slip GRP, self draining
- Lounges upholstered in white vinyl (removable) with moulded, self draining storage lockers underneath
- Rails on rear of flybridge including midrail
- Storage lockers (GRP)
- Table (GRP) with drink holders and hi/low pedestal for conversion to day bed
- Wet bar including, cupboard, drink holders, grab rail and sink with mixer tap
- Wrap around front windshield/deflector

GALLEY

- Access to machinery room and bulk storage area under floor
- Exhaust fan
- Garbage bin
- High quality Amtico flooring
- Lighting, overhead (DC)
- Microwave convection oven
- Pantry for additional storage, located in companionway
- Recessed electric cooktop, dual element with cover and auto shutoff
- Refrigerator /freezer– (DC/AC, under bench), fridge - 2 drawers/ freezer - 1 drawer
- Solid surface benchtop including stainless steel sink with infill and quality mixer tap
- Storage cabinets & drawers below and above bench

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 marine grade
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fenders x 4, dock lines x 4 and boat hook
- Fire extinguishers, portable x 4
- Gelcoat - 2 litres, shipped on board
- Owner's manual - High quality, water resistant and comprehensive
- Safety labels fitted in the standard language of the dealer (unless otherwise specified)

HEAD - DAY

- Air conditioning with reverse cycle, heat (split from staterooms)
- Contemporary design solid surface vanity benchtop with porcelain bowl and quality mixer tap
- Entrance to starboard head from companionway
- Exhaust Fan
- High quality Amtico flooring (excluding shower)
- Mirror

- Overhead and vanity mirror lighting (DC)
- Porthole (fixed, non-opening)
- Shower stall with glass partition, frameless glass door, automatic sump pump and shower head (on slide bar)
- Storage locker with drawers under bathroom sink
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet

HEAD - MASTER

- Air conditioning, reverse cycle, heat (spilt from master stateroom)
- Contemporary design solid surface vanity benchtop with porcelain bowl and quality mixer tap
- Extraction Fan
- Hatch - white with screen and blind
- High quality Amtico flooring (excluding shower)
- Holding tank level indicator
- Mirror
- Overhead and vanity mirror lighting (DC)
- Private entrance from Master Stateroom with privacy lock
- Shower stall with frameless glass door, automatic sump pump & shower head (on slide bar)
- Storage locker with shelf under bathroom sink
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet

HELM - FLYBRIDGE

- Chain counter (anchor)
- Compass, 4.75" with light
- Dash cover (White)
- Electronic engine control unit, twin lever gear & throttle
- Ergonomically designed aft helm position, with drink holders and comprehensive electronic engine instrumentation and controls
- Helm and companion chairs, adjustable with footrests and covers (x2)
- Helm electronics area with 12/24VDC feed, main circuit breaker protected
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights and high water alarm
- Steering wheel – stainless steel (Edson)
- VHF radio (icom) including aerial

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions

Riviera reserves the right to alter this price list and standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory from 1-Jul-08 to 30-Jun-09

HELM - LOWER

- Compass, 4.75" with light
- Electronic engine control unit, twin lever gear & throttle
- Ergonomically designed lower helm console with comprehensive electronic engine instrumentation and vessel controls
- Helm chair, 2 seater, ergonomically designed with adjustable front bolster. Upholstery in leather to match dinette. Includes timber base unit with large drawers for storage.
- Helm electronics area with 24VDC feed, main circuit breaker protected
- Lounge to starboard behind helm seat with storage drawer underneath
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights and high water alarm
- Steering wheel - timber sports

MECHANICAL

- Acoustic & thermal insulation
- Air conditioning condenser units: 1x 20,000 BTU & 2x 10,000 BTU
- All through hull fittings on or below the water line fitted with ball valves (all hoses double clamped)
- Bilge pumps, auto & manual override x 4
- Emergency rudder locking pins
- Engine hatches insulated & removable
- Engine mounts - anti vibration
- Engine room access with ladder
- Engine room lighting AC (x3) and DC (x4)
- External & internal seawater strainers for main water intakes - engines, generator & air conditioning
- Fibreglass aqualift exhaust system for generator with water separator
- Fibreglass exhaust system for engines with underwater outlets and bypass
- Fire suppression system for engine room with automatic/manual controls
- Fresh water heater (AC), 50 litres (13 US gallons, approx)
- Fresh water system (pressurised) with dual water tanks, total capacity 500 Litres (132 US gallons)* (approx) with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel lines all swaged
- Fuel tank, GRP coated in fire retardant flowcoat, 2,300 litres (608 US gallons)* (approx) with gauge at helm
- Holding tank capacity 151 litres (40 US gallons)
- Hydraulic steering

- Machinery room, including - light, water heater, air conditioning handlers and compressors, bilge pump, shower box & pump, battery chargers, inverter & fresh water system manifolds
- Propellers, nibral four blade (x2), with standard engines
- Rudders – 316 stainless steel (x2)
- Shaft brackets – 316 stainless steel (x2)
- Shafts duplex stainless (x2) with dripless PSS seals
- Trim Tabs - electric interceptor type, with position indicators integrated into controls at helm
- Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out
- Venting dorade system for engine air intakes

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

REGIONAL ELECTRICAL SPECIFICATION

- AC power outlets (doubles) to all staterooms, heads, galley (x2), saloon, engine room and flybridge, with Residual Current Device (RCD) protection
- Shore power electrical inlet (AC) (x 2) 30AMP
- Voltage - Vessel built to 230v / 50Hz AC

SALOON

- Air conditioning: 2 x 10,000 BTU reverse cycle, heat
- Carpet cover (deleted if Amtico flooring option is selected)
- Carpet with underlay
- Flooring, high quality Amtico at saloon entry door
- Handrail, stainless steel, recessed into headliner
- Head lining, vinyl with padding
- Lighting, overhead (DC)
- Liquor cabinet with timber benchtop, fridge/Icemaker (AC)(with inline water purifier) and bottle/glass storage
- Lounge - L shape in premium leather with storage/pull out bed underneath
- Rod storage in headliner electric open & close
- Safety indicator panel for monitoring bilge pumps, high water alarms, sump pump, navigational lights & engine room lights

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Note: Extra costs apply for ships departing from any other port

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions

Riviera reserves the right to alter this price list and standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-08 to 30-Jun-09

STATEROOM - AFT (full beam)

- Access to machinery room
- Air conditioning: reverse cycle, heat (split from stbd stateroom)
- Berths, side by side with storage under, and infill to make double berth (foam mattresses) including bedside table with drawer
- Carpet with underlay
- Feature mirror
- Hanging locker with cedar lining and auto lighting (DC)
- Porthole (fixed, non-opening)
- Private entrance door
- Reading and overhead lighting (DC)

- Reading and overhead lighting (DC)
- Storage cabinets outboard with positive locking hardware
- Storage under berth including drawers, cupboards & gas struts for easy access

STATEROOM - STARBOARD

- Air conditioning: 10,000 BTU, reverse cycle, heat (split to port stateroom and day head)
- Berths, upper and lower (foam mattresses) with storage under
- Carpet with underlay
- Hanging locker with drawers, cedar lined with auto lighting (DC)
- Hatch - square white with screen and blind
- Private entrance door
- Reading and overhead lighting (DC)
- Storage cabinet above upper berth with positive locking hardware

THE RIVIERA GROUP - WARRANTY

- Riviera will, at its discretion and subject to the terms and conditions set out in the Riviera Warranty, replace or repair defects caused by faulty workmanship or materials during the first 12 months or 5 years for hull structure from the date of purchase

Riviera Marine (Int.) Pty. Ltd. warrants to the first retail purchaser during the periods contained herein. Please refer to your Riviera Owner's Manual and your Riviera Dealer for full details of the comprehensive warranty.

VIP STATEROOM - FORWARD

- Access to private ensuite with privacy lock
- Airconditioning: 10,000 BTU with reverse cycle, heat (split to ensuite)
- Bedside Tables
- Built in side steps for easy access to berth
- Carpet with underlay
- Cedar lined hanging locker to stbd with auto lighting (DC), and cedar lined storage locker with shelves to port
- Feature mirror panels outboard (below lockers)
- Hatch - square white with screen and blind
- Headboard - upholstered
- Private entrance door
- Queen walk around berth with innerspring mattress

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions