

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

Standard Inclusions

AIR CONDITIONING

- Air-conditioning: 16,000 BTU self contained saloon

BOW RAIL

- Bow rail welded stainless steel (highly polished) with mid-wire, flag staff and burgee

CABINS AND SALOON

- Hull and head lining, vinyl covered with padding
- Lighting, overhead (DC)
- Receptacles, AC duplex each room

COCKPIT

- Battery panel in starboard forward locker
- Boot locker cockpit transom with lift up lid
- Cockpit and floor hatches have moulded gutters that drain overboard at the stern
- Door to Saloon - tinted tempered glass, with stainless steel frame, lift up opening window portside with gas strut.
- Double action manual bilge pump for engine room in cockpit locker
- Fender holders (x2) transom port side
- Fresh water shower hot & cold hand held
- Grab rails to assist access to side decks
- GRP locker doors to storage
- Hatch for access to engine room with step ladder and gas strut, stainless steel lockdown
- Lighting-overhead & courtesy
- Refrigerator 12V, Portside
- Steps to side deck port & starboard
- Table, High/Low Folding
- Transom door stainless steel, opening inwards
- Transom lounge on hinges, gas struts with grab rail, lifts for lazarette access, storage under
- Wash down tap, sea-water

CONSTRUCTION

- Hand laid-up, moulded fibreglass hull, deck (with core), cabin top and enclosed hardtop
- Independent compartments throughout hull
- Isophthalic gelcoat exterior
- Solid keel, chines & bottom
- Vinylester resin in first layer of hull
- Watertight collision bulkhead forward

DECK

- Anchor 16kg (35lb), 50m (164ft) of 8mm (5/16") galvanised chain, 3 dock lines, 2 fenders
- Anchor locker with watertight bulkhead to cabin, access on deck.

- Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
- Bow roller stainless steel self-loading - thru bowsprit, heavy duty
- Cleats - stainless steel 11" (x4), curved (x2), pop up fender cleats (x2)
- Grab rails port & starboard of hardtop for safe passage to forward deck
- Rub rail - PVC (white) with stainless steel insert strip
- Sea water wash down tap at anchor locker

ELECTRICAL

- AM/FM Aerial
- Batteries - start, house (x 2) and genset start
- Battery banks individually isolated
- Battery charger, automatic-40 AMP/12VDC
- Battery paralleling system
- Bonding system, to all metallic hull fittings with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Inverter, powers television (AC)
- Navigation lights (international standard)
- VHF Aerial
- Wires coded, numbered & loomed

ENTERTAINMENT / AUDIO

- Audio system - AM/FM Stereo CD/DVD player Combo, 2 speakers in saloon & 2 speakers in cockpit area
- Entertainment system Saloon, Pop up LCD TV 22" (AC)

Televisions size & brand may vary due to model availability and technology changes at the time of installation

FORWARD STATEROOM

- Double berth with innerspring mattress
- Hanging locker, cedar lined with lighting
- Hatch - Square, tinted with oceanair blind
- Storage under berth

GALLEY

- Electric cooktop, single element
- Faucet to galley sink
- High quality vinyl flooring
- Lighting, overhead (DC)
- Microwave oven
- Receptacle, AC duplex
- Refrigerator DC, 1 door
- Storage cabinets & drawers
- Timber benchtop with GRP sink, drainboard and lid

Disclaimer:

The specifications in this document are not complete or definitive and are subject to change without notice and therefore may not be current. Riviera Marine (INT) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory from 1-Jul-06 to 30-Jun-07

GENERAL SPECIFICATIONS

- All pull catches to be stainless steel
- All stainless steel exterior fastenings 316 grade
- All stainless steel mirror finish with ground welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fire extinguishers, portable x 3
- Gelcoat - 2 litres, shipped on board
- Holding tank capacity 68 litres (18 US gallons)
- Owners manual

GENSET

- Generator - Onan EQD 4kw with muffler, fresh water cooled including sound shield, remote stop/start electronic, hour meter

* Generators are not intended to supply power to all standard and optional accessories simultaneously. Load must be limited to output rating. Power management may be required. If Genset selected for Mediteranean Fuel filter/water seperator added to genset

GUEST STATEROOM - PORT

- Hanging locker with lighting
- Opening porthole
- Private entrance door
- Reading Lights
- Upper & lower berths (foam mattresses) with storage under

HEAD

- Entrance door
- Extraction Fan
- Lighting, overhead (DC)
- Mirror - Full lenth
- Porthole, opening
- Receptacle, AC duplex
- Shower stall with glass partition & door, automatic sump pump, shower head
- Toilet roll holder, towel holder/s and accessories
- Vacuflush toilet (fresh water) with holding tank, Switch at helm for overboard pumpout and Deck fitting for dockside pump out.
- Vanity cabinet
- Vanity with faucet, solid surface benchtop (Pebble Gold) & GRP sink

HELM

- Chain counter
- Compass, 4.75" with light
- Engine control unit, single lever gear & throttle, twin lever unit
- Helm electronics area with 12VDC feed, main circuit breaker protected
- Helm seat double. Moulded footrest
- Horn control

- Steering wheel - timber sports
- VHF radio (icom) including aerial
- Visual & audible signal for bilge high water

MECHANICAL

- Acoustic & thermal insulation
- Ball valves with stainless steel handles and 2 hose clamps on all through hull fittings on or below the water line
- Bilge pumps, auto & manual over-ride x 3
- Emergency rudder locking pins
- Engine anti-vibration mounts
- Engine fresh water cooling system
- Engine mounted oil filters
- Engine room flowcoated white
- Engine room lighting (DC)
- External & internal seawater strainers for main engines, generator (as installed) & air conditioning (as installed) water intakes
- Fibreglass aqualift exhaust system for engines / underwater outlet and bypass
- Fibreglass aqualift for generator
- Fire suppression system for engine room, manual controls
- Fresh water heater - AC & heat exchange
- Fresh water system (pressurised) with dual water tanks, total capacity 390 Litres (103 US gallons)* (approx) with gauge in galley
- Fuel lines all swaged
- Fuel shut-off valves with emergency remote to cockpit
- Fuel tank gauge at helm
- Fuel tank, GRP coated in fire retardant flowcoat, 1,000 litres (265 US gallons)* (approx)
- Hydraulic steering
- Propellers, nibral four blade (2)
- Rudders, stainless steel stocks, aluminium bronze blades with zinc anodes
- Shafts duplex stainless (2) dripless PSS seals
- Struts aluminium bronze
- Trim tabs, Electro-hydraulic

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

MECHANICAL - FUEL FILTERS

- Fuel filters/ water separator for engines & generator

REGIONAL ELECTRICAL SPECIFICATION

- Receptacles, AC duplex each room with Residual Current Device (RCD) protection
- Shoreline electrical inlet (AC) 30Amp

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions



Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

SALOON

- Engine hatches insulated & removable
- Handrail stainless steel overhead
- Hatches, 2x sliding in ceiling
- High quality vinyl flooring
- Lounge L shape portside with storage under
- Overhead Lights

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Extra costs apply for ships departing from any other port

SUPERSTRUCTURE

- Enclosed hardtop – GRP double moulded, 4 sides toughend glass with opening side windows, 2 panograph wipers & washers off fresh water system, vinyl covered headlining

SWIM PLATFORM

- Railing S/S & electric BBQ located on teak laid standard size swim platform (includes swim ladder)

TIMBER FITOUT

- Timber - Cherrywood interior with semi-gloss varnish throughout

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions