




PURSUIT

OS 305 OFFSHORE (Y3)



3901 St. Lucie Boulevard • Ft. Pierce, Florida 34946
Phone (772) 465-6006 • FAX (772) 465-6177
Web Page: www.pursuitboats.com • E-Mail: info@pursuitboats.com

Specifications, standard, optional equipment, and prices are subject to change without notice. All measurements approximate.
Pursuit assumes no responsibility for dealer-installed equipment or options

EFFECTIVE DATE: JULY 3, 2006; CANCELS AND SUPERSEDES ALL OTHER PRICE SHEETS (updated 11/15/06).

PURSUIT®

OS 305 OFFSHORE (Y3)

STANDARD EQUIPMENT

HULL/DECK/COCKPIT

- Pursuit® Protection Plan: 5-year hull/deck structural warranty, 5-year blister-free warranty, 2-year limited warranty
- Pursuit patterned non-skid deck and cockpit
- One 17" x 17" forward hatch with adjuster and screen
- Acrylic sliding companionway door with lock (smoked and sandblasted)
- Navigation chart area
- Drink holders - port and starboard
- Helm with area to flush mount electronics
- Aft-tilting helm panel
- Self-draining cockpit with scupper drains
- One-piece welded 316L SS bow rail
- Recessed stern cleats
- Cockpit portside "L" lounge
- Deluxe ladder back helm seat
- Aft facing jump seat
- Recessed fold down aft seat
- Custom welded aluminum windshield with tempered 1/4" safety glass, ventilating side windows, and handrails
- Two opening aluminum portlights with screens
- Flush mounted integral anchor locker with overboard drain
- Molded-in fiberglass bow pulpit with stainless steel bow roller
- Transom door
- Four 316L SS 10" mooring cleats
- Two 316L SS 10" spring cleats
- One 316L SS 10" tie-down cleat
- Recessed trim tabs
- Molded fiberglass covering boards
- Cockpit coaming bolsters

HULL/DECK/COCKPIT (cont'd)

- Under deck rod storage
- Bridge deck lifts electrically to access lighted rod storage
- 15 gal. cooler with inlaid fish Corian® top
- Hardtop w/spreader light, front & side enclosure (black)
- Dockside water

GALLEY

- Galley top in Corian®
- Stainless sink with pressurized hot & cold water system
- AC/DC refrigerator
- Microwave
- Storage
- 110V outlet/GFI protected
- Single-burner electric stove

HEAD

- Fiberglass head/shower with sump pump
- Stainless sink with pressure water (hot & cold)
- Vanity storage
- Vacu Flush head with macerator and holding tank
- Vanity mirror
- Corian® counter top
- 110V outlet GFI protected
- Towel rack
- Framed head door

INTERIOR CABIN

- Vinyl headliner and hull liner
- Teak & holly flooring
- Indirect and spot 12V lighting
- Adjustable dinette - teak table
- Diagonal berth w/ filled cushion & storage beneath
- 110V outlet/GFI protected
- Single aft bunk
- TV / Phone inlet & cabin outlets
- Clarion® AM/FM/CD player w/6 speakers

FISHING GROUP:

- Four rod holders
- Raw water wash down system
- Live bait circulation system
- Bait prep center sink w/cutting board
- Tackle lockers
- Insulated live well - 30 gallons
- Integral floor fish box with macerator and drain

ELECTRICAL, EQUIPMENT, & SAFETY ITEMS

- Pursuit custom master circuit breaker switch panel for 12V and 110V
- Reverse polarity indicator
- Yamaha® fuel management system
- One 30-amp 50' dockside power cord with adapter
- Battmax® system set up for 3 Group 31 lead/acid batteries
- Electrical battery slide system
- Hydraulic steering with custom aluminum destroyer wheel
- Deluxe Ritchie® compass
- Port/Stbd windshield wipers
- CO detector
- Fresh water tank - 30 gallons
- Fuel tanks - Total 310 gallons
- Cockpit courtesy lights
- Horn forward facing
- Automatic bilge pumps as needed
- USCG & Int'l approved navigation lights
- Three fire extinguishers



SPECIFICATIONS

L.O.A. w/Pulpit	32' 8"
L.O.A. w/o Pulpit	30' 10"
Beam	10' 6"
Hull Draft (motors up)	1' 6"
Hull Draft (motors down)	2' 9"
Fuel Capacity	310 U. S. gallons
Sleeping Capacity	3
Approx. Dry Weight (w/twin 250 engines)	9,640 lbs
Holding Tank Capacity	18 U. S. gallons
Water Capacity	30 U. S. gallons
Clearance to top of hardtop	9' 5"
Deadrise	21°



OS 305 OFFSHORE (Y3)

