



Optional 2 cabin layout

RIVIERA 4700 SPORT YACHT

Mediterranean - 089

SPECIFICATIONS

Length Overall (inc. swim platform & bow roller)	16.69 metres	54'9"
Hull Length (Lh to ISO8666*)	15.46 metres	50'9"
Beam (inc gunwale)	4.76 metres	15'7"
Maximum Draft (inc. props)	1 - 4 persons	4'1"
Dry Weight** (approx. depends on engines & options)	18,500 kg	40,800 lbs
Fuel Capacity***	2,400 litres	634 US gal.
Water Capacity***	750 litres	198 US gal.
Holding Tank Capacity***	151 litres	40 US gal.
Sleeping Capacity	6 persons	
Standard Engine x 2 Caterpillar	423.0 kW	575 hp each
Generator Onan EQD	11.0 kW	



RIVIERA

WE BUILD INTEGRITY

CONSTRUCTION

- Engine room hull liner, moulded GRP, gloss gelcoat finish for ease of maintenance
- Hand laid, moulded fibreglass hull, deck (with core), cabin top & enclosed hardtop
- Independent compartments throughout hull
- Isophthalic gelcoat exterior (white)
- Solid reinforced GRP keel, chines and hull bottom
- Vinylster resin in first outer layer of hull
- Watertight collision bulkhead forward

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 marine grade
- All stainless steel mirror finish with ground and polished welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fenders x 2, dock lines x 3 and boat hook
- Fire extinguishers, portable x 3
- Gelcoat - 2 litres, shipped on board
- Owner's manual - High quality, water resistant and comprehensive
- Safety labels fitted in the standard language of the dealer (unless otherwise specified)

MECHANICAL

- Acoustic & thermal insulation
- Air conditioning condenser units: 30,000 + 10,000 + 7,000 BTU
- All through hull fittings on or below the water line fitted with ball valves (all hoses double clamped)
- Bilge pumps, auto & manual override x 4
- Bow thruster with emergency bilge pump, controls to helm/s
- Emergency rudder locking pins
- Engine mounts - anti vibration
- Engine room lighting AC and DC
- External & internal seawater strainers for main water intakes - engines, generator & air conditioning
- Fibreglass aqualift exhaust system for generator
- Fibreglass exhaust system with muffler for engines/underwater outlets and bypass.
- Fire suppression system for engine room with automatic/manual controls
- Fresh water heater (AC)
- Fresh water system (pressurised) single tank, capacity 750 litres (198 US gallons)* (approx) with gauge in galley
- Fuel lines all swaged
- Fuel shut-off valves accessed remotely
- Fuel tank, GRP coated in fire retardant flowcoat, 2,400 litres (634 US gallons)* (approx) with gauge at helm
- Holding tank capacity 151 litres (40 US gallons)
- Hydraulic steering
- Machinery room, including - water heater, air conditioning handlers and compressors, bilge pump, shower box & pump, battery chargers, inverter, fresh water system manifolds, automatic light and insulated door
- Propellers, nibral four blade (x2), with standard engines
- Rudders – 316 stainless steel (x2)
- Shafts duplex stainless (x2) with dripless PSS seals
- Struts – 316 stainless steel (x2)
- Trim Tabs - electric interceptor type, with position indicators integrated into controls at helm
- Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out
- Venting dorade system for engine air intakes

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

SUPERSTRUCTURE

- Enclosed hardtop - GRP double moulded, 4 sides toughened glass, with sliding side windows, opening rear bulkhead to connect indoor/outdoor areas
- Sunroof (GRP), Besenconi electrical opener with manual override
- Targa (GRP) on hardtop including light mast and aerials for radios and electronics (as fitted)

ELECTRICAL

- Alternators - Port alternator charges port start bank. Starboard alternator charges starboard start bank and house bank via a Voltage Sensitive Relay (VSR)
- Batteries (maintenance free) - Independent port & stbd start (total x 4), House (x2) and Genset start (x1)
- Battery banks individually isolated
- Battery charger (12v) for genset battery
- Battery charger (24v) for start bank
- Battery charger / Inverter (70amps/3kw) Charger to house bank, inverter to TV in saloon, TV lifter, Bose system and Ice maker (as fitted)
- Battery paralleling system for emergency engine starting
- Bonding system, to all metallic hull fittings under the water line with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Engine room lighting (AC) and (DC)
- Generator - Onan EQD 11 kw/50Hz (13.5 kw/60Hz) with muffler, fresh water-cooled including sound shield, remote stop/start diagnostic, hour meter
- Navigation lights (international standard)
- Wiring coded, numbered & loomed

AUDIO/VISUAL

- Saloon – Bose Lifestyle system, located on top of the liquor cabinet, including amplifier & sub woofer, 5 speakers in saloon and 2 speakers in cockpit
- Saloon - Electric lift 26" LCD TV with aerial

*Television size and brand may vary due to model availability and technology changes at time of installation

REGIONAL ELECTRICAL SPECIFICATION

- AC power outlets (doubles to all cabins, heads, galley (x2), saloon and engine room with Residual Current Device (RCD) protection
- Shore power electrical inlets (AC) (x 2) 15AMP
- Voltage - Vessel built to 230v / 50Hz AC

DECK

- Anchor 27kg (60lb), 70m (230ft) of 10mm (3/8") galvanised chain
- Anchor chain chafe plate fitted to bow sprit
- Anchor locker with access on deck via hatches (x2) with teak decking, locker rope/chain divider offset to starboard
- Anchor safety strap
- Anchor winch vertical with overload protection, suits rope & chain, up & down foot switches & remote control incorporating chain counter to helm

DECK

- Bow rail welded stainless steel (316 marine grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)
- Bow roller stainless steel self-loading - through bowsprit, heavy duty
- Cleats - stainless steel, 11" (x4), Curved (x2), pop-up fender cleats (x2)
- Grab rails on hardtop for safe passage to forward deck
- Rub rail - impact and UV resistant PVC (white) with stainless steel insert strip
- Sun pad on fwd deck - vinyl covered foam, stainless steel rails, drink holders including white cover
- Wash down tap (sea water) at anchor locker
- Windscreen cover

COCKPIT

- Access to lazarette under hatch in rear lounge
- BBQ (electric) mounted in transom with hinged cover
- Cockpit hatches with heavy-duty stainless steel lock downs to storage and bilge access
- Double action manual bilge pump for engine room
- Garbage bin
- Grab rails to assist access to side decks
- GRP locker doors to storage, with stainless steel catches
- Hand held shower hot & cold (Fresh water)
- Hatch for access to engine room with ladder and gas strut
- Lighting, overhead & courtesy
- Master battery isolator panel to stbd forward locker
- Self draining cockpit to the stern
- Stainless steel rear bulkhead incorporating hinge out saloon door and opening up rear window with gas strut and lock
- Steps to side decks port & starboard
- Table to rear lounge on twin hi/low electric pedestals, including drink holders, converts to sunlounge
- Tender garage - opens with electric actuator and includes fender storage
- Tender garage including 3.1m Zodiac® RIB (outboard not included)
- Transom gate stainless steel, opening inwards
- Wash down tap (fresh water)
- Wash down tap (sea water)
- Wetbar including solid surface benchtop and refrigerator (stainless steel) with freezer compartment (DC), single door

SWIM PLATFORM

- Swim platform hydraulic operating (up/down, 350kg max), with laid teak deck, grabrail and recessed stainless steel swim ladder with hatch

SALOON/GALLEY

- Air conditioning: reverse cycle heat 16,000 + 8,000 BTU to saloon/galley with helm outlets and windscreen outlets
- Courtesy lights in stairs to cabins
- Flooring in high quality Amtico
- Galley - built in overhead storage lockers with positive locking hardware
- Galley - Exhaust fan
- Galley - Microwave convection oven
- Galley - pull out pantry
- Galley - Refrigerator with freezer compartment (DC), single door (under bench)

SALOON/GALLEY

- Galley benchtop in solid surface with sink (stainless steel) and faucet, also incorporating recessed electric dual element cooktop, with cover and auto shutoff
- Galley storage cabinets & drawers
- Saloon cocktail cabinet with lift up lid to bottle storage and drawers for glass storage (includes holders)
- Saloon lounge, premium leather L shaped with chaise and storage under
- Saloon table in Cherrywood, folding

VIP STATEROOM - FORWARD

- Access to private ensuite with privacy lock
- Air conditioning: 7,000 BTU with reverse cycle, heat (split into ensuite head)
- Carpet with underlay
- Hanging locker stbd with cedar lining and auto lighting (DC), portside storage locker with shelves, cedar lined with auto lighting (DC)
- Hatch - square white with screen and blind
- Headboard - upholstered
- Hull and head linings, (LGCoconut) vinyl covered with padding
- Private entrance door
- Queen walk around berth with innerspring mattress and storage under berth including drawers & gas struts for easy access
- Reading and overhead lighting (DC)
- Storage cabinets outboard with positive locking hardware

STATEROOM - STARBOARD

- Air conditioning with reverse cycle heat, split from port cabin
- Berths, upper and lower (foam mattresses) with storage under
- Carpet with underlay
- Hanging locker with cedar lining and auto lighting (DC)
- Hatch - square white with screen and blind
- Hull and head linings, (LGCoconut) vinyl covered with padding
- Portlight (opening)
- Private entrance door
- Reading and overhead lighting (DC)

STATEROOM - PORT

- Access to machinery room
- Air conditioning 10,000 BTU with reverse cycle, heat, split to stbd cabin and day head
- Berths, side by side with storage under, and infill to make double berth (foam mattresses) including bedside table with drawer
- Carpet with underlay
- Hanging locker with cedar lining and auto lighting (DC)
- Headboard - upholstered
- Hull and head linings, vinyl covered with padding
- Portlight x 2 (opening)
- Private entrance door
- Reading and overhead lighting (DC)

HEAD - MASTER

- Contemporary design, solid surface benchtop with above bench glass bowl sink and high quality mixer tap
- Extraction Fan
- Hatch - white with screen and blind
- High quality Amtico flooring
- Holding tank level indicator

HEAD - MASTER

- Mirror
- Overhead and vanity mirror lighting (DC)
- Private entrance door
- Shower stall with glass partition, frameless glass door, automatic sump pump and shower head (on slide bar)
- Storage locker with shelves under bathroom sink
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet

HEAD - STARBOARD

- Contemporary design, solid surface benchtop with above bench glass bowl sink and high quality mixer tap
- Entrance to starboard head from companionway
- Exhaust Fan
- High quality Amtico flooring
- Mirror
- Overhead and vanity mirror lighting (DC)
- Porthole (opening)
- Shower stall with glass partition, frameless glass door, automatic sump pump and shower head (on slide bar)
- Storage locker with drawers under bathroom sink
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet

HELM

- Anchor chain counter
- Compass, 4.75" with light
- Directional air conditioning outlets to helm and vent outlets to windscreen
- Electronic engine control unit, twin lever gear & throttle
- Ergonomically designed console with drink holders, storage trays, comprehensive electronic instrumentation and vessel controls
- Helm & companion chair. High quality leather with helm chair, electric adjustment and footrest
- Helm electronics area with 24VDC feed, main circuit breaker protected
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights and high water alarm
- Steering wheel - timber sports
- VHF radio (icom) including aerial
- Windscreen, clear tempered glass with 2 pantograph wipers with washers plumbed off fresh water system

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Extra costs apply for ships departing from any other port

ELECTRONICS

- A comprehensive range of factory fitted electronic packages and custom fitments are available through Riviera Electronics, from fish finders, to underwater lights. Contact your dealer for details.

THE RIVIERA GROUP - WARRANTY

THE RIVIERA GROUP - WARRANTY

- Riviera will, at its discretion and subject to the terms and conditions set out in the Riviera Warranty, replace or repair defects caused by faulty workmanship or materials during the first 12 months or 5 years for hull structure from the date of purchase

Riviera Marine (Int.) Pty. Ltd. warrants to the first retail purchaser during the periods contained herein. Please refer to your Riviera Owner's Manual and your Riviera Dealer for full details of the comprehensive warranty.