



3 2 0 0 O P E N
S T A N D A R D S / O P T I O N S



EFFECTIVE JULY 31, 2005

3 2 0 0 O P E N

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
32'7" - 9.93 meters

L.O.A. with Standard Pulpit ...
35'1" - 10.69 meters

Beam ... 13'0" - 3.81 meters

Draft (with Props) ... 3'0" - .9 meters

Approximate Dry Weight ...
15,950 lbs. - 7,235 kg

Height from Waterline to Top of
Windshield ... 8'7" - 2.61 meters

Height from Waterline to Top of
Optional Hardtop ... 9'6" - 2.89 meters

Standard Fuel Capacity ...
256 U.S. gallons - 969.06 liters

Sleeping Accommodations ... 4

Water Capacity ...
38 U.S. gallons - 143.85 liters

Holding Tank Capacity ...
20 U.S. gallons - 75.71 liters


Cockpit Size ...
Upper: 49.6 sq. ft. - 4.6 sq. meters
Lower: 65.4 sq. ft. - 6.07 sq. meters

Deadrise at Transom ... 18°

STANDARD EQUIPMENT

HULL, DECK AND UPPER COCKPIT

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended, premium resin
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to hull
- Black gelcoat bootline with gold accent
- Bronze seacocks on all underwater thru-hull fittings
- Self-draining cockpit
- Transom exhaust
- Molded-in hullside ventilation
- Bennett Marine® 12V hydraulic recessed trim tabs
- Six S.S. oval custom opening port lights with screens
- Tiara custom diamond pattern non-skid deck and cockpit surfaces



- Molded-in fiberglass bow pulpit with S..S. roller system
- Flush forward anchor rope locker with overboard drain
- Foredeck cleat
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm
- Three extruded aluminum and acrylic forward deck hatches with adjusters and built-in Ocean Air® screens and privacy covers
- One-piece welded, 316L S.S. bow rail with pulpit, Tiara burgee and staff
- Four 10" 316L S.S. mooring cleats
- Two 10" 316L S.S. spring cleats
- Two corner hawse pipes
- 316L S.S. rub rail
- Tiara custom composite windshield frame with tempered safety glass, safety handrails, opening center section, and 3 washer/wipers
- Tiara hinged helm console (Fresh White), with full flush mount electronics capability
- 12V outlet at helm
- Acrylic sliding companionway door with lock, built-in screen, and privacy cover
- Fiberglass companion door shroud with molded-in navigation chart area and drink holders
- Drop-down engine room access hatch from the upper cockpit
- Upper cockpit cool helm blower
- Helm seat back to back seat locker with forward seat and aft facing seat. Forward seat has power actuator for fore and aft adjustment. *See options list for other helm seating choices available at no charge.*
- Curved companion seat locker with cooler and jump seat
- 120V GFI outlet
- Helm console and seat covers

LOWER COCKPIT

- Fiberglass covering boards
- Cockpit coaming bolsters
- Cockpit courtesy lights
- Transom fold-down lounge
- Two (2) flush floor storage boxes
- Molded-in cockpit steps, port and starboard
- Backing plate laminated in cockpit floor
- Dockside water inlet
- Fresh water washdown outlet with 25 ft. coiled blue hose
- Raw water washdown outlet with 25 ft. coiled yellow hose
- Recessed cockpit shower, hot and cold water
- Transom door

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- 12V lighting
- 120V outlets throughout
- Clarion® AM/FM/CD stereo with remote, 6 disc changer, amp, subwoofer, 2 interior speakers and 4 cockpit speakers
- Sharp® Aquos 15" LCD TV (wired AC) with 12V DVD player and game port

SALON

- Dinette/lounge with hi-lo pedestal mount table and storage compartments below. Converts to single upper berth and double lower berth. High gloss finish on dinette table. Includes berth filler cushion.
- Overhead storage cabinets above dinette, starboard side

- Fiberglass companionway steps with hardwood tread and hinged storage compartments below
- S.S. companionway handrail
- Marine Air Systems® 12,000 BTU air conditioner with reverse cycle heat

GALLEY

- Corian® countertop
- Stainless steel undermount galley sink with cover
- Recessed two-burner electric cooktop with cover
- Upper cabinets and storage below countertop
- Pantry locker
- Microwave oven
- DC refrigerator with freezer
- Exhaust fan

MASTER STATEROOM

- Double pedestal berth with inner spring mattress, quilt and pillow shams
- Storage compartment under berth
- Starboard hanging locker, cedar lined
- Upper hullside shelves
- Privacy curtain
- Two reading lights, independently switched

HEAD

- Corian® countertop w/integrated sink
- Storage compartment below sink
- Mirrored vanity above sink
- Vacuflush® toilet with holding tank
- Full fiberglass head with shower curtain and shower sump pump
- Exhaust fan

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V master distribution panel with plexiglass doors
- Two 120V 30 amp 65 ft. dockside power cords with adaptor
- Cable TV/phone inlet and cabin outlets with 65 ft. dockside power cord
- TV and AM/FM antennas
- Charles® battery charger (1), 50 amp
- Two bank 12V battery system with batteries and battery switches (2 engine batteries and 2 house batteries)
- High output 100 amp alternators
- Reverse polarity indicators
- Amp meters, AC and DC
- Electrical bonding system
- Teleflex® mechanical engine controls (Volvo® electronic engine controls included with Volvo® D6 engine options)
- Teleflex® hydraulic steering system with 16" S.S. destroyer wheel
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts
- Water cooled shaft logs
- Two Nibral® propellers
- Zincs, transom and shafts

- Dual VDO® engine instrumentation: tachometers, volt meters, fuel gauges, temperature gauges, hour meters, engine oil pressure gauges, and rudder angle indicator. Both Cummins® and Volvo® engine options include respective engine monitoring systems/ displays and fuel, voltage, & rudder angle indicator gauges only.
- Ritchie® 4 1/2" SS-2000 compass
- Fresh water cooling, main engines
- Engine room acoustical insulation
- Engine hatch actuator
- Two Racor® fuel filters/water separators (diesel only)
- Two raw-water intake strainers
- 12V engine room lights
- Twin Vernay® mufflers
- Two bilge blowers
- Three bilge pumps with monitors at helm - 1 automatic forward, 1 automatic/manual mid, and 1 automatic/manual aft
- Composite fuel tank with electric gauge
- Fresh water tank, 38 gallons
- Water heater with exchanger, 6 gallons
- Fresh water tank/holding tank monitor
- Air horn
- FE-241 fire extinguisher system in engine room and hand-held fire extinguishers
- Carbon monoxide detectors
- Smoke detector
- Six 5/8" x 30' black dock lines
- Tiara life vests (4)
- Coast Guard Safety and Medical Kit
- U.S.C.G. and International lighting
- U.S.C.G. and B.I.A. ventilation
- NMMA Yacht Certification
- CE (European) Certification for European Union countries

