




PURSUIT

OS 335 OFFSHORE (Y7)



3901 St. Lucie Boulevard • Ft. Pierce, Florida 34946
Phone (772) 465-6006 • FAX (772) 465-6177
Web Page: www.pursuitboats.com • E-Mail: info@pursuitboats.com

Specifications, standard, optional equipment, and prices are subject to change without notice. All measurements approximate.
Pursuit assumes no responsibility for dealer-installed equipment or options

EFFECTIVE DATE: JULY 1, 2007; CANCELS AND SUPERSEDES ALL OTHER PRICE SHEETS.

PURSUIT®

OS 335 OFFSHORE (Y7)

STANDARD EQUIPMENT

HULL, DECK AND COCKPIT

- Pursuit® Protection Plan: 5-year hull/deck structural warranty, 5-year blister-free warranty, 2-year limited warranty
- White hull with black and platinum boot stripe; white deck
- Custom non-skid deck, cockpit surface and gunwale boards
- Self-draining cockpit with aft scuppers
- One-piece welded, 316L stainless steel bow rail
- Flush forward anchor rode locker with overboard drain
- Molded-in fiberglass bow pulpit with bow roller
- Two standard forward deck hatches with adjuster and screens
- V-berth hatch with deluxe self retracting, combination privacy shade and screen
- Molded-in transom door
- Fold-down aft lounge seat
- Aft facing fold-down seats (2)
- Four 316L stainless steel 10" mooring cleats
- Two 316L stainless steel 10" spring cleats
- 316L stainless steel foredeck cleat & anchor keeper
- Recessed trim tabs
- Fiberglass gunwale boards
- Cockpit coaming bolsters
- Four opening port lights with screens w/ stainless steel external port light trim rings
- One-piece fiberglass bridge deck furniture
- Bridge deck storage with gasketed acrylic doors
- Port & starboard windshield wipers & fresh water washer system
- Swivelling oversized ladder-back helm seat
- Acrylic sliding companionway door with lock, sliding screen door
- Hard Top with radio boxes, spreader lights, rod holders and front & side enclosures
- Cockpit courtesy lighting
- Drink holders
- Raw water washdown systems
- All weather deck hatches gasketed and dogged
- Raw water anchor locker washdown

HULL, DECK AND COCKPIT (cont.)

- Helm seat drawer storage
- Adjustable foot rest in helm with teak treads
- Dockside water
- Cockpit shower

COMFORT AND INTERIOR

- Solid teak and holly floor
- Carbon monoxide detector
- Vinyl headliner
- 12V indirect and spot lights
- Underberth storage compartments in dinette area
- Double berth forward with storage underneath
- Hanging locker with light and cedar lining
- Reading lights
- Clarion® AM/FM /CD player with 6 speakers and iPod jack
- Sea bag on port side of berth area
- 110V outlet GFI protected
- Custom teak dining table w/brass inlay and adjustable pedestal
- Aft cabin, double berth with privacy curtain and reading light
- TV/phone inlet and cabin outlets
- Water heater 6 gallons

GALLEY

- Complete galley with four pullout teak faced drawers and one teak faced fold-down storage bin
- Sink with hot and cold pressure water system
- One-burner electric stove
- Microwave
- AC/DC refrigerator
- Corian® countertop with integral sink and Corian® stove cover
- Storage compartment under sink

HEAD

- Electric Vacu-Flush head system
- Full head/shower with sump pump
- S.S. sink with hot and cold pressure water system
- Port light for ventilation
- 110V outlet GFI protected
- Corian® vanity top with vanity mirror and storage underneath

FISHING

- Four S.S. rod holders — gunwale mounted
- Aft tackle locker storage with three drawers, top with Corian® cutting board and rigging cutouts
- Insulated in-floor removable fish box with macerator pump out
- Pursuit full flow live bait circulating system (45 gallons)
- Tackle locker, starboard, above steps of bridge deck
- 20" x 20" cockpit aluminum reinforcement plate, inbedded in fiberglass
- Tackle drawers

INSTRUMENTATION & SAFETY EQUIPMENT

- Pursuit custom master circuit breaker switch panel for 12V and 110V
- Reverse polarity indicator
- Yamaha® fuel management system
- Armstrong® boarding ladder
- Bonding system
- Galvanic isolator with remote monitor
- One 20-amp battery charger
- One 30-amp 50' dockside power cord with adapter
- Four bank battery management system using group 31 batteries
- Hydraulic steering with custom aluminum destroyer wheel
- Deluxe Ritchie® compass
- CO detector
- Fresh water tank - 30 gallons
- Fuel tanks - Total 344 gallons
- 12V receptacle in helm
- Three fire extinguishers
- Cockpit courtesy lights (2)
- Horn
- Four bilge pumps (2 manual 2 automatic)
- Certification/standard compliance: NMMA, ABYC, USCG, CE



SPECIFICATIONS

L.O.A. w/Pulpit	35' 1" / 10.69 meters
Beam	10' 6" / 3.2 meters
Hull Draft (to bottom of props)	2' 8" / 81.28 cm
Hull Draft (engines up)	1' 6" / 45.72 cm
Fuel Capacity	344 U. S. gals / 1302.2 liters
Sleeping Capacity	6
Maximum HP	600 hp / 447.4 kW
Average Dry Weight (w/twin 250 engines)	10,460 lbs / 4,744.6 kg
Holding Tank Capacity	18 U. S. gals / 68.1 liters
Water Capacity	30 U. S. gals / 113.6 liters
Clearance to top of hardtop (from waterline)	9' 0" / 2.74 meters
Deadrise	21°



OS 335 OFFSHORE (Y7)

