



RIVIERA 48 OFFSHORE EXPRESS

Mediterranean - 111c

SPECIFICATIONS

Length Overall (inc. swim platform & bow sprit)	16.40 metres	53'10"
Hull Length (Lh to ISO8666*)	15.19 metres	49'10"
Beam (inc gunwale)	4.90 metres	16'1"
Maximum Draft (inc. props)	1.41 metres	4'8"
Dry Weight** (approx. depends on engines & options)	19,500 kg	43,000 lbs
Fuel Capacity***	3,300 litres	872 US gal.
Water Capacity***	620 litres	164 US gal.
Holding Tank Capacity***	151 litres	40 US gal.
Sleeping Capacity	4 - 6 persons	
Standard Engine x 2 Cummins	493.0 kW	670 hp each
Generator Onan EQD	13.5 kW	



RIVIERA

WE BUILD INTEGRITY

CONSTRUCTION

- Engine room hull liner, moulded GRP, gloss gelcoat finish for ease of maintenance
- Hand laid, moulded fibreglass hull and deck with core in decks & hull top sides
- Independent compartments throughout hull
- Isophthalic gelcoat exterior (white)
- Solid reinforced GRP keel, chines and hull bottom
- Vinyl ester resin in first outer layer of hull
- Watertight collision bulkhead forward

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 marine grade
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fenders x 2, dock lines x 4 and boat hook
- Gelcoat - 1 litre, shipped on board
- Owner's manual - High quality, water resistant and comprehensive

MECHANICAL

- Acoustic & thermal insulation
- Air conditioning: condenser units 16,000 + 10,000 BTU
- All through hull fittings on or below the water line fitted with ball valves, all hoses double clamped
- Bilge pumps, auto & manual override x 4
- Bow thruster 8HP with controls to helm/s
- Emergency rudder locking pins
- Engine mounts - anti vibration
- Engine room lighting AC (x3) and DC (x4)
- External & internal seawater strainers for main water intakes - engines, generator & air conditioning
- Fibreglass aqualift for generator with water separator
- Fibreglass exhaust system for engines with underwater outlets and bypass
- Fire suppression system for engine room with automatic/manual controls
- Fresh water heater (AC)
- Fresh water system (pressurised) with dual water tanks, total capacity 620 Litres (164 US gallons)* (approx) with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel filters/ water separator for engines & generator (Dual filters available)
- Fuel lines all swaged
- Fuel shut-off valves accessed remotely
- Fuel tank, GRP coated in fire retardant flowcoat, 3,300 litres (872 US gallons)* (approx) with gauge at helm
- Holding tank capacity 151 litres (40 US gallons)
- Oil change system to main engines and genset
- Propellers x 2, nibrall five blade, CNC processed, dynamically balanced
- Rudders - 316 stainless steel (x2)
- Shaft brackets - 316 stainless steel (x2)
- Shafts duplex stainless (x2) with dripless PSS seals
- Steering - hydraulic power assisted
- Trim Tabs - electric interceptor type, with position indicators integrated into controls at helm
- Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out
- Venting dorade system for engine air intakes with mist eliminators and fans

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

ELECTRICAL

- Alternators - Port alternator charges port start bank. Starboard alternator charges starboard start bank and house bank via a Voltage Sensitive Relay (VSR)
- Batteries (maintenance free) - Independent port & stbd start (total x 4), House (x2) and Genset start (x1)
- Battery banks individually isolated
- Battery charger - automatic (100 amp/24VDC) to battery banks
- Battery paralleling system for emergency engine starting
- Bonding system, to all metallic hull fittings under the water line with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Generator - Onan EQD 13.5 kw/50Hz (17 kw/60Hz) with muffler, fresh water-cooled including sound shield, remote stop/start electronic, hour meter
- Inverter to power televisions (as fitted)
- Navigation lights LED (international standard)
- Wiring coded, numbered & loomed

* Generator is not intended to supply power to all standard and optional accessories simultaneously. Load must be limited to output rating. Power management may be required.

AUDIO/VISUAL

- Helm Deck - AM/FM/CD player with ipod interface, amplifier, 4 speakers plus subwoofer to helm deck area
- Saloon - 32" LCD TV integrated with an AM/FM Stereo, CD/DVD player with ipod interface, including amplifier with 4 speakers and subwoofer

Note: Television size and brand may vary due to model availability and technology changes at the time of installation

REGIONAL SPECIFICATION EUROPE/MID EAST

- AC power outlets (doubles) to all staterooms, heads, galley, saloon, helm deck and engine room
- Entire AC system with Residual Current Device (RCD) protection
- Shore power electrical inlet (AC) 2 x 32Amp
- Vessel AC system built to 230V/50Hz

DECK

- Anchor 27kg (60lb), 70m (230ft) of 10mm (3/8") galvanised chain
- Anchor chain chafe plate fitted to bow sprit
- Anchor locker with rope/chain divider (offset to stbd). Access from hatches on deck
- Anchor safety strap
- Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
- Bow rail welded stainless steel (316 marine grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)
- Bow roller stainless steel self-loading
- Cleats - stainless steel 11" (x8), hawse holes (x2) and pop up cleats (x2) for fenders
- Deck hatches x3 (lockable)
- Rub rail - impact and UV resistant PVC (white) with stainless steel insert strip
- Wash down tap (sea water) at anchor locker

HELM DECK

- Courtesy lighting - L.E.D.
- Ergonomically designed console with centrally located helm position, including comprehensive electronic instrumentation and vessel controls
- Flooring – moulded non-slip GRP, self draining
- Helm & companion chair fully adjustable (Pompanette Platinum) with footrests
- Helm floor opens on electric actuator for engine access
- Ice box (insulated) starboard side under lounge
- Lockable access door to saloon (sliding)
- Lounges with moulded storage locker underneath (self draining)
- Table teak with hi/low leg and infill cushion for conversion to day bed
- Wet bar including, solid surface top, refrigerator, cupboard with garbage bin, drink holders, and sink with mixer tap
- Windscreen, GRP framed with clear, curved tempered glass panes and 3 pantograph wipers with washers fed from fresh water system

HELM

- Anchor chain counter
- Carbon fibre style switch and dash panels.
- Compass, 4.75" with light
- Dash Cover, (white Stamoid, clip on)
- Directional air conditioning outlets to helm and vent outlets to windscreen
- Electronic engine control unit, twin lever gear & throttle
- Helm electronics area with 24VDC feed, main circuit breaker protected
- Raised helm platform
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights
- Steering wheel – Stainless steel Edson
- VHF radio with aerial

COCKPIT

- Cockpit floor hatches all with rubber seals, heavy duty lock downs and aided by stainless steel gas struts
- Cockpit floor, integral to deck (fully moulded) with alloy plate for future game chair or table fitment
- Cockpit sink forward with faucet and GRP cover
- Cool box, refrigerated, built into mezzanine lounge port side
- Courtesy lighting - L.E.D.
- Double action manual emergency bilge pump with manifold system to access all major compartments of the vessel
- GRP locker doors to storage, inc stainless steel catches
- Hand held shower hot & cold (Fresh water)
- Large fish box fitted into cockpit floor (removable), with pump out facility and 2 hatches
- Lockable hatch for access to engine room with ladder and gas strut
- Mezzanine lounge (aft facing) upholstered in white vinyl with storage under
- Moulded storage bin in transom with twin hinging lids and window
- Self draining cockpit to the stern
- Solid surface infill, as selected colour for interior, fitted to the top of helm deck wet bar
- Steps to side decks port & starboard
- Tackle locker (with drawers) fitted under cockpit sink

COCKPIT

- Transom door GRP opening outwards with lift up bridge
- Wash down outlet to cockpit (Fresh water) with quick disconnect
- Wash down outlet to cockpit (Sea water) with quick disconnect

SALOON

- Air conditioning: reverse cycle 16,000 BTU to saloon/galley (split to aft stateroom and day head)
- Cherrywood saloon table with high/low pedestal (or choice of upholstered ottoman)
- Combination storage unit with liquor cabinet drawers and a full height pantry (or rod locker)(adjustable/removable shelves)
- Courtesy lights (LED) in stairs to saloon and accommodations
- Entertainment centre featuring 32" LCD TV with built in speakers and storage
- Flooring in high quality Amtico
- Grab rails conveniently located
- Hatch overhead with flyscreen and blind
- Head lining, vinyl with padding
- Large hatch in saloon floor for additional storage
- Large high gloss cherrywood locker above lounge which converts to a berth (includes foam mattress/rod storage behind)
- Lighting, overhead (DC)
- Lounge - L shape, (port side) in premium leather with storage underneath

GALLEY

- Electric induction cooktop, dual element with removable stainless steel saucepan guard
- Garbage bin
- High quality Amtico flooring
- Lighting, overhead (DC)
- Microwave convection oven
- Rangehood
- Refrigerator - drawers x2 (AC/DC), Freezer - drawer x1 (AC/DC)
- Single lever mixer tap to galley sink
- Skylight to saloon and galley overhead
- Solid surface benchtop with stainless steel sink and cover
- Storage cabinets & drawers below and above bench

MASTER STATEROOM - FORWARD

- Access to private ensuite with privacy lock
- Airconditioning: 10,000 BTU with reverse cycle, heat (split to ensuite)
- Bedside tables
- Carpet with underlay
- Cedar lined hanging locker to port with auto lighting (DC), and cedar lined storage locker to starboard with shelves
- Feature mirrors under outboard lockers
- Hatch - square white with screen and blind
- Headboard - upholstered
- Hull and head linings, vinyl covered with padding
- Provisions for entertainment system located in stb hanging locker- includes AC power & an aerial connection.
- Queen walk around berth with innerspring mattress
- Reading and overhead lighting (DC)
- Split entrance door to cabin, main door hinged with smaller room divider sliding to open the cabin up to the saloon
- Storage cabinets outboard with positive locking hardware

RIVIERA 48 OFFSHORE EXPRESS | SPECIFICATIONS

Mediterranean - 111c

MASTER STATEROOM - FORWARD

- Storage under berth including drawers & gas struts for easy access

STATEROOM - AFT

- Air conditioning, reverse cycle (split from saloon)
- Berths, two singles, upper berth hinges down to form additional lounge when not in use. Both berths with foam mattresses (storage under lower berth)
- Blinds fitted to port holes (Sheer Brilliance)
- Carpet with underlay
- Hanging locker with auto lighting (includes access panel to sump)
- Hull and headlinings in padded vinyl
- Large private entrance door, bi-folding
- Overhead lighting (DC)
- Porthole x2 (opening)

HEAD - MASTER

- Air conditioning, reverse cycle, heat (split from master stateroom)
- Contemporary design solid surface vanity benchtop with porcelain bowl and quality mixer tap
- Exhaust Fan
- Flooring in high quality Amtico (excluding shower)
- Hatch - white with screen and blind
- Holding tank level indicator
- Large moulded GRP storage locker under bathroom sink with shelf
- Mirror
- Overhead and vanity mirror lighting (DC)
- Private entrance from Master Stateroom with privacy lock
- Shower stall with glass partition, frameless glass door, automatic sump pump and shower head (on slide bar)
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet

HEAD - DAY

- Air conditioning with reverse cycle, heat (split from saloon)
- Contemporary design solid surface vanity benchtop with porcelain bowl and quality mixer tap
- Exhaust Fan
- Flooring in Amtico (excluding shower stall)
- Large GRP lined storage locker under bathroom sink
- Moulded drop down cover over toilet
- Overhead and vanity mirror lighting (DC)
- Porthole (opening)
- Shower stall with glass partition, frameless glass door, automatic sump pump and fixed shower head
- Timber entrance door with privacy lock
- Toilet roll holder, towel holder and accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet with mirror

SHIPPING

- FOB Brisbane (Dockload)- Export cradle, shrink wrap, shipping materials, transport to Brisbane, lash survey, travel lift and wharfage.

Extra costs apply for ships departing from any other port

TIMBER FITOUT

TIMBER FITOUT

- Timber - Cherrywood interior with high gloss varnish throughout

ELECTRONICS

- A comprehensive range of factory fitted electronic packages and custom fitments and upgrades are available through Riviera Electronics. Please contact your dealer for details on the following custom options:
- Autopilot
- Camera systems
- Charting system
- Entertainment system
- Fishfinder
- Inverter
- Radar
- Satellite TV and communication systems
- Searchlight
- Spot, flood and colour change lighting
- Underwater lighting
- Watermaker

THE RIVIERA GROUP WARRANTY

- Riviera will, at its discretion and subject to the terms and conditions set out in the Riviera Warranty, replace or repair defects caused by faulty workmanship or materials during the first 12 months or 5 years for hull structure from the date of purchase

Riviera Marine (Int.) Pty. Ltd. warrants to the first retail purchaser during the periods contained herein. Please refer to your Riviera Owner's Manual and your Riviera Dealer for full details of the comprehensive Warranty.