




RIVIERA 43 FLYBRIDGE

Mediterranean - 112b

SPECIFICATIONS

Length Overall (inc. swim platform & bow sprit)	14.46 metres	47'5"
Hull Length (Lh to ISO8666*)	13.61 metres	44'8"
Beam (inc gunwale)	4.57 metres	15'0"
Maximum Draft (inc. props)	1.20 metres	3'11"
Dry Weight** (approx. depends on engines & options)	14,550 kg	32,100 lbs
Fuel Capacity***	1,800 litres	476 US gal.
Water Capacity***	460 litres	122 US gal.
Holding Tank Capacity***	151 litres	40 US gal.
Sleeping Capacity	6 - 7 persons	
Standard Engine x 2 Volvo IPS	320.0 kW	435 hp each
Generator Onan EQD	9.5 kW	
Cockpit Area (Square metre / square feet)	11.42 metres	123'0"



RIVIERA

WE BUILD INTEGRITY

CONSTRUCTION

- Hand laid, moulded fibreglass hull, cored deck and flybridge
- Independent compartments throughout hull
- Isophthalic gelcoat exterior (white)
- Solid GRP chines and hull bottom
- Vinylester resin in first outer layer of hull
- Watertight collision bulkhead forward

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 marine grade
- All stainless steel mirror finish with ground welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fenders x 2, dock lines x 4 and boat hook
- Gelcoat - 1 litre, shipped on board
- Hull colour white (gelcoat) with black antifouling
- Owner's manual - High quality, water resistant and comprehensive
- PropSpeed protective coating to propellers

MECHANICAL

- Acoustic & thermal insulation
- All through hull fittings on or below the water line fitted with ball valves, all hoses double clamped
- Bilge pumps auto & manual override x 2
- Engine access via large hatch in cockpit floor. (Opens remotely by use of an electric actuator). Day access through smaller hatch with gas struts
- Engine mounts - anti vibration
- Engine room lighting AC and DC
- External & internal seawater strainers to main raw water intakes - generator & air conditioning (engines through IPS system)
- Fibreglass aqualift exhaust system for generator
- Fire suppression system for engine room with automatic/manual controls
- Fresh water heater (AC)
- Fresh water system (pressurised) with dual water tanks, total capacity 460 litres (122 US gallons)* (approx) with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel filters/ water separator for engines & generator
- Fuel lines all swaged
- Fuel shut-off valves with access remote from engine room
- Fuel tank, GRP coated in fire retardant, 1800 litres (476 US gallons)* (approx)
- Holding tank capacity 151 litres (40 US gallons)
- Props - IPS twin nibrals 3 blade (counter rotating)
- Steering – at low speed via Volvo IPS joystick docking control
- Trim Tabs - Electric / Hydraulic
- Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out
- Volvo Penta IPS propulsion units (x2)

*Note: Tank capacities are total volume, usable capacity may vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

ELECTRICAL

- Alternators - Port alternator charges port start bank and auxiliary bank via a Voltage Sensitive Relay (VSR). Starboard alternator charges starboard start bank and house bank via VSR
- Batteries (maintenance free) - Independent port & stbd start (totalx4), house (x2) and auxiliary (x2)

ELECTRICAL

- Battery banks individually isolated
- Battery charger –automatic (40amp/24VDC) to start bank
- Battery charger –automatic (80amp/24VDC) to house bank
- Battery paralleling system for emergency engine starting
- Bonding system, to all metallic hull fittings under the water line with zinc anode including galvanic isolator
- Digital DC circuit control and protection incorporating 'intelligent' operation with user programmable usage modes, timer circuits, light dimming and circuit bypass, operational via conventional switches, signal set points as well as LCD display modules
- Digital monitoring system including AC and DC power metering, fluid tank level monitoring and DC circuit status via colour LCD touchscreen displays, mounted at helm and in saloon control panel area
- Engine monitoring including instrumentation, alarms and hour meters
- Generator - Onan EQD 9.5 kw/50Hz/230v (11.5 kw/60Hz/110v) with muffler, fresh water-cooled including sound shield remote stop/start diagnostic, hour meter
- Navigation lights LED (international standard)
- Wiring coded, numbered & loomed

AUDIO/VISUAL

- Flybridge - AM/FM stereo CD player with head unit to helm
- Saloon - AM/FM stereo CD/DVD player (12V) with iPod interface, amplifier, subwoofer and 4 speakers

*Note: Television size and brand may vary due to model availability and technology changes at the time of installation.

REGIONAL SPECIFICATION EUROPE/MID EAST

- AC power outlets (doubles) to all staterooms, heads, galley, saloon, flybridge and engine room
- Entire AC system with Residual Current Device (RCD) protection
- Shore power electrical inlet (AC) 2 x 32Amp
- Vessel AC system built to 230V/50Hz

DECK

- Anchor 20kg (45lb), 70m (230ft) of 8mm (5/16) galvanised short link chain
- Anchor chain chafe plate fitted to bow sprit
- Anchor locker with rope/chain divider (offset to stbd). Access from hatches on deck
- Anchor safety strap
- Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
- Bow rail welded stainless steel (316 marine grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)
- Bow roller stainless steel self-loading - through bowsprit, heavy duty
- Cleats - stainless steel 11" (x 8) 12" (x 2) fairleads aft corners (x 2) pop up cleats (x 2) for fenders
- Deck hatches x3 (lockable)
- Fender holders (x 2) to bow rail (not available with lower helm)
- Rails port & starboard of flybridge above window for safe passage to forward deck
- Rub rail - impact and UV resistant PVC (white) with stainless steel insert strip
- Sea water wash down tap at anchor locker

COCKPIT

- Access ladder to flybridge, with teak treads
- Aft facing lounge on mezzanine level with drawers underneath for storage
- Cockpit floor reinforced with alloy plate for future game chair or table
- Cockpit hatches with heavy-duty stainless steel lock downs with gas struts
- Double action manual emergency bilge pump for engine room
- Engine room access (lockable)
- Fish bins x 2 (non removable) in cockpit floor with pump out facilities
- Grab rails to assist access to side decks
- Hand held shower hot & cold (Fresh water)
- Lighting spotlights, overhead and courtesy (DC) LED
- Lockers (GRP) for cockpit storage
- Self draining cockpit to the stern
- Stainless steel rear bulkhead incorporating sliding saloon door and opening up rear window with gas strut and lock
- Steps to side deck port & starboard
- Top loading, refrigerated cool box to port at flybridge ladder
- Transom door GRP opening outwards with lift up bridge
- Wash down tap (fresh water)
- Wash down tap (sea water)

SALOON

- Air conditioning: 16,000 BTU reverse cycle to heat or cool
- Carpet cover (removed if high quality vinyl flooring selected)
- Carpet with underlay
- Display Interface with safety monitoring alarms and information
- Handrail, stainless steel, recessed into headliner
- Head lining, vinyl with padding
- Lighting, overhead (DC) LED
- Liquor cabinet with timber benchtop and bottle/glass storage
- Lounge seats to port side, moveable including drawers (Able to move and use as additional dinette seating)
- Lounge, U shape in premium leather with storage underneath
- Rod storage in headliner electric open & close
- Saloon table fixed with foldable leaves
- Skylight to lower cabin in dash area
- Upper pelmets

GALLEY

- Access hatch under galley floor includes removable storage bins x 2 and storage underneath (storage bins removed when washer dryer optioned)
- Electric cooktop, dual element with pot holders
- Exhaust fan
- Flooring in high quality vinyl
- Garbage bin
- Lighting, overhead (DC) LED
- Microwave oven
- Refrigerator / Freezer, 2 drawer under bench (24vDC/AC)
- Solid surface accented benchtop including stainless steel sink with faucet
- Storage cabinets & drawers with soft close runners

MASTER STATEROOM - FORWARD

- Access to private ensuite
- Carpet with underlay
- Feature bulkheads - upholstered

MASTER STATEROOM - FORWARD

- Hatch - square white with screen and blind
- Headboard - upholstered
- Hull and head linings, vinyl covered with padding
- Master berth with underbunk drawers and side tables for storage
- Private entrance door
- Queen walk around berth with innerspring mattress
- Reading and overhead lighting (DC) LED
- Robe with hanging rail to stbd, cedar lined with auto lighting (DC)
- Robe with shelves to port, cedar lined with auto lighting (DC)
- Storage cabinets outboard with mirrored doors and positive locking hardware

STATEROOM - AFT

- Berth – Queen berth athwartships on slides for convenience and access to storage underneath (Innerspring mattress)
- Berth - single along outboard hull side (innerspring mattress)
- Blinds fitted to port holes and hull windows
- Carpet with underlay
- Drawer cabinet with soft closing runners
- Feature bulkheads upholstered
- Hanging locker with cedar lining and auto lighting (DC)
- Large fixed hull windows port and starboard (tinted tempered glass)
- Large framed feature mirrors fitted to aft bulkhead
- Private entrance door
- Reading and overhead lighting (DC) LED
- Skylight with blind

HEAD - MASTER

- Contemporary design solid surface vanity benchtop porcelain bowl and quality mixer tap
- Exhaust Fan
- Flooring in high quality vinyl (excluding shower)
- Hatch - white with screen and blind
- Holding tank level indicator
- Lighting, overhead (DC) LED
- Mirror
- Private entrance door
- Shower stall with glass partition, frameless glass door, automatic sump pump and shower head (on slide bar)
- Toilet roll holder & accessories
- Towel holders
- Underbench storage
- Vacuflush toilet (fresh water)
- Vanity cabinet

HEAD - DAY

- Contemporary design solid surface vanity benchtop with porcelain bowl and quality mixer tap
- Exhaust Fan
- Flooring in high quality vinyl (excluding shower)
- Hatch - white with screen & blind
- Lighting, overhead (DC) LED
- Private entrance door
- Shower stall with frameless glass door, shower head (on slide bar) and automatic sump pump
- Toilet roll holder & accessories
- Towel holders

HEAD - DAY

- Under bench storage
- Vacuflush toilet (fresh water)
- Vanity cabinet with mirror

FLYBRIDGE

- Access via ladder from cockpit with lockable GRP hatch
- Drink holders in helm console
- Ergonomically designed helm console
- Hardtop – GRP, on stainless steel supports, inc. spotlight with remote, opening hatch, grab rail and overhead lighting
- Lounge seating forward (white vinyl) with storage underneath
- Overhead and courtesy lights (DC) LED
- Rails on rear of flybridge including midrail
- Storage lockers (GRP)
- Table (GRP) with stainless steel leg
- Wet bar including, locker, grab rail, garbage bin, solid surface bench top, sink and mixer tap
- Wrap around front windshield/deflector

HELM - FLYBRIDGE

- Chain counter (anchor)
- Compass, 4.75" with light
- Dash cover (white)
- Electronic engine control unit
- Ergonomically designed aft helm position, with drink holders and comprehensive electronic engine instrumentation
- Helm chair covers (x2) (white)
- Helm electronics area with 24VDC feed, main circuit breaker protected
- Pompanette TRY 2005 helm & companion chairs to flybridge
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights and high water alarm
- Steering wheel – stainless steel (Edson)
- VHF radio (Raymarine) including aerial

SHIPPING

- FOB Brisbane (Dockload)- Export cradle, shrink wrap, shipping materials, transport to Brisbane, lash survey, travel lift and wharfage.

*Note: Extra costs apply for ships departing from any other port.

TIMBER FITOUT

- Timber - Cherrywood interior with high gloss varnish throughout

THE RIVIERA GROUP WARRANTY

- Riviera will, at its discretion and subject to the terms and conditions set out in the Riviera Warranty, replace or repair defects caused by faulty workmanship or materials during the first 12 months or 5 years for hull structure from the date of purchase

Riviera Marine (Int.) Pty. Ltd. warrants to the first retail purchaser during the periods contained herein. Please refer to your Riviera Owner's Manual and your Riviera Dealer for full details of the comprehensive warranty.