




RIVIERA 58 OPEN FLYBRIDGE

Mediterranean - 091M

SPECIFICATIONS

Length Overall (inc. swim platform & bow roller)	19.30 metres	63'4"
Hull Length (Lh to ISO8666*)	18.18 metres	59'8"
Beam (inc gunwale)	5.29 metres	17'4"
Maximum Draft (inc. props)	1.53 metres	5'0"
Dry Weight** (approx. depends on engines & options)	30,000 kg	66,100 lbs
Fuel Capacity***	5,700 litres	1,506 US gal.
Water Capacity***	1,000 litres	264 US gal.
Holding Tank Capacity***	273 litres	72 US gal.
Sleeping Capacity	6 persons	
Standard Engine x 2 Caterpillar	747.0 kW	1,015 hp each
Generator Onan EQD	22.5 kW	



RIVIERA

WE BUILD INTEGRITY

ELECTRICAL

- Alternators - Port alternator charges port start bank. Starboard alternator charges starboard start bank and house bank via a Voltage Sensitive Relay (VSR)
- Batteries (Maintenance free)- Independent port & starboard start (Total x 4), House (x4) and genset start (x1)
- Battery banks individually isolated
- Battery charger (12v) for genset battery
- Battery charger (24v) for start bank
- Battery charger / Inverter (70amps/3kw) for TVs, Bose system, fridge/icemaker and engine room lights (AC)
- Battery paralleling system for emergency engine starting
- Bonding system, to all metallic hull fittings under the water line with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Engine room lighting (AC) and (DC)
- Generator - Onan EQD 22.5 kw/50Hz (27.5 kw/60Hz) with muffler, water separation system, fresh water-cooled including sound shield, remote stop/start electronic, hour meter
- Navigation lights (international standard)
- Wiring coded, numbered & loomed

CONSTRUCTION

- Engine room hull liner, moulded GRP, gloss gelcoat finish for ease of maintenance
- Hand laid, moulded fibreglass hull, cored deck, hull topsides and flybridge
- Independent compartments throughout hull
- Isophthalic gelcoat exterior (white)
- Solid reinforced GRP keel, chines and hull bottom
- Vinyl ester resin in first outer layer of hull
- Watertight collision bulkhead forward

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 marine grade
- All stainless steel mirror finish with ground and polished welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fenders x 4, dock lines x 2 and boat hook
- Gelcoat - 2 litres, shipped on board
- Moulded non-skid gelcoat deck surfaces
- Owner's manual - High quality, water resistant and comprehensive
- Safety labels fitted in the standard language of the dealer (unless otherwise specified)

MECHANICAL

- Acoustic & thermal insulation
- Air Conditioning condenser units 24,000 + 12,000 + 10,000 & 7,000 BTU
- All through hull fittings on or below the water line fitted with ball valves (all hoses double clamped)
- Bilge pumps, auto & manual override x 4
- Bow thruster 10.7HP with emergency bilge pump, controls to helm/s
- Emergency rudder locking pins
- Engine hatches insulated & removable, polished stainless steel undersides
- Engine mounts - anti vibration
- Engine room access with ladder

MECHANICAL

- Engine room lighting AC (x4) and DC (x5)
- External & internal seawater strainers for main water intakes - engines, generator & air conditioning
- Fibreglass aqualift for generator with water separator
- Fibreglass exhaust system for engines with underwater outlet and bypass
- Fire suppression system for engine room with automatic/manual controls
- Fresh water heater (AC)
- Fresh water system (pressurised) dual tanks total capacity 1000 litres (264 US gallons)* approx with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel filters/ water separator for engines & generator, dual to main engines (Racor)
- Fuel lines all swaged
- Fuel shut-off valves accessed remotely
- Fuel tank, GRP coated in fire retardant, (white), 5700 litres (1506 US gallons) * approx
- Holding Tank, 73 US gallons (276 litres)
- Non slip rubber matting fitted between engines
- Oil change system main engines, gearboxes & generator
- Propellers, nibrals five blade (x2)
- Rudders - 316 stainless steel (x2)
- Shafts duplex stainless (x2) with dripless PSS seals
- Steering - hydraulic power assisted
- Struts - 316 stainless steel (x2)
- Trim Tabs - electric interceptor type, with position indicators integrated into controls at helm
- Vacuflush sanitation system with switch at helm for overboard pump out and deck fitting for dockside pump out
- Venting dorade system for engine air intakes with mist eliminators and fans

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

AUDIO / VISUAL

- Flybridge - AM/FM Stereo CD player with 4 speakers to flybridge
- Forward stateroom - 15" LCD TV and 12v AM/FM stereo CD/DVD player combo (TV powered off inverter)
- Master stateroom - (Stbd) - 15" LCD TV and 12V AM/FM stereo CD/DVD player combo (TV powered off inverter)
- Saloon - Electric lift LCD TV 40" with Bose Lifestyle system, including amp & sub woofer, 5 speakers in saloon and 2 speakers to cockpit (powered off inverter)

Televisions size & brand may vary due to model availability and technology changes at the time of installation

REGIONAL ELECTRICAL SPECIFICATION

- AC power outlets (doubles) to all staterooms, heads, galley (x2), saloon, engine room and flybridge, with Residual Current Device (RCD) protection
- Shore power electrical inlet (AC) (x 2) 32AMP
- Voltage - Vessel built to 230v / 50Hz AC

DECK

- Anchor 45kg (100lbs), 70m (230ft) of 13mm (1/2") short link galvanized chain
- Anchor chain chafe plate fitted to bow sprit
- Anchor locker with rope/chain divider. Access from hatch on deck
- Anchor safety strap

DECK

- Anchor winch vertical with overload protection, suits rope & chain, up & down foot switches & remote control incorporating chain counter to helm
- Bow rail welded stainless steel (316 marine grade, highly polished) with mid safety wire including flag staff and burgee (bow flag)
- Bow roller stainless steel self-loading - through bowsprit, heavy duty
- Cleats - stainless steel, 11" (x 6), Bollards 12" (x 2), pop-up (x 2) for fenders & fairleads forward (x2)
- Fender holders (x 4) to bow rail
- Rails port & starboard of flybridge above window for safe passage to forward deck
- Rub rail - impact and UV resistant PVC (white) with stainless steel insert strip
- Wash down tap (sea water) at anchor locker

COCKPIT

- Access ladder to flybridge
- Cockpit floor reinforced with alloy plate for future game chair or table
- Cockpit hatches with heavy-duty stainless steel lock downs and gas struts for lazarette storage and bilge access
- Cool box portside, refrigerated, top loading with lid & gas strut
- Double action manual bilge pump for engine room
- Engine room access (lockable)
- Grab rails to assist access to side decks
- GRP locker doors to storage, inc stainless steel catches
- Hand held shower hot & cold (Fresh water)
- Hawse holes (x2) rear corners
- Hot & cold tap with sink, moulded GRP including lid & gas strut
- Icebox under saloon entry step
- Large separate storage area under cockpit floor with dedicated hatch
- Lighting - flood lights, overhead and courtesy (DC)
- Lockers (GRP) for cockpit storage x 2 (under coamings)
- Rear saloon door and window frames in powder coated aluminium (white), including sliding rear door and fixed rear window (tinted, tempered glass)
- Self draining cockpit to the stern
- Sink, (moulded GRP) with faucet including lid with gas strut
- Steps to side decks port & starboard
- Storage bins removable (x2) in cockpit floor with pump-out
- Transom door GRP opening outwards with lift up bridge
- Wash down tap (fresh water)
- Wash down tap (sea water)

SALOON

- Air conditioning: 2 x 12,000 BTU reverse cycle, to heat
- Carpet Cover
- Carpet with underlay
- Coffee table with storage underneath
- Entertainment centre including: liquor cabinet for bottle/glass storage, fridge/icemaker, Bose system and electric lift TV
- Flooring to dinette and saloon entry in high quality Amtico
- Handrail, stainless steel, recessed into headliner
- Head lining, vinyl with padding
- Lighting, overhead (DC)
- Lounge - L shape in premium leather with storage underneath
- Raised dinette, U shape with extension table

SALOON

- Rod storage in headliner electric open & close
- Safety indicator panel for monitoring bilge pumps, high water alarms, sump pump, navigational lights & engine room lights

GALLEY

- Drinking water purifier with outlet in galley
- Electric induction cooktop, 3 element with removable surround
- Flooring - high quality Amtico
- Freezer – Top loading
- Lighting, overhead (DC)
- Microwave convection oven
- Rangehood
- Refrigerator - drawers x 3 (AC/DC), Freezer - drawer x 1 (AC/DC)
- Solid surface accented benchtop including stainless steel sink with faucet
- Storage cabinets & drawers below and above bench

MASTER STATEROOM - STARBOARD

- Access to private ensuite
- Air conditioning: 12,000 BTU with reverse cycle, (split into ensuite)
- Bedside drawer units (x2)
- Carpet with underlay
- Hatch - white with screen & blind
- Headboard upholstered, full width including accent mirrors
- Porthole (large, non opening)
- Private entrance door with full length mirror behind
- Queen walk around berth with innerspring mattress
- Reading and overhead lighting (DC)
- Robe with hanging rail and drawers, cedar lined with auto lighting (DC)
- Storage lockers outboard, cedar lined with positive locking hardware
- Storage under berth including gas struts for easy access
- Vacuum system with hose and accessory kit

STATEROOM - FORWARD

- Accent mirrors
- Access to private ensuite
- Air conditioning: 10,000 BTU with reverse cycle heat split to ensuite
- Bed side tables with timber tops x2
- Carpet with underlay
- Drawer unit aft
- Hanging locker starboard, cedar lined with auto lighting (DC)
- Hatch - square white with screen and blind
- Headboard upholstered
- Private entrance door with full length mirror behind
- Queen walk around berth with innerspring mattress, lifts up with gas struts for storage underneath
- Reading and overhead lighting (DC)
- Storage cabinet port with shelves
- Storage cabinets outboard with positive locking hardware
- Storage drawers (large) under berth

STATEROOM - PORT

- Air conditioning 7,000 BTU with reverse cycle heat, split to day head
- Bedside cabinet with drawer
- Carpet with underlay

STATEROOM - PORT

- Hanging locker, cedar lined with auto lighting (DC)
- Linen cupboard
- Porthole (large non opening)
- Private entrance door
- Reading and overhead lighting (DC)
- Single berth (large fixed x1) and second single folding bunk (x1)

HEAD - MASTER & GUEST

- 1 x Double length towel rail
- Air conditioning split from staterooms
- Benchtop: Solid surface vanity benchtop with semi recessed porcelain sink and mixer tap
- Extraction Fan
- Flooring in high quality Amtico (excluding shower)
- Hatch - white with screen & blind
- Holding tank level indicator
- Overhead and vanity lighting (DC)
- Private entrance door
- Shower stall with glass door, frameless, automatic sump pump & shower head (on slide bar)
- Toilet roll holder & accessories
- Underbench storage
- Vacuflush toilet (fresh water)
- Vanity cabinet with mirror

HEAD - DAY

- Air conditioning split from port stateroom
- Benchtop: Solid surface vanity benchtop with semi recessed porcelain sink with faucet
- Entrance door from companionway
- Extraction Fan
- GRP Floor
- Hatch - white with screen & blind
- Laundry centre including washer/dryer combination machine with linen storage above
- Overhead and vanity mirror lighting (DC)
- Storage under & above bench
- Toilet roll holder & accessories
- Vacuflush toilet (fresh water)
- Vanity cabinet with mirror

FLYBRIDGE

- Aerials including AM/FM and VHF mounted on hard top (as fitted)
- Courtesy lighting
- Helm & companion chair, Pompanette (Platinum) (upholstery white) with stainless steel pedestals and footrests
- Helm chair covers (x2)
- Ice box (large) under lounge (moulded GRP for ease of maintenance), insulated and self draining
- Lounges and seating in premium vinyl (white) with storage under
- Rails on rear of flybridge including midrail
- Storage lockers and drawers forward and at wet bar
- Table (GRP) with stainless steel drink holders, with high/low leg to convert to daybed
- Wet bar including refrigerator, drink holders, glass storage drawers, grab rails, garbage bin, sink and faucet
- Wrap around front windshield/deflector

HELM - FLYBRIDGE

- Autopilot with gyrocompass (Raymarine)
- Chain counter (anchor)
- Compass, 4.75" with light
- Depth sounder system, digital (Raymarine)
- Electronic engine control unit, twin lever gear & throttle
- Ergonomically designed aft helm position with drink holders, comprehensive electronic engine instrumentation control centre in electric fold away console for security
- Helm electronics area with 12/24VDC feed, main circuit breaker protected
- Intercom to galley and engine room
- Safety monitoring panel for bilge pumps, sump pump, navigation lights, engine room lights and high water alarm
- Steering wheel – stainless steel (Edson)
- VHF radio (Icom) including aerial

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Extra costs apply for ships departing from any other port

ELECTRONICS

- A comprehensive range of factory fitted electronic packages and custom fitments are available through Riviera Electronics, from fish finders, to underwater lights. Contact your dealer for details.