

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

Standard Inclusions

BOW RAIL

- Bow rail welded stainless steel (highly polished) with safety wire & stainless steel rail first 2 legs including flag staff and burgee (bow flag)

CABINS AND SALOON

- Carpet (Interior), with underlay, all cabins and saloon
- Hull and head lining, vinyl covered with padding
- Lighting, overhead (DC)
- Receptacles, AC duplex each room

COCKPIT

- Access ladder to flybridge
- Cockpit and floor hatches have moulded gutters that drain overboard at the stern
- Cockpit floor reinforced with alloy plate for future game chair or table
- Cockpit hatches with heavy-duty stainless steel lock downs with gas struts for lazarette storage and bilge access
- Door to Saloon - tinted tempered glass
- Double action manual bilge pump for engine room in cockpit locker
- Dual purpose box locker located starboard forward corner. Includes 8lt rubbish bin and 4 x PVC containers (bin and containers can not be used simultaneously)
- Engine room access (lockable) with grab rail to assist entry
- Fair leads (x 2) rear corners
- Fresh water shower hot & cold hand held
- Garbage bin
- Grab rails to assist access to side decks
- GRP locker doors to storage, inc stainless steel catches
- Hot & cold tap with sink, moulded GRP including lid
- Large removable fish box inc 2 hatches & pumpout facility, gas struts on hatches
- Lighting spotlights, overhead and courtesy
- Refrigerated cabinet portside, top loading with lid and gas strut
- Shore water connection with pressure regulator
- Steps to side deck port & starboard
- Storage bin in cockpit floor with pump-out
- Transom door GRP opening outwards with lift up bridge
- Wash down tap, sea-water
- Wash-down tap, freshwater

CONSTRUCTION

- Hand laid-up, moulded fibreglass hull, deck, flybridge, with core in decks, cabin top & hull sides
- Independent compartments throughout hull
- Isophthalic gelcoat exterior
- Solid keel, chines & bottom

- Vinylester resin in first layer of hull
- Watertight collision bulkhead forward

DECK

- Anchor 36kg (80lb) plough, 70m (230ft) of 10mm (3/8") galvanised chain, dock lines x 4, fenders x 4, boat hook
- Anchor locker with watertight bulkhead to cabin, access on deck.
- Anchor winch vertical with overload protection circuit breaker, suit rope & chain, up & down foot switches & remote to helm
- Bow roller stainless steel self-loading - thru bowsprit, heavy duty
- Cleats - stainless steel, 11" (x 6), Bollards 12" (x 2), pop-up (x 2)
- Rails port & starboard of flybridge above window for safe passage to forward deck
- Rub rail - PVC (white) with stainless steel insert strip
- Sea water wash down tap at anchor locker

ELECTRICAL

- Alternators - independent start bank and independent house bank
- AM/FM Aerial
- Batteries - Independent start (x 4), house (x 2) and genset start
- Battery banks individually isolated
- Battery chargers, automatic-70 AMP/12VDC and 20 AMP/24VDC
- Battery paralleling system
- Bonding system, to all metallic hull fittings with zinc anode including galvanic isolator
- Electrical control centre with back lighting AC/DC thermal/magnetic circuit breakers, voltmeters, amp meter
- Engine monitoring including instrumentation, alarms and hour meters
- Navigation lights (international standard)
- System monitoring panel to helm for bilge pumps and navigation lights
- Wires coded, numbered & loomed

Disclaimer:

The specifications in this document are not complete or definitive and are subject to change without notice and therefore may not be current. Riviera Marine (INT) Pty Ltd will not be liable (in contract, tort or otherwise) for any loss resulting from the inaccuracy of any information contained in this document.

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

ENTERTAINMENT / AUDIO

- Audio system - AM/FM stereo, CD player, 4 speakers, to flybridge
- Bose lifestyle system with speakers to saloon & cockpit (If full EC selected the head unit is located in EC Port side, all other layouts the head unit is located on grog locker stb side)
- Entertainment package (Guest Stateroom - Forward), LCD TV 19" and DVD player
- Entertainment package (Master Stateroom - Forward), LCD TV 19" and 12V DVD player

Televisions size & brand may vary due to model availability and technology changes at the time of installation

FISHING UPGRADES

- Tackle locker cockpit forward bulkhead, hinge down door

FLYBRIDGE ENCLOSED / SALOON (Optional)

- 2 hatches in hardtop, one forward, one aft
- 3 Sided Enclosed hardtop, GRP with Vinyl headliner
- Access via internal spiral staircase with teak treads. Secured by sliding door, locking
- Air-conditioning 24,000 BTU with Reverse cycle. Outlets at helm, window demister
- Docking station aft with steering wheel (Destroyer), Engine control unit (single lever & gear and throttle twin lever), start/stop and engine alarms and thruster control
- Forward windows x 3, clear tempered windscreen
- Helm & companion chair, slimline adjustable
- Helm station forward with timber sports steering wheel
- Overhead grab rail
- Rear enclosed by clear strata glass from hardtop to floor with 3 sided zipper openings
- Rear railing including midrail in stainless steel highly polished
- Saloon stb grog locker area includes: fridge/icemaker combo (in lieu of icemaker) & a grog locker drawer unit
- side windows tinted, opening
- Spotlight with remote to console
- Teak laid floor
- Wipers x 3 pantograph with fresh water washers

FLYBRIDGE HELM (Open & Enclosed Bridge)

- 12VDC feed for electronics, main circuit breaker protected to 8-way circuit breaker panel
- AC receptacle weather proof under console
- Autopilot with gyrocompass
- Chain counter
- Compass, 4.75" with light
- Dash cover (Brella White)
- Engine control unit, single lever gear & throttle, twin lever unit

- Horn control
- Intercom to galley and engine room
- Lighting: Overhead, courtesy and red night light
- Rails on rear of flybridge including midrail
- Sounder depth system
- Storage tray to suit 10 Glasses, rubbish bin under
- VHF radio (icom) including aerial
- Visual & audible signal for bilge high water

FLYBRIDGE OPEN (Standard)

- Aft helm station with steering wheel, destroyer
- Flybridge access via cockpit ladder
- Forward windshield
- GRP storage locker with shelf at helm
- GRP storage lockers
- Hatch - square white with screen
- Helm & companion chair (Navigator, Upholstery white)
- Helm chair covers (x2) (Brella White)
- Hot & cold tap at sink
- Lockable hatch to flybridge
- Lounge seating forward - Port and starboard side
- Rail port side on wet bar
- Table (solid surface accented, Bright White) adjustable converts to bed

*Note. Flybridge open Items are deleted if Enclosed Bridge Option Selected.

GALLEY

- Access hatch to storage under galley floor
- Drinking water purifier with outlet in galley
- Electric cooktop, dual element
- Exhaust fan
- Faucet to galley sink
- Garbage bin
- Grab handle at the end of the galley divide
- Grab rail down steps to cabins
- High quality vinyl flooring
- Light (DC) under galley floor on micro switch
- Light under galley service top
- Lighting, overhead (DC)
- Microwave convection oven
- Pantry, Full height
- Pot holder over cooktop stainless steel removable
- Receptacle, AC duplex
- Refrigerator/ freezer 12VDC/AC - 2 door
- Solid surface accented benchtop & sink
- Storage cabinets & drawers

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

GENERAL SPECIFICATIONS

- All stainless steel exterior fastenings 316 grade
- All stainless steel mirror finish with ground welds
- Antifouling: 2 coats epoxy undercoat, 2 coats antifoul
- Fire extinguishers, portable x 4
- Gelcoat - 2 litres, shipped on board
- Holding tank capacity 151 litres (40 US gallons)
- Owners manual
- Washer / dryer combo with linen cupboard above

GENERAL SPECIFICATIONS TWO

- Refrigerator (12V) fridge to flybridge port aft

GENSET

- Generator - Onan EQD 17 kw with water separating muffler, fresh water-cooled, including sound shield, remote stop/start diagnostic, hour meter

* Generators are not intended to supply power to all standard and optional accessories simultaneously. Load must be limited to output rating. Power management may be required.

GUEST STATEROOM - FORWARD

- Air conditioning: 10,000 BTU with reverse cycle heat split to head portside
- Hanging locker (x 2) with lighting
- Hatch - Tinted with oceanair blind
- Headboard - upholstered
- Headboard upholstered (premium fabric)
- Mirror over berth
- Private entrance door
- Queen walk around berth with innerspring mattress
- Storage cabinets overhead with positive locking hardware
- Storage under berth including drawers & gas struts for easy access

GUEST STATEROOM - PORT

- Air conditioning: 4,000 BTU with reverse cycle
- Hanging locker with lighting
- Hatch - Tinted with oceanair blind
- Private entrance door
- Storage cabinets overhead with positive locking hardware
- Storage cupboard with shelf
- Upper & lower berths (foam mattresses) with storage under

HEADS - MASTER AND STARBOARD

- Air conditioning with reverse cycle heat. Split from cabins
- Exhaust Fan
- Hatch - Tinted with oceanair blind
- Mirror
- Private entrance doors
- Receptacle, AC Duplex
- Shelf at half height under bathroom sinks

- Shower stall with glass partition, light (DC), automatic sump pump, shower head
- Toilet roll holder & accessories
- Towel holder (x 4)
- Vacuflush toilet (fresh water) with holding tank with Y valve & deck fitting for dockside & overboard pump out with lockable ball valve. (all in engine room)
- Vanity cabinet
- Vanity with faucet one piece moulded solid surface and granicoat floor

MASTER STATEROOM - STB

- Air conditioning with reverse cycle heat. 1 x 12,000 BTU split into head
- Hanging locker with lighting
- Hatch - Tinted with oceanair blind
- Headboard- upholstered mirror above
- Nightstand (x 2) with drawers (x 2)
- Private entrance door
- Queen walk around berth with innerspring mattress
- Reading Lights
- Storage under berth including drawers & gas struts for easy access

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions

Riviera reserves the right to alter this price list ad standards subject to currency exchange rates. Please check with Riviera to confirm current validity

Pricing effective for boats Ex-Factory
from 1-Jul-06 to 30-Jun-07

MECHANICAL

- Acoustic & thermal insulation
- Airconditioning: 24,000 BTU, 16,000 BTU and 10,000 BTU condenser unit
- Ball valves with stainless steel handles and 2 hose clamps on all through hull fittings on or below the water line
- Bilge pumps, auto & manual override x 4
- Emergency rudder locking pins
- Engine anti-vibration mounts
- Engine fresh water cooling system
- Engine mounted oil filters
- Engine room flowcoated white
- Engine room lighting AC and DC
- Exhaust system - with water separator system for generators
- External & internal seawater strainers for main engines, generator (as installed) & air conditioning (as installed) water intakes
- Fibreglass aqualift exhaust system for engines / underwater outlet and bypass
- Fibreglass aqualift for generator
- Fire suppression system for engine room, manual controls
- Fresh water heater - AC & heat exchange
- Fresh water system (pressurised) with dual water tanks, total capacity 860 Litres (227 US gallons)* (approx) with gauge in galley
- Fresh water tap & hose set in engine room
- Fuel lines all swaged
- Fuel shut-off valves with emergency remote to cockpit
- Fuel tank gauge at helm
- Fuel tank, GRP coated in fire retardant white, 2700 litres (712 US gallons)* (approx)
- Hydraulic steering
- Inline water filter to galley located in Engine room
- Oil change system main engines, gearboxes & generator
- Propellers, nibral five blade (2)
- Receptacle, AC duplex, engine room
- Rudders, stainless steel stocks, aluminium bronze blades with zinc anodes
- Shafts duplex stainless (2) dripless PSS seals
- Struts aluminium bronze
- Trim tabs, Electro-hydraulic dual ram
- Walk-in engine room with ladder
- Water separating venting system for engine air intakes

* Tank capacities are total volume, usable capacity will vary due to boat trim and sea state. Do not rely on more than 90% of tank volume being usable

MECHANICAL - FUEL FILTERS

- Fuel filters/ water separator for engines & generator, dual to main engines

MECHANICAL - SIDE THRUSTER

- Bow Thruster with bilge pump, controls to helm

REGIONAL ELECTRICAL SPECIFICATION

- Receptacles, AC duplex each room with Residual Current Device (RCD) protection
- Shoreline electrical inlet (AC) (x 2) 30AMP

SALOON

- *Note. If enclosed flybridge selected please find saloon layout change description under "FLYBRIDGE ENCLOSED / SALOON (optional)"
- Barometer and clock mounted on aft port corner
- Engine hatches insulated & removable
- Icemaker in Saloon with inline water filter
- Lounge with storage under (port side)
- Pull out bed in saloon
- Wine cooler

SALOON/GALLEY

- Air conditioning with reverse cycle heat, 24,000 BTU split to galley (8000) saloon (16,000)
- Built in storage lockers to starboard
- Central Vacuum system - one outlet
- Rod storage in Headliner electric open & close
- Safety Monitoring panel, bilge pumps, sump pump, navigational lights, engine room lights.
- Storage cabinets & drawers
- Tinted tempered glass, fixed sides, opening rear window

SHIPPING

- Export cradle & shipping materials FOB Brisbane

Extra costs apply for ships departing from any other port

Jurisdiction Warning:

This boat will be built for use in the Country in which it is sold and may not comply with regulatory requirements or be suitable for use in other jurisdictions