




PURSUIT

OS 375 OFFSHORE (Y6)

Preliminary



3901 St. Lucie Boulevard • Ft. Pierce, Florida 34946
Phone (772) 465-6006 • FAX (772) 465-6177
Web Page: www.pursuitboats.com • E-Mail: info@pursuitboats.com

Specifications, standard, optional equipment, and prices are subject to change without notice. All measurements approximate.
Pursuit assumes no responsibility for dealer-installed equipment or options

EFFECTIVE DATE: WINTER 2008; CANCELS AND SUPERSEDES ALL OTHER PRICE SHEETS.

PURSUIT®

OS 375 OFFSHORE (Y6)

PRELIMINARY STANDARD EQUIPMENT

HULL, DECK AND COCKPIT

- Pursuit® Protection Plan:
 - 5-year hull/deck structural warranty
 - 5-year blister-free warranty
 - 2-year limited warranty
- Infused fiberglass windshield with tempered safety glass and forward electrically actuated ventilating center window
- Custom non-skid deck, cockpit surface and gunwale boards
- Self-draining cockpit with scupper drains
- One-piece welded, 316L stainless steel bow rail
- High density PVC rubrail w/S.S. insert
- Reinforced infused FRP one-piece stringer grid w/bilge water mgmt
- Molded-in fiberglass bow pulpit with 316L S.S. bow roller and 10" mooring cleat, skid plate & chain binder
- Anchor windlass w/switch at helm and remote switch at anchor locker w/overboard drain and fresh water washdown
- Two (2) 17" x 17" fwd hatches with adjuster and framed slide screens
- Fiberglass transom door w/316L S.S. hardware
- Six (6) 316L stainless steel 10" mooring cleats
- Full cockpit breathable coaming bolsters w/dry-fast foam
- Four (4) opening stainless steel portlights with screens
- Port, stbd & center pantographic windshield wipers w/fresh water washer system
- Helm seat with armrests and flip-up bolster
- Custom molded cockpit entertainment center w/fiberglass sink, folding hot & cold water faucet, and Corian® cutting board w/storage below
- 220-volt cockpit grill w/fiberglass cover
- Stbd. side 64 quart refrigerator/freezer w/digitally controlled thermostat and overboard drain
- Portside bridge-deck "L" shaped lounge w/padded backrest
- Tackle/storage cabinet in aft side of L-shaped lounge
- Acrylic sliding companionway door with lock/keeper, sliding screen
- Interior and exterior hardtop overhead handrails

HULL, DECK AND COCKPIT (con't)

- Hard Top with sprdr lights, six (6) LED courtesy lights, six (6) frame mounted rod holders, four (4) recessed speakers, two (2) acrylic hatches & canvas storage pouches for PFD's
- Forward facing aft fold-down seat
- Ten (8) Drink holders
- Port and stbd 18" S.S. transom grabrails
- Poly footrest w/nonskid pattern
- Dockside fresh water inlet
- Cockpit freshwater shower (hot & cold)
- 220-volt cockpit A/C w/reverse-cycle heat 16,000 BTU

COMFORT AND INTERIOR

- Solid Teak and Maple floor
- Fiberglass interior headliner
- Convertible master berth w/drawer & storage beneath and privacy curtain
- Fwd port-side hanging locker, cedar lined
- Two (2) adj. 12-volt reading lights w/switch in v-berth
- Dinette base accent lighting & v-berth step lighting
- Clarion® AM/FM /CD player w/6 speakers, amplifier, 6 disk CD changer
- 110V outlet, GFI protected
- Teak table with inlay and adjustable aluminum pedestal; dinette seating area w/storage underneath
- Dinette storage cabinet w/sliding doors
- Mid-berth w/ storage underneath, two (2) adj. 12-volt reading lights & privacy curtain
- Mid-berth settee w/storage underneath
- 19" flat screen TV (12-volt) w/DVD player and 15" flat screen TV in v-berth
- TV antenna
- TV inlet and cabin outlets
- 11-gallon 220-volt S.S. water heater

GALLEY

- Complete Corian® galley top with storage cabinets overhead and drawers under sink area
- Polished stainless sink w/pressurized hot/cold mixing valve faucet

GALLEY (con't)

- Covered trash storage bin w/removable container
- Kenyon 2-burner glass cooktop
- 220-volt microwave
- 7.5 cu. ft. refrigerator / freezer
- Galley storage cabinets
- Storage cabinet for plates, cups and utensils

HEAD

- Vacu-Flush head w/18 gal. holding tank
- Fiberglass head/shower w/sump pump and molded-in fiberglass shower seat
- Bi-fold acrylic shower door
- Designer sink w/pressurized hot/cold faucet
- Corian® vanity top with vanity mirror and storage underneath
- Towel ring
- Framed head door w/full length mirror
- 110V outlet, GFI protected

FISHING

- Six (6) S.S. rod holders in gunwale
- 300-quart insulated fiberglass refrigerator / freezer transom fishbox w/digitally controlled thermostat and overboard drain
- Lighted Oceana blue 50-gallon recirculating livewell w/bottom drain plug
- Two (2) in-deck, insulated fish boxes, port & stbd , 40 gal. each w/macerator & overboard discharge
- Aluminum reinforcement plates and wiring for downrigger installation; aft gunwale, port & starboard
- Raw water wash down
- Six (6) cabin rod holders
- Six (6) enclosed lockable gunwale storage
- Reinforcement for fighting chair

PURSUIT®

OS 375 OFFSHORE (Y6)

PRELIMINARY STANDARD EQUIPMENT

INSTRUMENTATION & SAFETY EQUIPMENT

- Pursuit custom master circuit breaker switch panel for 12V & 110V
- Yamaha® fuel management system
- Boarding ladder, 316L S.S. telescoping w/fiberglass hatch
- 50-amp 220-volt / 60 Hz dockside power w/50' cord and adapter
- One (1) 20 amp battery charger for engine starting batteries
- One (1) 40 amp battery charger for house, electronics, and bow thruster batteries
- Seven (7) battery system w/batteries, trays, and switches
- 5.4 hp Bow Thruster
- 220-volt A/C w/reverse-cycle heat 16,000 BTU
- Panda® low CO 8.0 KW diesel generator
- One 25 gallon diesel fuel tank w/ return fitting
- Teleflex power assisted dual cylinder hydraulic steering w/tilt sport helm; 16" Edson comfort grip S.S. steering wheel
- Deluxe Ritchie® compass
- Cabin & mid-berth CO detectors
- Independent windshield / wiper washer controls
- Pursuit custom master 12-volt & 110-volt interior MDP switch panel
- One (1) 12 KVA Isolation Transformers
- Fresh water tank - 65 gallons
- Fuel tanks - Total 370 gallons
- Four (4) 12V receptacle; 2 helm, 2 cabin
- Three (3) fire extinguishers
- Hella LED cockpit courtesy lights (10)
- Twin trumpet-style horn, fwd facing
- Three (3) bilge pumps; 2 - 1500, 1- 1100 forward
- Recessed Lenco® electronic trim tabs w/indicator and auto retract
- Certification/standard compliance: ABYC, USCG, CE



SPECIFICATIONS

L.O.A. w/Pulpit	39' 2"
L.O.A. w/o Pulpit	36' 10"
Beam	13' 0"
Hull Draft (to bottom of props)	TBD
Hull Draft (engines up)	TBD
Fuel Capacity	370 U. S. gallons
Sleeping Capacity	6
Average Dry Weight (w/twin 350 engines)	15,000 lbs
Holding Tank Capacity	18 U. S. gallons
Water Capacity	65 U. S. gallons
Clearance to top of hardtop (from waterline)	TBD
Deadrise	18°