



3 2 0 0 O P E N




STANDARDS / OPTIONS
2010 MODEL YEAR

EFFECTIVE AUGUST 2, 2009

PRINTED IN USA

3200 OPEN

STANDARD EQUIPMENT



SPECIFICATIONS

L.O.A. without Standard Pulpit ...
32'7" - 9.93 meters

L.O.A. with Standard Pulpit ...
35'1" - 10.69 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 37'7" - 11.45 meters

Beam ... 13'0" - 3.96 meters

Draft (with Props) ... 3'0" - .9 meters

Approximate Dry Weight ...
15,950 lbs. - 7,235 kg

Height from Waterline to Top of
Windshield ... 8'7" - 2.61 meters

Height from Waterline to Top of
Optional Hardtop ... 9'6" - 2.89 meters

Standard Fuel Capacity ...
256 U.S. gallons - 969.07 liters

Water Capacity ...
38 U.S. gallons - 143.85 liters

Holding Tank Capacity ...
20 U.S. gallons - 75.71 liters

Sleeping Accommodations ... 4

Cockpit Size ...
Upper: 49.6 sq. ft. - 4.6 sq. meters
Lower: 65.4 sq. ft. - 6.07 sq. meters

Deadrise at Transom ... 18°

HULL, DECK AND UPPER COCKPIT

- Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2010 warranty statement for specific details and coverage areas.
- Fresh white gelcoat hull and deck
- Black gelcoat bootline with gold accent
- Hull constructed with a gelcoat outer layer, balsa cored hullsides, and hand-laid fiberglass using a special blended, premium resin
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using a premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings

- Molded-in hullside engine room ventilation
- Bennett Marine® 12V hydraulic recessed trim tabs
- Six (6) S.S. oval custom opening port lights with screens
- Three (3) Bomar® extruded aluminum forward deck hatches with adjusters and built-in Ocean Air® screens and privacy covers
- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded, 316L S.S. 1" bow rail with pulpit, staff, and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 8" S.S. foredeck cleat, 30' chain rode, 200' rope rode, and Delta® 22 lb. galvanized anchor.
- Black rubrail with 316L S.S. cap
- Six (6) 10" S.S. cleats for lines
- Tiara custom composite windshield frame with tempered safety glass, safety handrails, opening center section, and Imtra® windshield wiper system (three (3) washer/wipers)
- Tiara hinged helm console with full flush mount electronics capability, two (2) drink holders, 12v outlet, and 20" S.S. destroyer steering wheel
- Helm back-to-back seat locker with forward seat and aft facing seat. Forward seat has power actuator for fore and aft adjustment. *See option list for other helm seat locker choices available at no charge.*
- Centerline entry to salon with acrylic sliding companionway door, lock, screen door, and privacy cover
- Portside navigation center including chart storage with white acrylic lid and drink holders
- Port curved companion lounge with jump seat and cooler below
- TV jack/outlet
- Upper cockpit cool air helm blower
- 120V GFI outlet
- Drop-down engine room access hatch from the upper cockpit
- Weather covers for helm console and all cockpit furniture

LOWER COCKPIT

- Molded-in steps to deck walkways, port and starboard
- Fiberglass covering boards
- Cockpit coaming bolsters
- Two (2) corner chrome bronze hawse pipes
- Imtra® cockpit LED courtesy lighting
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with S.S. fittings and 25 ft. coiled blue hose
- Raw water washdown outlet with S.S. fittings and 25 ft. coiled yellow hose
- Self-draining cockpit
- Two (2) flush floor storage boxes
- Aluminum backing plate, 24" x 24", laminated in cockpit floor, port side of fuel access hatch
- Molded-in transom door and gate
- Transom fold-down lounge

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- Cable TV/phone outlet
- 120V outlets throughout
- 12V lighting

SALON

- Fiberglass companionway steps with teak hardwood tread and hinged storage compartments below
- S.S. companionway handrail
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, two (2) interior speakers and four (4) cockpit speakers. Includes Clarion® iPod® interface.
- Lounge/dinette seating to starboard with storage below and high-gloss teak/birdseye maple table. Table converts to double lower berth with hi-lo pedestal (includes berth filler cushion). Dinette backrest converts to single pullman upper berth.
- Overhead storage cabinets above dinette, starboard side

- Sharp® Aquos® 19" flat screen LCD TV
- 12V DVD player
- Marine Air Systems® 16,000 BTU air conditioner with reverse-cycle heat

GALLEY

- Corian® countertop
- Stainless steel undermount galley sink with Corian® cover
- Upper storage cabinets
- Under counter storage
- Pantry locker
- Recessed two-burner electric cooktop with Corian® cover and safety shut-off switch
- Microwave oven
- 2.3 cu. ft. DC refrigerator with freezer
- Exhaust fan

MASTER STATEROOM

- Privacy curtain separating the master stateroom from the salon
- Manually actuated double pedestal berth with deep quilted innerspring mattress, quilt, two (2) pillow shams and four (4) throw pillows

- Storage compartment under berth
- Starboard hanging locker, cedar lined
- Upper hullside shelves
- Two (2) reading lights, independently switched


HEAD

- Full frame wood entry door
- Full fiberglass head with shower sump pump and shower curtain
- Corian® countertop w/integrated sink
- Mirrored vanity above sink
- Storage compartment below sink
- Vacuflush® toilet
- Exhaust fan

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V master distribution panel
- Two (2) 120V 30 amp 65 ft. dockside power cords with adapter
- Cable TV/phone inlet and cabin outlets with 65 ft. dockside power cord
- TV and AM/FM antennas
- Victron® battery charger (1), 50 amp
- Two bank 12V battery system with batteries and battery switches (two (2) engine batteries and two (2) house batteries)
- Amp meters, AC and DC
- Electrical bonding system
- Reverse polarity indicators
- Zincs - transom, trim tabs and shafts
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 1 1/2" gas and 1 3/4" diesel
- Water cooled shaft logs with PSS® dripless shaft seal
- Two (2) Nibral® propellers
- Engine instrumentation: Dual VDO® tachometers w/ hour meters, voltage gauges, fuel gauge, temperature gauges, engine oil pressure gauges, and rudder angle indicator. Cummins® engine option includes the Smartcraft™ VesselView™ engine monitoring system/display and fuel, voltage, and rudder angle indicator gauges only.

- Ritchie® SuperSport SS-2000 compass
- High output alternators: 100 amps each for Crusader® engines, 160 amps each for Cummins® engines
- Engine room acoustical insulation
- Engine hatch actuator
- Two (2) Racor® fuel filters/water separators
- 12V engine room lights (diesel engines only)
- Two (2) raw-water intake strainers
- Vibration mounts for engines
- Plate mounted, thru-bolted engine system
- Two (2) bilge blowers, 250 CFM each
- Three (3) automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: One (1) forward, one (1) mid, one (1) aft
- One (1) composite fuel tank, 256 gallons, with electric gauge and fuel shut-off valve on top of tank
- Dockside water inlet
- One (1) fresh water tank, 38 gallons
- Fresh water pressure system with Shurflo® variable speed pump, five (5) GPM
- One (1) holding tank, 20 gallons
- Fresh water tank/holding tank monitor
- One (1) water heater with exchanger, six (6) gallons
- Air horn
- FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Two (2) carbon monoxide detectors
- Two (2) smoke detectors
- Six (6) 5/8" x 30' black dock lines
- Four (4) Tiara life vests (domestic boats only)
- USCG safety and medical kit
- USCG/international navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)



3200 OPEN OPTIONAL EQUIPMENT

ENGINE GROUP

- ▷ Twin Crusader® 8.1L MPI Gas, 385 H.P. (w/ electronic synch/ cruise).....311,900
- ▷ Twin Cummins® QSB Diesels, 355 H.P. (w/ Smarcraft™ VesselView™).....406,550

MECHANICAL GROUP

- ▷ Xantrex® ProSine 1800 Inverter, DC/AC.....5,080
- ▷ Generator
 - ▷ Wiring only.....260
 - ▷ Gas, Westerbeke®.....17,070
 - 5.0BCG, 120V/60Hz
 - 4.2BCG, 220V/50Hz
 - ▷ Diesel, Westerbeke®.....17,930
 - 5.0kw, 120V/60Hz
 - 4.0kw, 220V/50Hz
- ▷ Oil Changing System.....1,840
- ▷ All Chain Windlass (in lieu of std rope windlass).....2,960
- ▷ Bow Thruster.....6,360
- ▷ Macerator System for Head.....1,320
- ▷ Anchor Locker Washdown with S.S. Fittings (may order both)
 - ▷ Fresh water.....480
 - ▷ Raw water.....480

HULL, DECK, & COCKPIT GROUP

- ▷ 30" Swim Platform with Built-In Ladder.....4,020
- ▷ Imtra® Underwater Lights (2), Xenon 12V/50W.....4,020
- ▷ Cockpit Carpet
 - ▷ Upper cockpit only.....635
 - ▷ Upper & lower cockpit.....1,100
 - ▷ Sand
 - ▷ Navy
 - ▷ Black
 - ▷ Charcoal
- ▷ Steering Wheel
 - ▷ 20" S.S. "Destroyer".....Std
 - ▷ 17.5" Mahogany.....450
- ▷ Helm Seat Options (all options include forward seat with power actuator)
 - ▷ Aft facing seat.....N/C
 - ▷ Aft bait prep center.....N/C
 - ▷ Aft wet bar w/ refrigerator.....N/C
 - ▷ Aft wet bar w/ ice maker.....1,370
- ▷ Companion Seat Options (all options include curved companion seat w/ cooler)
 - ▷ Forward jump seat.....Std
 - ▷ Forward swivel seat.....3,230
- ▷ Aft Facing Seat (aft of curved companion seat).....1,710
- ▷ Transom Options
 - ▷ Fold-down lounge.....Std
 - ▷ Baitwell, 36 gallons.....1,820

- ▷ Port Gunnel Storage
 - ▷ Rod racks and clips only.....200
 - ▷ Storage locker.....1,080
- ▷ Starboard Gunnel Storage
 - ▷ Rod racks and clips only.....200
 - ▷ Storage locker.....1,080

WEATHER GROUP

- ▷ Hardtop with Front and Side Enclosures
 - ▷ Cruise hardtop.....21,560
 - (2) Bomar® low profile extruded aluminum hatches w/ built-in Ocean Air® privacy covers/screens
 - ▷ Tournament hardtop.....27,180
 - (2) Bomar® extruded aluminum hatches
 - Rod holders
 - Spreader lights
- ▷ Stamoid® Canvas Color
 - ▷ White ▷ Navy
 - ▷ Sand ▷ Black
- ▷ Aft Curtain.....2,110
- ▷ 3 Piece Drop Curtain.....2,110

TOURNAMENT SERIES OPTIONS



- ▷ Macerator for Large Cockpit Flush Floor Box.....760
- ▷ Rod Holders in Gunnel, Lee® (4).....580
- ▷ Rod Holders (4) in Deck Wings, Cruise Hardtop/No Hardtop.....1,030
- ▷ Rupp® Rocket Rod Holders (4), Outboard (2 port/2 starboard).....760*
- ▷ Rupp® 23 ft. Outriggers.....7,890*
- ▷ Bow Rail
 - ▷ Stainless steel (1").....Std
 - ▷ Brushed aluminum (1 1/4").....2,300
- ▷ Rod Storage for (4) Rods Under Pedestal Berth.....290

* These options only available with tournament hardtop

ELECTRONICS

- ▷ Raymarine® Electronics Package
 - ▷ Option 1 - (2) 8" E80.....33,650
 - ▷ Option 2 - (1) 12" E120.....31,220
 - Raystar 125 GPS sensor
 - Ray 240 VHF radio
 - DSM300 digital sounder module
 - 1kw B260 transducer
 - ST70 graphic display
 - ST6002 SmartPilot autopilot with S2G corepack
 - 4kw HD digital open array radar
- ▷ ACR® Remote Spotlight RCL 50.....1,960
 - ▷ Bow
 - ▷ Hardtop

INTERIOR GROUP

- ▷ Cabin Sole
 - ▷ Solid teak.....Std
 - ▷ Solid teak and holly.....1,150
- ▷ Clarion® 6 Disc CD Changer (for std Clarion® stereo).....830

COLOR SELECTIONS

- ▷ Hull Color (Please specify color below - Fresh White is standard).....7,840
 - ▷ _____
- ▷ Custom Color Bootline with Gold Accent (Please specify color below - black with gold accent is standard).....1,620
 - ▷ _____
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar.....3,050
 - ▷ Black
 - ▷ Navy blue
- ▷ Helm Console, Dash & Interior of the Windshield Frame Color.....N/C
 - ▷ Beige
 - ▷ Flag blue
 - ▷ Black
 - ▷ Charcoal gray
- ▷ Cockpit Upholstery
 - ▷ White
 - ▷ Beige
- ▷ Colored Piping - Cockpit Upholstery...400
 - ▷ Tan
 - ▷ Black
 - ▷ Navy

Interior Fabric

- ▷ Breakwater
- ▷ Driftwood
- ▷ Graphite
- ▷ Pistachio

Interior Ultraleather™

- ▷ Cream
- ▷ French Vanilla
- ▷ Waylan

Interior Corian®

- ▷ Granola
- ▷ Lava Rock

MISCELLANEOUS OPTIONS

- ▷ Cradle.....3,880
- ▷ Spare Props
 - ▷ Gas.....4,590
 - ▷ Diesel.....4,980
- ▷ Spare Prop Shaft and Coupling
 - ▷ Gas.....2,880
 - ▷ Diesel.....3,680
- ▷ DO NOT WINTERIZE (available as temperatures allow)



725 EAST 40TH STREET HOLLAND, MI 49423-5392 USA
(616) 392-7163 • Fax (616) 394-7466 • www.tiaryachts.com

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.