

design

Enhancing the product by improving functionality

The hull design is the result of an extensive R&D programme to create a balance between load carrying, stability, handling and ride.

The pronounced flare in the topsides prevents the boat shipping water.

The all-round custom fender keeps the boat dry at speed and provides a practical solution for boarding and docking.

The engine locker is easy to access and well organised for maintenance.






HULL SHAPE The vertical bow provides a softer ride with the fine entry angle reducing pitching.



COMFORT & SAFETY The high bulwark allows safe movement around the unobstructed and extensive teak-laid deck.



MOORING SYSTEM The custom wraparound soft fender offers maximum protection when manoeuvring alongside.


comfort

An expanse of sunbed cushions make the WallyTender perfect for hedonistic days at sea. Protected by a bimini top, the central console cleverly conceals a head and shower with optional double berth cabin forward.

An additional sun awning can be raised to cover the aft sunbathing area secured by two carbon poles set into the bulwark.

The stern features a shower and retractable swimming ladder.





The anchor is stored in the flush fitted forward locker with a pivoting arm to simplify handling operations. The quick-dry cushions are made of two layers: the inner layer is closed cell foam that does not absorb water, the outer one is open cell foam that makes the cushion soft and drain easily. Two 30 litre fridges store the days supplies, one for the drinks and one of the food.



wallytender - technical specifications

principal features

length overall	13.60 m	45'
length waterline	11.40 m	37'
beam	4.30 m	14'
draught-hull	0.60 m	2'
draught-drives down	0.88 m	2'
displacement	5,800 kg Day Cruiser	12,787
	6,100 kg Overnight Cruiser	13,448
performance	40 knots diesel version	50 knots petrol version
design	Wally - Allseas	

principal equipment

hull and deck

Construction in advanced composites

Teak deck

Antifouling

6x aluminum fold-down cleats

aft, central and forward

Shower and shore power socket

housed in the deck

Anchor with pivoting arm,

housed in the bow 11 kg - 24 lbs

Anchor chain 50 m - 164'

Side handrails

Fresh water filler cap

Port and starboard fuel filler caps

Aft swim platform

Raised foredeck area

Non-slip surfaces

Bilge inspection hatch

Complete wraparound fender

Deck self-draining system

seating and upholstery

Full size cushions for sunbathing areas

(forward and aft)

electronics and instruments

Magnetic compass

VHF

GPS Plotter

Rev counter and engine hours indicator

Depthsounder

Engine instruments

Engine oil alarm

Water temperature alarm

Rev counter and hour indicator

Fuel level indicator

Engine oil pressure indicator

Engine water temperature indicator

Hydraulic steering system

Electronic engine controls

Trim indicators

engine room and fuel system

Diesel package

2x Cummins-Mercruiser D4.2L 320 320Hp

Petrol package

2x Mercruiser 496 MAG HO DTS 420Hp

Stern drives

2x Mercruiser Bravo one plus

Thermoacoustic insulation

Full access hatch

2x air extractors

Aluminium fuel tanks [2]

960 l 254 US gal

Fuel filters

Automatic fire extinguishing system

2x dynamic air intakes in the transom

electrical system

Electrical control panel

2x engine start batteries 12V 170 A/h,

maintenance free

2x service batteries 12V 170 A/h,

maintenance free

Battery charger 40A

Shore power supply 16A 220V - 110V

Shore power cable

Deck lighting

Head lighting

Engine room lighting

Navigation lights

Horn

Battery isolation switches

Battery paralleling for engine starting

Cathodic protection by zinc anodes

2x 12V fridges 30 l 8 US gal

Electric flush WC

Helm operated electric anchor windlass

entertainment

Stereo system with radio and CD player

6x waterproof speakers

cabin area (overnight cruiser only)

Double berth

2x side hatches for ventilation

bathroom area

Basin

Shower

Head

1x side hatch for ventilation

Mirror

black water system

Tank 36 l 10 US gal

Macerator for direct clean discharge to

pressurised fresh water system

Fresh water pump 12V

Fresh water tanks [2]

240 l 63 US gal

bilge pump system

2x automatic electric pumps

1x manual pump

safety equipment

Portable fire extinguisher

Fire alarm system

Fuel detection alarm system

miscellaneous

Swimming ladder

Bimini top over helm station

2x ergonomic custom helm seats


Custom carbon flag pole

Stainless steel ski/towing bollard

Mooring lines

6x fenders


Day Cruiser



The WallyTender comes in two versions: Day Cruiser and Overnight Cruiser. Both models feature a fully equipped bathroom with standing headroom, shower, basin and head located forward of the central helm console. The overnight cruiser features a double berth cabin that extends under the forward sunbathing area.

1, aft sunbathing area. 2, engine room. 3, cockpit seating area. 4, refrigerators. 5, helm console. 6, bathroom with standing headroom, shower, basin and head. 7, double berth cabin. 8, forward sunbathing area. 9, custom wraparound fender. 10, folding anchor locker.

Overnight Cruiser





Wally

Seaside Plaza
8 Avenue des Ligures
Monte-Carlo, MC 98000 Monaco
sales@wally.com
ph. +377.93 1000 93
fax +377.93 1000 94
wally.com



Wally

Seaside Plaza
8 Avenue des Ligures
Monte-Carlo, MC 98000 Monaco
sales@wally.com
ph. +377.93 1000 93
fax +377.93 1000 94

wally.com