



SAS-VEKTOR
PROIZVODNJA BRODOVA - BOAT MANUFACTURING

www.sas-vektor.hr

TASTE THE FREEDOM



OKUSI SLOBODU

VEKTOR 950

VEKTOR 950

Tehnickal data "VEKTOR 950"






Hull length: 8,00 m
Length over all: 9,50 m

Beam: 3,20
Draught: 0,82 m
Displacement: 5.000 kg
Speed: cca 23-30 knots
Engine: 2x125 HP
Water tank: 300 l
Fuel tank: 2x310 l
Berths: 2+2+1

Tehnički podaci "VEKTOR 950"

Dužina trupa: 8,00 m
Dužina preko svega: 9,50 m

Širina: 3,20
Gaz: 0,82 m
Deplasman: 5.000 kg
Brzina: cca 23-30 čvorova
Motor: 2x125 HP
Spremnik vode: 300 l
Spremnici goriva: 2x310 l
Kabine: 2+salon
WC i tuš kabina: 1
Ležajevi: 2+2+1



VEKTOR 950



VEKTOR 950

Projektiranje višenamjenske motorne brodice sposobne udovoljavanju raznolikih potreba, od dnevnog transporta do opuštajućeg krstarenja ili big game ribolova, uvijek je bio velik izazov. Pažljivo napravljen iskusnim rukama brodograditelja, upotrebom probiranih materijala i provjerene tehnologije, Vektor 950 objedinjuje odlične maritimne karakteristike, laku upravljivost, prostranu unutrašnjost i palubu, »čvrstoću konstrukcije i do kraja razrađene detalje.

Brzina

Kombinacijom gliserskog trupa i čvrstoće konstrukcije Vektor 950 nudi idealnu kombinaciju brzine, stabilnosti i praktičnosti uporabe. S maksimalnom brzinom* 23 do 30 čvorova (ovisno o snazi ugrađenih motora) i dobro zaštićenim salonom, omogućava sigurnu i brzu vožnju u svim okolnostima. Pristup pramcu je jednostavan zahvaljujući širokoj bočnoj palubi i čvrstoj ogradi od nehrđajućeg čelika, kao i rukohvatima koji su smješteni upravo tamo kamo vam krene ruka pri kretanju. Osjećaj prostranosti nastavlja se u kokpitu koji nudi širok ravan prostor idealan za big game ribolov, dok je za pristup moru predviđena neuobičajeno velika krmena platforma sa čvrstim stepenicama za ulaz u more.

Prostranost

Samo jedan pogled na prostrani salon govori sve o Vektoru 950. Stojeća visina i lagan pristup kabinama upotpunjen je velikim stolom u salonu i praktičnom kuhinjom s hladnjakom. Sjedeći za kormilom, skiper uživa neograničen pogled kroz velike prednje i bočne prozore. Dvije dvokrevetne kabine pružaju pun komfor za četiri odrasle osobe, dok izuzetno prostran toaletni prostor sadrži umivaonik, WC, tuš i više odvojenih spremišta.

* Najveća brzina može varirati ovisno o čistoći trupa i pogonskog dijela, opterećenju brodice, stanju mora i ostalim uvjetima. Istaknute brzine dane su ovdje u dobroj vjeri, ali bez obveze proizvođača. Brodica na fotografijama može imati određenu opremu koja nije navedena u tekstu. Specifikacije mogu biti promijenjene bilo kada bez obavijesti.

VEKTOR 950

Designing a versatile motor yacht capable of answering large variety of needs, from everyday transport to relaxed cruising or even big game fishing always posed a great challenge to its makers. Carefully built by skilled craftsmen, using selected materials and proven technology, Vektor 950 motoryacht effortlessly boast up-to date maritime characteristics, good manoeuvrability, excellent versatility, strong construction and great attention to detail.

Easy speed

Combining the traditional qualities of displacement boats with a fast and sturdy hull,

Vektor 950 offers the ideal combination of speed and usability. With the maximum speed of 23-30 knots* and well protected salon, it will provide safe and fast transport in all conditions. Speed is combined with good maneuverability and easy access to the bow thanks to wide and well protected side deck equipped with full stainless steel railing.

The spacious feeling continues to the cockpit, which offers large uncluttered space ideal for „big game“ fishing while the rear swimming platform features a large and sturdy stainless steel swim ladder.

Large spaces

It takes one look at the spacious salon to understand what Vektor 950 is all about.

Full standing height and easy access to forward cabins complement the large foldable salon table and a very practical galley which comes complete with a refrigerator.

At the helm, from his comfortable seat, skipper enjoys unrestricted view through large windows. Vektor's two double cabins provide ample accommodation for four adults, while the extremely spacious enclosed stand-up head compartment features vacuum toilet, sink, shower and multiple storage spaces.

* Maximum speed will vary depending on cleanliness of hull, condition of sterngear, loading of craft, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith, but without warranty or liability on the part of SAS-Vektor d.d. Craft illustrated in this brochure may be fitted with certain optional equipment. Specifications may be changed at any time without notice or liability.





Optional equipment VEKTOR 950

- Underwater coat with light primer x 2 and antifouling x2
- Solar ventilator
- Electric windlass 700 W with 50 m calibrated chain Ø8
- Remote control anchorage
- Water-heater 25 l with hot water installation in toilet and kitchen
- Cockpit speakers
- Deck covered by teak
- Cockpit and platform covered by teak
- Rudder decline indicator
- Bow thruster
- Sea water installation in the galley
- Instead of 2x125 HP, 2x150 HP
- Instead of 2x125 HP, 2x180 HP
- Instead of 2x125 HP, 2x220 HP
- Stainless steel anchor chain, 50 m
- Solar battery charger 50 W
- Heating
- Remotely controlled search light
- Hull in blue color
- Black water tank
- Stern teak seat
- Cabin roof berth
- Safety equipment (international)
- Safety equipment (national)
- Autopilot
- Cockpit tent
- Saloon windows' tent
- Air-condition
- Generator 3,5 kVA
- Additional refrigerator
- GPS (GPS, fishfinder, radar)
- VHF
- Cockpit table
- Delivery in Marina "Dalmacija" Sukošan
- Trolling valve
- WC electrical
- Counter anchor chain

Standard fittings and equipment "VEKTOR 950"

- Fiber-glass hull made by hand includes coat of isophthalic GELCOAT and isophthalic polyester resin
- Hull made in sandwich technology with expanding PVC
- Hull strengthened with longitudinal and transversal frames

Deck

- Side deck, cockpit and coach roof with non-slip coating
- Guardrail made of stainless steel
- Anchor 12 kg with 15 m calibrated chain Ø8 + 30 m rope Ø14
- Cleats with line lead through-4 pieces
- Stowage in cockpit with cover
- Cockpit shower
- Side bench in cockpit
- Swim ladder made of stainless steel
- Hand holders made of stainless steel
- Hand bilge pump
- Mooring ropes Ø16, 2x15 m
- Back bench in cockpit made of teak

Navigation instruments

- Compass
- Autohelm
- Navigation lights

Rudders

- 2 balanced rudders made in stainless steel

Electrical installation

- Electric installation 12 V DC
- Control panel for all electric circuits with circuit breakers
- Engine circuits, 2 batteries 100 Ah
- Boat circuits, battery 135 Ah
- Charger 220 V AC to 12 V DC, 25 A
- Electric and hand bilge pump
- Electric connector 220 V with cable
- Wipers
- VHF antenna with cable
- Radio with CD player and speakers

Interior arrangement

- Made from wood and water resistant plywood in workmanship mahagoni
- 2 cabins with 4 berths
- Saloon with 1 berth and table
- Navigation plate covered by cherry plywood
- Floor plates teak decorated
- Berths in cabins and seats with back in saloon made of artificial sponge covered with decorative linen
- Chart surface
- Galley cooker with 2 burners
- Refrigerator 85 l, 12 V
- Sink with fresh water
- 1 toilet made in fiber-glass with WC standard, wash-basin, shower with electric bilge pump

Water supply

- Water tank made in stainless steel 300 l
- Electric water pump with water installation

Power plant

- Yanmar 2x125 HP
- Stainless steel fuel tanks 2x310 l
- Sea water filter for cooling system 2x
- Diesel filter with water separator 2x



Standardna izvedba i oprema VEKTOR 950

Trup

- Trup iz stakloplastike ručno laminiran sa zaštitnim slojevima otpornog GELCOAT-a i kemijski otporne izoftalne smole
- Trup izveden u sendvič konstrukciji s ekspandiranim PVC-om
- Trup ojačan uzdužnim i poprečnim rebrima

Paluba

- Protuklizna paluba, kokpit i krov kabine
- Krmena platforma
- Pramčana platforma
- Ograda iz nehrđajućeg čelika s parafilem
- Sidro 12 kg s 15 m kalibriranog lanca Ø8 i 30 m konopa Ø14 mm
- Bitve za privez 4 komada
- Spremište u kokpitu s poklopcem
- Tuš na krmu
- Bočna klupa u kokpitu
- Stepenice za kupanje iz nehrđajućeg čelika
- Rukohvati iz nehrđajućeg čelika
- Ručna kaljužna pumpa
- Konop za privez Ø14, 2x15 m
- Klupa na krmu

Navigacijski instrumenti

- Kompas
- Autopilot
- Navigacijska svjetla

Kormilo

- Balansirano kormilo iz nehrđajućeg čelika (2 kom.)

Električni sistem

- Osnovna instalacija 12 V DC
- Kontrolna tabla električnih krugova s osiguračima
- Akumulatori motorni 2x100 Ah
- Akumulator servisni 135 Ah
- Punjač 220 V AC/12 V DC, 25 A
- Električna i ručna kaljužna pumpa
- Električni priključak 220 V s kabelom
- Brisači električni
- VHF antena s kabelom
- Radio prijemnik s CD playerom i zvučnicima

Interijer

- Izrađen iz masiva i voodootporne šperploče u izvedbi mahagonij
- 2 kabine sa 4 ležaja
- Salon s 1 ležajem i stolom
- Ležaji u kabinama i sjedala s naslonima u salonu izrađena od umjetne spužve (8-10 cm) obložene dekorativnim platnom
- Upravljačka ploha obložena voodootpornom šperpločom
- Podnice u salonu i kabinama obložene masivom i imitacijom teak
- Navigacijska ploča
- Štednjak plinski s 2 kuhala
- Hladnjak 85 l, 12 V
- Sudoper sa slatkom vodom
- WC odliven u plastici s WC školjkom, umivaonikom i tušem te električnom pumpom za izbacivanje vode

Slatka voda

- Spremnik vode 300 l
- Električna pumpa vode s vodovodnom instalacijom

Motori

- Yanmar 2x125 KS
- Spremnici goriva 2x310 l
- Dieselski filter sa separatorom vode 2x
- Filter mora za hlađenje motora 2x



Dodatna oprema VEKTOR 950

- Podvodni premaz s light primerom x2 i antifouling x2
- Solarni ventilator u salonu
- Električno sidreno vitlo 700 W s 50 m kalibriranog lanca Ø8
- Daljinsko upravljanje sidrenim vitlom
- Bojler 25 l i dovod tople vode u WC i kuhinju
- Zvučnici u kokpitu
- Paluba obložena tikovinom
- Kokpit i krmena platforma obloženi tikovinom
- Pokazivač otklona kormila
- Pramčani propeler
- Instalacija morske vode na sudoperu
- Umjesto 2x125 KS ugradnja 2x150 KS
- Umjesto 2x125 KS ugradnja 2x180 KS
- Umjesto 2x125 KS ugradnja 2x220 KS
- Umjesto pocinčanog sidrenog lanca, inox lanac 50 m
- Solarni punjač s regulatorom
- Grijanje
- Daljinski upravljani reflektor
- Trup i paluba u boji
- Crni tank
- Naslon za klupu na krmu
- Ležaj za sunčanje na kabini
- Sigurnosna opremaza međunarodnu plovidbu Jadranskim morem
- Sigurnosna oprema za plovidbu teritorijalnim morem RH
- Autopilot
- Tenda za kokpit
- Tenda za prozore
- Klima uređaj
- Agregat 3,5 kVA
- Dodatni frižider u salonu
- GPS
- multifunkcionalni sustav s ekranom 8" (GPS, fishfinder, radar)
- multifunkcionalni sustav s ekranom 12" (GPS, fishfinder, radar)
- Radio stanica
- Demontabilni stol na krmu
- Isporuka u moru (Marina "Dalmacija" Sukošan)
- Troling ventil
- WC električni
- Brojčanik sidrenog lanca



VEKTOR 950

TASTE THE FREEDOM



OKUSI SLOBODU



SAS-VEKTOR
PROIZVODNJA BRODOVA - BOAT MANUFACTURING

SAS-Vektor d.d.
Telefon: ++385 23 492 030
Fax: ++385 23 492 038
Adresa:
Poslovna zona Grabi
23 241 Poličnik
E-mail: info@sas-vektor.hr
www.sas-vektor.hr