

VEKTOR 950

Technical data

2010/2011



Hull length:	8,00 m
Length over all:	9,50 m
Beam:	3,20 m
Draught::	0,82 m
Displacement:	5.000 kg
Speed:	cca 23 knots
Engine:	1 x 260 HP
Water tank:	300 lit.
Fuel tank:	2 x 310 lit.
Cabins:	2
WC:	1
Berths:	2+2

Hull

- Fiber-glass hull made by hand includes coat of white isophthalic GELCOAT and isophthalic polyester resin
- Hull made in sandwich technology with expanding PVC
- Hull strengthened with longitudinal and transversal frames

Deck

- Side deck, cockpit and coach roof with non-slip coating
- Stern platform
- Bow platform
- Guardrail made of stainless steel
- Anchor type Danfort 12 kg with 15 m calibrated chain $\varnothing$ 8 + 30 m rope 14
- Mooring bitts 4 pieces
- Storage in cockpit with cover
- Stern shower
- Side bench in cockpit
- Swim ladder made of stainless steel
- Hand holders made of stainless steel
- Hand bilge pump
- Mooring ropes $\varnothing$ 14, 2 x15 m

Navigation instruments

- Compass
- Navigation lights

Rudders

- rudders made in stainless steel

VEKTOR 950

Technical data

2010/2011

Electrical installation

- Basic electric installation 12 V DC and 220 V
- Control panel for all electric circuits with circuit breakers
- Engine circuits, 2 batteries 100 Ah
- Boat circuits, battery 135 Ah
- Electric bilge pump
- Electric connector 12V

Interior arrangement

- Made from wood and water resistant plywood in workmanship mahogany
- 2 cabins with 4 berths
- Saloon with table
- Berths in cabins and seats with back in saloon made of artificial sponge covered with decorative linen
- Navigation plate covered by waterproof plywood
- Floor plates in saloon and cabins massif and teak imitation-lined
- Gas cooker with 2 burners
- Refrigerator 65 l, 12 V
- Sink with fresh water
- 1 WC with toilet and wash-basin,

Fresh water supply

- Water tank 300 l
- Electric water pump with water installation

Power plant / Engines

- Yanmar 2 x 260 HP unlimited
- Fuel tanks 2 x 310 l
- Sea water filter for cooling system (2x)
- Diesel filter with water separator (2x)





SAS-VEKTOR

SAS -Vektor d.d. - Poslovna zona Grabi - 23241 Poličnik - Croatia - tel: ++385 23 492 030 fax: ++385 23 492 038 e-mail: info@sas-vektor.hr

VEKTOR 950

Technical data

2010/2011

Basic model

Vektor 950 1x260 KS Yanmar - Unlimited
Vektor 950 2x150 KS Yanmar - Unlimited
Vektor 950 2x180 KS Yanmar - Unlimited
Vektor 950 2x220 KS Yanmar - Unlimited
Vektor 950 2x260 KS Yanmar - Unlimited

Equipment set COMFORT

Additional closet in front cabin, shelves in the front cabin
Radio - CD
Navigational instrument GARMIN GPSmap 421s
Additional porthole on the saloon roof
Adapter 220 V AC to 12 V, off shore adapter with 20m cable
Bow thruster
Remote anchor windlass
Anchor windlass 700W with 50 m chain

Equipment set ELEGANCE (COMFORT included)

Boiler Quick 25 l and hot water supply in WC, shower and galley
Shower in WC with water drainage pump
Outboard motor carrier
Glass washing
Speakers in cockpit
Black water tank with installation
Rudder decline indicator VDO
Counter anchor windlass
Additional bench on the stern with back
Tent for saloon portholes (without the door)
Radio station
GPS Garmin 720s

Additional equipment

Heating
Solar charger with adjustor
Autopilot
Teak-lined deck
Tak-lined cockpit and stern platform
Cockpit tent
Air condition
Aggregate 3,5 kVA
Aggregate 5,0 kVA
Remotely controlled reflector
Additional refrigerator in the saloon
Stern convertible table
Berth on the cabin
Trolling valve
Electric WC
Underwater coat with light primer Hempel x 2 and antifouling Hempel x2
Delivery in sea (Marina "Dalmacija" Sukošan)
Hull and deck in color
Safety equipment for international navigation on the Adriatic sea
Safety equipment for Croatian part of the Adriatic navigation
Garmin GPSMAP 4008 (GPS, fish-finder, radar)