

PRICE LIST
43 HT Mediterranee

September 2012



CRANCHI®

Boatbuilder since 1870

TECHNOLOGICAL SUPREMACY



1930 Cantiere Giovanni Cranchi

The production sites



- 1: Piantedo Plant 1
- 2: Seventy Plant 4
- 3: Darsena Bellagio
- 4: Colico Plant 3
- 5: San Giorgio di Nogaro Plant 2
- 6: Marine Test Centre





Important information:

Dealers and distributors are independently owned and operated entities, and therefore CRANCHI® dealers and distributors are not owned by CRANCHI or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit CRANCHI®, or any subsidiary or other related entities of CRANCHI® to any pledge, contract or agreement in any form or by any means unless first accepted in writing by CRANCHI®.

In some examples herein CRANCHI® have referred to measurements, specifications or other detail applicable to a particular territory and no guarantee is given that these are applicable to your territory.

Notwithstanding the commitment to supply information with ever increasing accuracy, the data referred to with regards to performance and autonomy that Cantiere Nautico CRANCHI® S.p.A. divulges in good faith are to be considered purely indicative. They do not commit or tie Cantiere Nautico CRANCHI® in any way whatsoever.

Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers,

the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon.

"HARD TOP" and "FLYBRIDGE YACHT", "YACHT CLASS" are distinctive names of classes of boats used by CRANCHI®.

The boats built by Cantiere Nautico CRANCHI® and better illustrated in this leaflet from an overall point of view (texts, designs, images, reliefs and photographs) are protected by reproduction rights. Therefore, it is forbidden to reproduce everything mentioned above. Anything reproduced without prior written authorisation by Cranchi® will be pursued in law, without prejudicing any right to claim for damages.

Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally.



Suggested Retail Price List.

Suggested Retail Price List.

This price list replaces all previous price lists.

All prices are in Euro, V.A.T. excluded.

Prices are ex Cantiere Nautico Cranchi® S.p.A.: Plants - Italy.

The length overall indicated in this catalogue, refer also to the removable parts of the craft. The length overall of the hull is the one indicated as "Length mt. ...".

The engine and aesthetic characteristics, performances and autonomy, technical data, equipment and furnishings of the boats can vary in respect of that described and illustrated in this price list.

Actual specifications for models sold in the various markets may vary and specifications and models may be changed or withdrawn at any time without prior notice.

Designs, photographic images and technical information about new boats and changes to the existing range are indicative. Please check the standard equipment and the technical data with the dealer before signing a purchasing contract.

Cranchi® reserves the right to modify manufactured and/or sold products at any time without prior warning and without the obligation of updating products already built and/or sold.

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice.




Cranchi® constantly works to perfect all models built in their factories. Cranchi® boats are sold in over 60 countries where the same norms are not in force with regards to navigation rights, construction and homologation. Consequently, small differences could exist between boats appertaining to the same model but sold in different countries.

Due to the fluctuations in the rates of exchanges, the international inflationary tendencies and the limited validity of the prices quoted by our suppliers, we reserve the rights to change the prices and specifications without prior notice.

For extra accessories (see list) to be installed on board, ordered after the order of the boat, a surcharge of a 10% on the current price list will be applied.

Guarantee on electrical and electronic system decays when the customer damages the system by different electric and electronic installation.

Our staff and the staff of the dealers, will be delighted to give you advice on your favourite CRANCHI®. All our models are available, unless unexpected circumstances, for sea trials – by appointment only – at our Marine Test Centre on the Adriatic Sea.

**43 HT****Mediterranee**

Boat Features

Length overall	45 ft 3 in	13,80 m
Length hull	39 ft 2 in	11,95 m
Beam max	13 ft 7 in	4,15 m
Draft (incl.props)	2 ft 9 in	0,90 m
Dry weight	23.100 lbs	10.500 kg
Passengers and weight	12/2.508 lbs	12/1.140 kg
Fuel capacity	242 UK gals 291 US gals	1.100 l
Fresh water capacity	66 UK gals 79 US gals	300 l
Design category	B	

Diesel Engines

Volvo Penta 2xIPS 500 EVC/EC (2x370 hp) (2x272 kW) Inboard Propulsion System	€	391.000,00
Volvo Penta 2xIPS 600 EVC/EC (2x435 hp) (2x320 kW) Inboard Propulsion System	€	410.500,00

Standard Features

1	Water distribution system directly from the dock
2	Bilge micro-suction system
3	Roll-up foldaway hoses
4	Acoustic and visual alarm on the dashboard for water in the bilge
5	Bruce anchor 15 kg
6	Engine/on-board service batteries n°3
7	Electric boiler l. 30
8	n°2 fuel water separator filters
9	Automatic battery charger 30 Ah
10	50 meters - 8mm chain
11	n°4 mooring lines
12	Hydraulic trim tabs with position indicator
13	Bow and stern shower
14	Fire extinguishers: n°2 automatic in engine room + n°1 manual in the cockpit

15	Microwave oven
16	140 l galley refrigerator with 40 l freezer
17	Generator 7Kva
18	GPS/Chartplotter colour
19	Fiberglass Hard Top with electric opening roof
20	Rudder angle indicator
21	Wood galley and saloon floor
22	Autopilot
23	Water pump
24	Stainless steel bow fender holders + fenders n°6
25	Pilot area with 3 seats and pilot seat with electric adjustment
26	Shore power 32Ah with cable
27	Radio stereo/CD/MP3 with internal and external loudspeakers and control on the dashboard
28	JOYSTICK + electronic steering + electronic engine controls
29	Electronic battery switch
30	Teak cockpit table convertible into sun bath
31	Teak laid swimming platform and bow bridge
32	Windscreen wiper n° 2 with washers
33	Flush vacuum WC n°2
34	Tridata echo/log/temp
35	Electric winch 1000W with remote control and warping bell
36	VHF DSC
37	Mosquito nets on portholes
38	Mosquito nets and blinds on hatch

Extra Options

☐	1	Waste water tank	€	2.130,00
☐	2	Hatch's liferaft stowage (when liferaft not present)	€	668,00
☐	3	Volvo Penta anticorrosion kit	€	3.980,00
☐	4	Air-conditioning system 30.000BTU - cabins and cockpit cooling	€	20.130,00
☐	5	Teak ensign staff	€	630,00
☐	6	Shore power cable electric winder	€	2.130,00
☐	7	Stern Hood	€	1.950,00

☐	8	Fender covers n°6	€	320,00
☐	9	Bow sun cushion with cover and holding handles	€	1.300,00
☐	10	Search light	€	700,00
☐	11	Cockpit fridge l.42	€	793,00
☐	12	Cockpit Ice maker	€	1.350,00
☐	13	Cradle	€	3.800,00
☐	14	Bow/stern lights kit	€	780,00
☐	15	N°3 Scuba lights	€	991,00
☐	16	HT windows cover set	€	946,00
☐	17	Hydraulic gangway	€	11.080,00
☐	18	Cockpit barbeque	€	780,00
☐	19	Cockpit second table	€	1.300,00
☐	20	Radar (colour)	€	3.320,00
☐	21	Data receiver/transmitter AIS system class B (required VHF and Plotter/GPS)	€	1.540,00
☐	22	Heating System (without air conditioning)	€	5.330,00
☐	23	Heating System (only with air conditioning)	€	2.900,00
☐	24	Teak laid cockpit	€	2.890,00
☐	25	Engine room camera	€	710,00
☐	26	Aft bimini top and vertical net	€	1.840,00
☐	27	Trip Computer + Cruise control + Single lever control	€	1.930,00
☐	28	N°2 TV in master and guest cabins	€	1.860,00
☐	29	Saloon TV with DVD	€	1.880,00
☐	30	Cockpit TV	€	860,00
☐	31	N°2 stern winch with warping bell	€	2.850,00
☐	32	Copy of "CE" certificate and declaration of conformity	€	450,00
☐	33	Builder's certificate	€	450,00

Standard features

Deck fittings

Teak on foredeck – 1.000 W electric anchor windlass with remote control and winch for retrieving lines and warping bell – 15 kg. type Bruce anchor – 50 m chain mm 10 – Shower – 2 bow, 2 spring and 4 stern AISI 316 s. steel cleats – Electric windshield wiper – S. steel pulpit with front opening, and s. steel filiere – Bow fender holder – N. 6 fenders – N. 4 mooring lines and bow stowage – Deck s. steel safety lines and railing – S. steel rubbing band – Horn – S. steel fuel filler cap – Fuel tank air vent with anti-flame and anti-spray net – S. steel water filler cap – Water tank air vent – S. steel port and starboard discharge suppers – Navigation lights – Bow and stern "U" hooks – Moulded non-slip deck – Owner's manual.

Hard-Top fittings

GRP and tempered safety crystal structure – Opening plexiglass roof (electrical) – Tempered safety crystal side windows, stposol dark blue – Tempered safety crystal front windshield, stposol dark blue – Holping handle s. steel aisi 316 on both sides of hard top roof – Aft bimini with vertical sunshade net.

Cockpit and helm position

Self-draining cockpit – Central support for antennas – “U” shaped dinette – Storage locker – Glass holder – Object holder – Hydraulic table convertible into sun area with cushion – 2nd table – Wet-bar with sink stands, tap and refrigerator (extra) and ice-maker (extra) – Swimming platform and cockpit floor hatches teak-laid – Foldaway swimming ladder with handle – Bow and stern shower – Storage locker under sunpad – Lighting – Boathook – Access door to cockpit – Stern fender holder – Helm position: Joystick control system – Autopilot – GPS/chartplotter – Central pilot area with 3 seats – Pilot seat (electrical) – Radio control panel – Electronic steering – Volvo Penta electronic single levers engine control – Complete engine instruments: oil pressure and water temperature gauges, voltmeters and hour-counter – Engine warning lights and acoustic alarm – Control panel for vessel trim management – Wood and leather wheel height adjustable – Ritchie magnetic compass – Rudder-angle indicator – Fuel level gauge – Tridata Echolog-temp. (Echosounder + total and trip mile-counter + temp.) – VHF/DSC – Horn and wiper switches – Navigation lights switch – Anchor windlass control – Hydraulic trim tab controls with indicator – Bilge pump controls – Chart table and object holder – 12V cellular phone power socket – Acoustic / visible alarm for water in bilge.

Saloon and galley

Cabin access door – Cabin access stair teak laid with lighting – Leather dinette sofa convertible to bed – Wooden table (adjustable) – Galley corner including: pyroceram stove top, s. steel sink with mixer, Corian® counter-top – Microwave oven – 140 lt. refrigerator and 40 lt freezer with 24/230 Volt current reverser – Set of crockery, cutlery and glasses (6 pp) – Waste bin – Cupboards and cabinets for stowing crockery (for 6) and saucepan set – TV wiring and antenna pre arrangement – Radio stereo/CD/MP3 with saloon and cockpit loudspeakers, dashboard control and infrared remote control – 230V power sockets – N. 2 opening portholes with mosquito nets – N. 1 hatch with blind.

Master cabin

Double bed – Wardrobe – Wardrobe cabinets with shelves – Reading lights – Ceiling lights – 230 V power socket – Hatch with blind and mosquito net – 2 s. steel opening portholes, with mosquito net – Access door to shower/toilet area – Hanger.

Guest cabin

Double bed – Wardrobe with shelves – Reading lights – Ceiling lights – 2 s. steel opening portholes with mosquito net – N. 1 hatch with blind and mosquito net – Leather sofa – Mirror – Object holder – Hanger – Access door to guests shower/toilet area.

Master toilet room and guest toilet room

Flush Vacuum WC with outlet safety valves – Wooden made stand with Corian® top for sink with sink and mixer – Storage cabinets – 230 V power socket – mirrors – Shower in master toilet in separate box – Shower in guest toilet with curtain – Ceiling lights – 1 s. steel opening porthole with mosquito net (one for each toilet) – Automatic shower water discharge system – Bath accessories – Teak floor.

Interior finish

Furniture in lamellar veneer male-oak and wenge wood – Galley and toilet tops in Corian® – Fabrics: cotton, leather, Alcantara® – Saloon wood laid floor.

Electrical system

7 Kva generator – N. 1 battery 100 Amp/h left engine – N. 1 battery 100 Amp/h right engine – N. 1 battery 160 Amp/h for services – AC and DC uses magneto-thermal protected – 32 amp quay socket with quay cable – 30 Amp automatic battery charger – 230V differential fuse and single protection on all uses – Galvanic isolator – Power socket – Electric panel switch for shore power/on-board generator – Battery switch with electric remote control – Manual battery switch to activate battery parallel services/engines – Acoustic and visible alarm for bilge pump – AC and DC power digital control.

Engine compartment

Access to engine compartment and fuel tank through 2 hatches – Possibility of special inspection with removal of cockpit flooring – Daytona® floor – Complete engine compartment acoustic insulation – Engines installed on anti-vibration and steel transverse supports – Side air vents for compartment ventilation – Underwater integrated engine exhaust gas system (Volvo Penta IPS system) – Forced ventilation for engine room – Engine compartment lighting with external switch – Portable emergency lamp – Complete cathode electrolysis protection for fuel tank, sea-intakes, rudders etc. – Safety valves on all sea intakes.

Fuel system

1 s. steel insulated tank for a total capacity of 1,100 lt. approx., with inspection hatch and manual deepstick – Copper fuel lines with R.I.NA./CE registered flexible ends – Fuel-line gates with electric solenoid valve control for immediate fuel stoppage – 2 fuel water separator filters with purge tap – Possibility to disembark tanks by removing cockpit limber boards.

Water system

Water tank in non-toxic food-quality polyethylene for a total capacity of 300 lt. approx. – 1 automatic water pump with filter – Approx. 30 lt. water heater which runs off 230 V or engine heating – Pressure reducer for direct connection with shore water lines with bypass for filling water tank (pressurized water circuit) – Rolling hose.

Bilge pumps

Bilge drainage ensured by: 1 automatic high flow-rate electric pump with manual switch for cabin compartment – 1 automatic high – Flow rate electric pump with manual switch for engine compartment – 1 hand pump cabin compartment and one for engine compartment – Bilge micro-suction system.

Fire extinguishers

N. 2 automatic fire extinguishers in engine compartment – N. 1 manual fire extinguisher in the cockpit



CRANCHI®

Boatbuilder since 1870

TECHNOLOGICAL SUPREMACY

CANTIERE NAUTICO CRANCHI® S.p.A.

HEADOFFICES & PIANTEDO PLANT 1 (SO)

I - 23010 PIANTEDO (SO) - Via Nazionale, 1319

Tel: +39.0342.683.359 - Fax: +39.0342.683.331

Capitale sociale i.v. / Share capital Euro 5.000.000,00

Codice fiscale / P.IVA / Intrastate VAT. 00070470141

www.cranchi.it - e-mail: sales@cranchi.it

Powered by
**VOLVO
PENTA**

Raymarine®

DuPont™
KEVLAR®

Boat reinforced with
Kevlar brand fiber



CRANCHI®

www.cranchi.it