

SUNSEEKER 60 MANHATTAN - 2008 550 000 EUR HT



Boat in perfect condition, full options - Wintered indoor 10 months a year
Berth available in Ajaccio

Equiped with twin MAN 900 CRM - 2 x 900 HP

'Besenzoni' retractable hydraulic gangway


Teak laid hydraulic transom platform

Dessalinator HRO Seafari 2600L/day

Tender WILLIAMS 325 Turbo Jet

TV/SAT KVH G6

Reverse cycle air conditioning in saloon and all cabins



SUNSEEKER 60 MANHATTAN - 2008

Principal dimensions:

Length: 19,60 M
Beam: 5,08 M
Draft: 1,49 M
Displacement: 31 000 Kg
Water capacity: 700 L
Fuel capacity: 3000 L

Engines:

Engine(s): 2 x 900 HP
Make: MAN
Type: 900 CRM
Engine hours: 1168 h

Speed range:

25-33 knts

Générateur(s):

Générateur(s): 1
Make: Kohler
Type: 13,5 kva

Electronics:

Radar/Plotter Furuno Navnet 1944C 10.4" color LCD with GPS antenna GP320B on lower console and Navnet DG 1920C 10.4" colour LCD plotter (radar repeater) on fly console
Raymarine autopilot ST6002+ dual station in lieu of standard
Raymarine ST60+ Speed and Depth system in lieu of Simrad IS15
2.4 meter Whip Aerial for FM Radio to match VHF Aerial on radar arch
Electronic Compas Raymarine Aupilot

Optional equipments:

Bose Lifestyle surround system 48 DVD/CD
TV/SAT KVH G6 DIAM.60 cm
Alpine DVD/CD/MP3/Radio tuner DVA986IRi linked to cabin TV with stereo SPE1302 cabin speakers in the Aft Master Cabin,
Crew cabin for 2 persons
Extra 30 mtrs 10 mm anchor chain
Additional pair of Alpine Marine 2 way cockpit speakers SPS-M600 on the flybridge deck
Fresh water deck wash with outlets fwd & aft + deck wash hose kit
Dimmer switches on interior lighting x 4
Glendinning cablemaster - power feed and recovery
220 AC Shorepower cable
Low level white LED side decks lights -8 per side-
Pouffe stool with low backrest with storage inside in the lower saloon
Reverse cycle air conditioning in saloon and all cabins
Bimini top in canvas with stainless steel frame work (navy blue)
Flyingbridge seats and Wet bar cover
Electric cooling unit for cool box on the flying bridge
Teak decking on flybridge and cockpit
Teak table on flybridge with telescopic leg
Safe - 2 brick - with digital lock
Flyingbridge sunbed
Dessalinator HRO Seafari 2600 L/day

Sternthruster Lewmar 250TT8.0-24V
Generator upgraded to Kohler 13 Kva 50Hz in lieu of standard
Upgraded electric windlass in place of standard
Teak laid hydraulic transom platform
Aqualuma white LED wide angle underwater lighting x 4
General ecology nature pure ultrafine water purifier for the icemaker with spare cartridge supplied
Chocks on platform for tender
Teak folding cockpit table on removable telescopic leg
Teak laid side decks
Lewmar anchor winch upgrade for V4GD-24V ti V5GD-24V
Stern docking winches - Lewmar C3 fitted port and starboard
Dishwasher - Bosch
Washer/Dryer fitted in enclosed cabinet
Low fridge in dinette with small freeze in lieu of standard one
Additional pair 10" mooring cleats fitted to aft edge of the hull band below the hull/deck joint facing aft
2 Spare propellers
1 spare propeller shaft
Safety package
Tender WILLIAMS 325 Turbo Jet

